DGS LIFE SAFETY CODE FIRE ALARM – Life Safety Code Fire Alarm System Upgrade,
DGS 371-3 Phase 1 - Albion, Erie County; DGS 372-3 Phase 1, SCI - Greene, Greene County;
DGS 373-4 Phase 1, SCI - Mahanoy, Schuylkill County and
DGS 375-5 Phase 1, SCI - Coal Township, Northumberland County, PA

	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	
Firms that submitted ASP-150				**Total Score**
Barton Associates, Inc.	5	3	3	**11**
KCI Technologies, Inc.	1	5	3	**9**
The EADS Group, Inc.	1	3	5	**9**
Brinjac Engineering, Inc.	3	3	1	**7**
Lovorn Engineering Associates, LLC	1	3	3	**7**
AE Works, Ltd.	3	1	1	**5**
Crabtree, Rohrbaugh & Assocaites, Inc.	1	1	1	**3**

Results of the
Selections Committee Meeting October 8, 2013

DGS 191-45 PHASE 1 – Replace the Office/Visitors' Center, Cook Forest State Park, Clarion, Clarion County, PA

Firms that submitted ASP-150	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	Total Score
Lami-Grubb Architects	5	5	5	**15**
Architectural Innovations, LLC	5	5	3	**13**
Moshier Studio	5	3	3	**11**
SMP Architects LTD	5	5	1	**11**
Bohlin Cywinski Jackson	1	3	5	**9**
Loysen + Kreutmeier Architects	5	1	3	**9**
LSC Design Inc.	3	5	1	**9**
Crabtree, Rohrbaugh & Associates, Inc.	3	3	1	**7**
Haas Building Solutions Inc.	3	3	1	**7**
IKM Incoporated	1	3	3	**7**
KTH Architects, Inc.	3	3	1	**7**
HHSDR Architects/ Engineers	1	3	1	**5**
Quad Three Group, Inc.	1	3	1	**5**
Roth Marz Partnership, P.C.	1	3	1	**5**
Strosser Architecture & Conservation, Inc.	3	1	1	**5**
TKS Architects, Inc.	3	1	1	**5**
Weber Murphy Fox, Inc.	1	3	1	**5**
ABD Construction Services, LLC	1	1	1	**3**
Canzian/Johnston & Associates, LLC	1	1	1	**3**
The Committee voted to recommend one of the tied firms as indicated below:				
Moshier Studio	3	1	5	**9**
SMP Architects LTD	3	3	3	**9**
The Committee voted to recommend one of the tied firms as indicated below:				
Moshier Studio	3	3	3	**9**
SMP Architects LTD	1	1	1	**3**

Results of the
Selections Committee Meeting October 8, 2013

DGS 197-7 PHASE 1 – New Pine Creek Trail Office/Infrastructure, Tiadaghton Forest District 12, Lycoming County and Tioga Forest District 16, Tioga County, PA

Firms that submitted ASP-150	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	Total Score
hemmler + camayd Architect	3	5	1	**9**
Lami-Grubb Architects	3	5	1	**9**
Murray Associates Architects	1	3	5	**9**
TKS Architects, Inc.	3	3	3	**9**
Buchart Horn, Inc.	1	3	3	**7**
Greenfield Architects, Ltd.	5	1	1	**7**
Moshier Studio	3	3	1	**7**
Roth Marz Partnership, P.C.	1	3	3	**7**
CDA & I Architecture and Interior, Ltd.	1	3	1	**5**
Crabtree, Rohrbaugh & Associates, Inc.	1	3	1	**5**
Haas Building Solutions Inc.	1	3	1	**5**
Muhlenberg Greene Architects, Ltd.	1	3	1	**5**
Strosser Architecture & Conservation, Inc.	3	1	1	**5**
Weber Murphy Fox, Inc.	1	3	1	**5**
ABD Construction Services, LLC	1	1	1	**3**
jBH3 & Associates, Inc,	1	1	1	**3**
RAL Architecture + Design, Inc.	1	1	1	**3**
Ramla Benaissa Architects, LLC	1	1	1	**3**
SMP Architects LTD	1	1	1	**3**
The Committee voted to recommend three of the tied firms as indicated below:				
hemmler + camayd Architect	5	5	3	**13**
Lami-Grubb Architects	3	3	3	**9**
Murray Associates Architects	3	3	5	**11**
TKS Architects, Inc.	5	3	1	**9**
The Committee voted to recommend one of the tied firms as indicated below:				
Lami-Grubb Architects	3	3	3	**9**
TKS Architects, Inc.	5	5	5	**15**

Results of the
Selections Committee Meeting October 8, 2013

DGS A 200-53 – Construct New Northeast Regional Office Building, Pennsylvania Game Commission, Dallas Twp., Luzerne County, PA

Firms that submitted ASP-150	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	Total Score
Architectural Innovations, LLC	5	5	5	**15**
hemmler + camayd Architect	5	5	3	**13**
TKS Architects, Inc.	5	5	3	**13**
Buchart Horn, Inc.	3	3	3	**9**
Greenfield Architects, Ltd.	3	3	3	**9**
Williams Kinsman Lewis Architecture, P.C.	1	3	5	**9**
Murray Associates Architects	1	3	3	**7**
Quad Three Group, Inc.	1	3	3	**7**
Architectural Concepts, P.C.	3	1	1	**5**
CDA & I Architecture and Interiors, Ltd.	1	3	1	**5**
Eyerman.Csala. Hapeman & Handman - Architects	1	3	1	**5**
Peters Design Group, Inc.	1	3	1	**5**
RAL Architecture + Design, Inc.	1	3	1	**5**
Roth Marz Partnership, P.C.	1	3	1	**5**
SMP Architects LTD	1	3	1	**5**
The Palumbo Group	1	3	1	**5**
Foreman Architects Engineers, Inc.	1	1	1	**3**
Haas Building Solutions Inc.	1	1	1	**3**
Ramla Benaissa Architects, LLC	1	1	1	**3**

Results of the
Selections Committee Meeting October 8, 2013

DGS 251-54 PHASE 1 – Construct and/or Acquire a New Maintenance Facility, New Bloomfield, Perry County, PA

Firms that submitted ASP-150	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	Total Score
Buchart Horn, Inc.	3	5	5	**13**
Blackney Hayes Architects	5	3	3	**11**
McKissick Associates PC	5	3	3	**11**
SGS Architects Engineers, Inc.	5	3	3	**11**
Vitetta Group, Inc.	5	3	3	**11**
CDI Architects Group, LLC, d/b/a L.R. Kimball Architecture and Engineering	1	3	5	**9**
Cianfichi Scholl Ludwig Architects, LLC	3	3	3	**9**
Greenfield Architects, Ltd.	3	3	3	**9**
Crabtree, Rohrbaugh & Associates, Inc.	1	3	3	**7**
DRS Architects, Inc.	3	3	1	**7**
Canzian/Johnston & Associates, LLC	1	3	1	**5**
Chris Dawson Architect	1	3	1	**5**
EI Associates	1	3	1	**5**
Godshall Kane O'Rourke Architects, LLC	1	3	1	**5**
Murray Associates Architects	1	1	3	**5**
Ramla Benaissa Architects, LLC	3	1	1	**5**
SCHRADERGROUP architecture, LLC	1	3	1	**5**
The Architectural Studio	3	1	1	**5**
USA Architects, Planners + Interior Designers, P.A.	1	3	1	**5**
Architectural Concepts, P.C.	1	1	1	**3**
Architectural Innovations, LLC	1	1	1	**3**
Gwin, Dobson & Foreman, Inc.	1	1	1	**3**
KTH Architects, Inc.	1	1	1	**3**
Roth Marz Partnership, P.C.	1	1	1	**3**
UCI Architects, Inc.	1	1	1	**3**
The Committee voted to recommend two of the tied firms as indicated below:				
Blackney Hayes Architects	3	3	3	**9**
McKissick Associates PC	1	1	1	**3**
SGS Architects Engineers, Inc.	1	3	1	**5**
Vitetta Group, Inc.	3	5	5	**13**

Results of the
Selections Committee Meeting October 8, 2013

DGS NO. 417-44 PHASE 1 – Technology Center, Thaddeus Stevens College of Technolog					
Lancaster, Lancaster County, PA					
	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP		
Firms that submitted ASP-150				**Total Score**	
Murray Associates Architects	1	5	5	**11**	
Godshall Kane O'Rourke Architects, LLC	3	3	3	**9**	
Greenfield Architects, Ltd.	3	3	3	**9**	
McKissick Associates PC	3	3	3	**9**	
Beers & Hoffman, Ltd. Architects	1	3	3	**7**	
Muhlenberg Greene Architects, Ltd.	3	3	1	**7**	
Roth Marz Partnership, P.C.	1	3	3	**7**	
SMP Architects LTD	3	3	1	**7**	
Astorino	1	3	1	**5**	
Atkin Olshin Schade Architects, Inc.	3	1	1	**5**	
Crabtree, Rohrbaugh & Associates, Inc.	1	3	1	**5**	
Foreman Architects Engineers, Inc.	1	3	1	**5**	
Friday Architects/ Planners Inc.	1	3	1	**5**	
HHSDR Architects/ Engineers	1	1	3	**5**	
MM Architects, Inc.	1	3	1	**5**	
Perfido Weiskopf Wagstaff + Goettel	3	1	1	**5**	
Quad Three Group, Inc.	1	3	1	**5**	
SCHRADERGROUP architecture, LLC	3	1	1	**5**	
Seiler + Drury Architecture	1	3	1	**5**	
Architectural Concepts, P.C.	1	1	1	**3**	
The Committee voted to recommend two of the tied firms as indicated below:					
Godshall Kane O'Rourke Architects, LLC	3	3	3	**9**	
Greenfield Architects, Ltd.	5	5	5	**15**	
McKissick Associates PC	3	1	3	**7**	

Results of the
Selections Committee Meeting October 8, 2013

DGS 573-29 PHASE 1 – Water Main Replacement, State Correctional Institution					
Camp Hill, Lower Allen Twp.,Cumberland County, PA					
	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP		
Firms that submitted ASP-150				**Total Score**	
Pennoni Associates Inc.	3	5	5	**13**	
KCI Technologies, Inc.	5	3	3	**11**	
C.C. Johnson & Malhotra, P.C.	3	3	3	**9**	
Remington, Vernick & Beach Engineers	3	5	1	**9**	
Hunt Engineering Company	3	3	1	**7**	
Barton & Loguidice, P.C.	1	3	1	**5**	
Gwin, Dobson & Foreman, Inc.	3	1	1	**5**	
H.F. Lenz Company	1	1	3	**5**	
Brinjac Engineering, Inc.	1	1	1	**3**	
The Committee voted to recommend one of the tied firms as indicated below:					
C.C. Johnson & Malhotra, P.C.	3	3	5	**11**	
Remington, Vernick & Beach Engineers	1	1	1	**3**	

Results of the
Selections Committee Meeting October 8, 2013

DGS A 961-42 – Installation of Emergency Generator, Delaware Valley Veterans' Home, Philadelphia, Philadelphia County, PA

Firms that submitted ASP-150	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	Total Score
KCI Technologies, Inc.	5	5	3	**13**
Remington, Vernick & Beach Engineers	5	3	5	**13**
Gillan & Hartmann, Inc.	5	1	5	**11**
Barton Associates, Inc.	3	3	3	**9**
Erdman, Anthony and Associates, Inc.	3	3	3	**9**
Larson Design Group, Inc.	3	3	3	**9**
DEDC, LLC	3	3	1	**7**
Barry Isett & Associates, Inc.	1	3	1	**5**
AE Works, Ltd.	1	1	1	**3**
Brinjac Engineering, Inc.	1	1	1	**3**
C.C. Johnson & Malhotra, P.C.	1	1	1	**3**

Results of the
Selections Committee Meeting October 8, 2013

DGS A 961-44 – Installation of Emergency Generator, Gino J. Merli Veterans' Center, Scranton, Lackawanna County, PA

Firms that submitted ASP-150	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	Total Score
Martin Rogers Associates, P.C.	5	5	5	**15**
Greenman-Pedersen, Inc.	5	5	3	**13**
Barry Isett & Associates, Inc.	1	3	5	**9**
Barton Associates, Inc.	3	3	3	**9**
KCI Technologies, Inc.	5	3	1	**9**
Larson Design Group, Inc.	3	3	3	**9**
Michael L. Norris & Associates, Inc.	5	3	1	**9**
C.C. Johnson & Malhotra, P.C.	3	3	1	**7**
Gillan & Hartmann, Inc.	3	3	1	**7**
Peters Design Group, Inc.	3	3	1	**7**
AE Works, Ltd.	1	1	1	**3**
Erdman, Anthony and Associates, Inc.	1	1	1	**3**

The Committee voted to recommned one of the tied firms as indicated below:

Barry Isett & Associates, Inc.	1	1	1	**3**
Barton Associates, Inc.	1	3	3	**7**
KCI Technologies, Inc.	5	5	5	**15**
Larson Design Group, Inc.	1	3	3	**7**
Michael L. Norris & Associates, Inc.	5	5	5	**15**

The Committeee voted to recommend one of the tied firms as indicated below:

KCI Technologies, Inc.	5	5	5	**15**
Michael L. Norris & Associates, Inc.	3	3	3	**9**

Results of the
Selections Committee Meeting October 8, 2013

DGS 971-9 PHASE 1 – Rehabilitate Up to 23 Buildings and Site Development of Infrastructure, Pennsbury Manor, Morrisville, Bucks County, PA

Firms that submitted ASP-150	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	Total Score
OHD, LLD d/b/a Heritage Design Preservations	5	5	5	**15**
Preservation Design Partnership, LLC (PDP)	5	5	5	**15**
Frens and Frens, LLC	5	3	3	**11**
Artefact, Inc.	3	3	1	**7**
Atkin Olshin Schade Architects, Inc.	3	3	1	**7**
Klein and Hoffman, Inc.	3	3	1	**7**
Perfido Weiskopf Wagstaff + Goettel	5	1	1	**7**
Nobel Preservations Services, Inc.	5	1	1	**7**
SAA Architects, Inc.	3	3	1	**7**
Strosser Architecture & Conservation, Inc.	1	3	3	**7**
Seiler + Drury Architecture	1	3	1	**5**
BAU Architecture LLC	1	1	1	**3**
Converse Winkler Architecture, LLC	1	1	1	**3**
Foreman Architects Engineers, Inc.	1	1	1	**3**
UCI Architects, Inc.	1	1	1	**3**

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS A 202-12, Remove and Replace Fuel Tank, Reading Headquarters, Reading, Berks County, PA

Firms that submitted SB-150	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	Total Score
Michael L. Norris & Associates, Inc.				Recommended*
Sera Engineering, P.C.				Recommended*

*Since only two firms applied for this project, the Committee, by Motion, Second to the Motion, and unanimous approval recommended both firms

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS 211-15, Academy Paving Southeast Rear Drive and Auziliary Areas

State Police Academy, Hershey, Dauphin County, PA

Firms that submitted SB-150	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	Total Score
Kurowski & Wilson, LLC	5	5	5	**15**
J.M. HuntAssociates, Inc. D/B/A Hunt Engineering	3	5	3	**11**
American Engineers Group, LLC	3	3	3	**9**
DW LaSota Engineering, Inc.	5	3	1	**9**
Sci Tek Consultants, Inc.	5	1	1	**7**
The Committee voted to recommend one of the tied firms as indicated below:				
American Engineers Group, LLC	1	1	1	**3**
DW LaSota Engineering, Inc.	3	3	3	**9**

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS A 251-848, New Salt Storage Building, Penndot District 4-2, Clarks Summit, McKean County, PA

	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	
Firms that submitted SB-150				**Total Score**
MKSD, LLC				**Recommended***
Phase 3 Design Associates, Inc.				**Recommended***
SAA Architects, Inc.				**Recommended***

*Since only three firms applied for this project, the Committee, by Motion, Second to the Motion, and unanimous approval recommended the three firms

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS NO. A 251-910, Demolition and Construction of a New Salt Storage Building, Maintenance District 12-5, Latrobe, Westmoreland County, PA

Firms that submitted SB-150	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	Total Score
MKSD, LLC				Recommended*

*Since only one firm applied for this project, the Committee, by Motion, Second to the Motion, and unanimous approval recommended the firm

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS A 251-912, Construct Personnel Staging Building and Salt Storage Building, PennDOT Maintenance Stockpile - Route 706, Wyalusing, Bradford County, PA

Firms that submitted SB-150	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	Total Score
MKSD, LLC				Recommended*
Phase 3 Design Associates, Inc.				Recommended*

*Since only two firms applied for this project, the Committee, by Motion, Second to the Motion, and unanimous approval recommended both firms

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS A 251-913, Demolish Salt Storage Dome Building and Construction of New Salt Storage Dome Building, New Castle, Lawrence County, PA

	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	
Firms that submitted SB-150				**Total Score**
Apogee Engineering LLC				**Recommended***
Phase 3 Design Associates, Inc.				**Recommended***

*Since only two firms applied for this project, the Committee, by Motion, Second to the Motion, and unanimous approval recommended both firms

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS NO. A 251-924, Demolition Domar Salt Storage and Construction of New Salt Storage Shed								
Maintenance District 12, South Westmoreland County, PA								
	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP					
Firms that submitted SB-150				**Total Score**				
Apogee Engineering LLC				**Recommended***				
Phase 3 Design Associates, Inc.				**Recommended***				
*Since only two firms applied for this project, the Committee, by Motion, Second to the Motion, and unanimous approval recommended both firms								

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS A 372-11, Roof Replacement - Dietary Building, SCI - Greene, Waynesburg				
Greene County, PA				
	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	
Firms that submitted SB-150				**Total Score**
Phase 3 Design Associates, Inc.				**Recommended***
POZ Environmental LLC				**Recommended***
Widmer Engineering, Inc.				**Recommended***
*Since only three firms applied for this project, the Committee, by Motion, Second to the Motion, and unanimous approval recommended the three firms				

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS A 375-14, Exterior Repainting of Water Storage Tank, SCI - Coal Township, Northumberland County, PA

	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	
Firms that submitted SB-150				**Total Score**
Northeast Infrastructure LLC				**Recommended***
POZ Environmental LLC				**Recommended***
Uni-Tec Consulting Engineers, Inc.				**Recommended***

*Since only three firms applied for this project, the Committee, by Motion, Second to the Motion, and unanimous approval recommended the three firms

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS A 557-61, Complete the Interior of Gymnasium Shell, South Mountain Restoration Center, South Mountain, Franklin County, PA

	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP					
Firms that submitted SB-150				**Total Score**				
MKSD, LLC				**Recommended***				
Phase 3 Design Associates, Inc.				**Recommended***				

*Since only two firms applied for this project, the Committee, by Motion, Second to the Motion, and unanimous approval recommended both firms

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS NO. A 970-219, Upgrades at Southwestern Veterans' Center-Pittsburgh,
Southwestern Veterans' Center, Pittsburgh, Allegheny County, PA

Firms that submitted SB-150	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	Total Score	
AE Works, Ltd.	3	3	3	**9**	
Apogee Engineering LLC	3	3	3	**9**	
Phase 3 Design Associates, Inc.	3	3	3	**9**	
Sera Engineering, P.C.	1	1	1	**3**	

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS NO. A 1572-18, Roof Replacement - Medical Building, SCI - Mercer, Mercer, Mercer County, PA					
	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP		
Firms that submitted SB-150				**Total Score**	
Inscale PC	5	5	3	**13**	
Phase 3 Design Associates, Inc.	3	3	3	**9**	
Sci Tek Consultants, Inc.	3	3	3	**9**	
Uni-Tec Consulting Engineers, Inc.	5	3	1	**9**	
Widmer Engineering, Inc.	3	1	3	**7**	
Desman Inc.	3	1	1	**5**	
POZ Environmental LLC	3	1	1	**5**	
The Committee voted to recommend two of the tied firms as indicated below:					
Phase 3 Design Associates, Inc.	5	5	5	**15**	
Sci Tek Consultants, Inc.	5	5	5	**15**	
Uni-Tec Consulting Engineers, Inc.	3	3	3	**9**	

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS NO. A 1573-16, Administration Roof Replacement - Section 1 (East), SCI - Smithfield,								
Smithfield, Huntingdon County, PA								
	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP					
Firms that submitted SB-150				**Total Score**				
MKSD, LLC				**Recommended***				
POZ Environmental LLC				**Recommended***				
*Since only two firms applied for this project, the Committee, by Motion, Second to the Motion, and unanimous approval recommended both firms								

Results of the
Selections Committee Meeting October 8, 2013
(Small Business Design)

DGS NO. A 1700-39, CCTV for PEMA Western Office, Western Regional Office, Indiana, Indiana County, PA				
	JOSEPH A. ZADLO, RA, AICP Vice Chair	**P. RICHARD SCHELLER, P.E.**	**DONALD SOKOLOSKI, CPC, LEED AP**	
Firms that submitted SB-150				**Total Score**
Lovorn Engineering Associates, LLC				**Recommended***
Michael L. Norris & Associates, Inc.				**Recommended***

*Since only two firms applied for this project, the Committee, by Motion, Second to the Motion, and unanimous approval recommended both firms