

Results of the
 Selections Committee Meeting November 26, 2013

DGS 182-24 PHASE 1 – Flood Protection Project, Borough of Montoursville, Montoursville, Lycoming County, PA									
	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP						
Firms that submitted ASP-150				Total Score					
Greenman-Pedersen, Inc.	5	3	3	11					
Borton-Lawson Engineering, Inc.	5	1	3	9					
Buchart-Horn, Inc.	1	3	5	9					
Reilly Associates	3	3	3	9					
Schnabel Dam Engineering, Inc.	3	5	1	9					
Alfred Benesch & Company	3	3	1	7					
AMEC Environment & Infrastructure, Inc.	1	5	1	7					
Michael Baker, Jr., Inc.	1	1	1	3					
The Committee voted to recommend two of the tied firms as indicated below:									
Borton-Lawson Engineering, Inc.	5	3	3	11					
Buchart-Horn, Inc.	3	5	5	13					
Reilly Associates	3	1	3	7					
Schnabel Dam Engineering, Inc.	3	5	3	11					
The Committee voted to recommend one of the tied firms as indicated below:									
Borton-Lawson Engineering, Inc.	5	5	5	15					

Results of the
 Selections Committee Meeting November 26, 2013

DGS 189-1 PHASE 1 – Rehabilitation of Dam, Gouldsboro State Park, Lehigh Twp., Wayne County, PA				
	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	
Firms that submitted ASP-150				Total Score
Schnabel Dam Engineering, Inc.	5	5	5	15
Greenman-Pedersen, Inc.	5	3	3	11
Paul c. Rizzo Associates, Inc.	5	5	1	11
Ground Technology, Inc. d/b/a D'Appolonia Engineering	5	3	1	9
Reuther & Bowen, P.C.	1	3	3	7
AMEC Environment & Infrastructure, Inc.	3	1	1	5
Michael Baker, Jr., Inc.	1	3	1	5

Results of the
Selections Committee Meeting November 26, 2013

DGS 195-41 Phase 1 – New District Office/Infrastructure, Forest District 6, Gallitzin, Cambria County, PA				
	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	
Firms that submitted ASP-150				Total Score
Lami-Grubb Architects	5	5	5	15
Moshier Studio	5	5	5	15
SGS Architects Engineers, Inc.	5	3	5	13
SMP Architects LTD	3	5	3	11
Architectural Innovations, LLC	3	3	1	7
Quad Three Group, Inc.	1	3	3	7
RSSC Architecture	3	3	1	7
4-Most Group, Inc. Architects	1	3	1	5
AE Works, Ltd.	1	1	3	5
Canzian/Johnston & Associates, LLC	1	1	3	5
Chris Dawson Architect	3	1	1	5
Haas Building Solutions Inc.	1	1	3	5
KTH Architects	1	1	3	5
SCHRADERGROUP architecture, LLC	3	1	1	5
TKS Architects, Inc.	3	1	1	5
ABD Construction Services, LLC	1	1	1	3
Apostolou Associates, Inc.	1	1	1	3
Astorino	1	1	1	3
Crabtree, Rohrbaugh & Associates, Inc.	1	1	1	3
Hayes Large Architects, LLP	1	1	1	3
HHSDR Architects/ Engineers	1	1	1	3
Phase 3 Design Associates, Inc.	1	1	1	3
RAL Architecture + Design, Inc.	1	1	1	3
Ramla Benaissa Architects, LLC	1	1	1	3
Roth LLC Architects and Planners	1	1	1	3
Roth Marz Partnership, P.C.	1	1	1	3

Results of the
Selections Committee Meeting November 26, 2013

DGS NO. 251-57 PHASE 1 – Construct a New Stockpile Facility, PennDOT District 9-7, Brothers Valley Twp., Somerset County, PA				
	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	
Firms that submitted ASP-150				Total Score
The EADS Group, Inc.	3	5	5	13
Buchart Horn Inc.	5	3	3	11
Canzian/Johnston & Associates, LLC	3	3	5	11
Quad Three Group, Inc.	1	5	5	11
Johnson, Mirmiran & Thompson, Inc. (JMT)	5	3	1	9
AE Works, Ltd.	3	1	1	5
Apostolou Associates, Inc.	1	1	3	5
Crabtree, Rohrbaugh & Associates, Inc.	3	1	1	5
Jeff Zell Consultants, Inc.	1	1	1	3
Phase 3 Design Associates, Inc.	1	1	1	3
Roth Marz Partnership, P.C.	1	1	1	3
The Committee voted to recommend two of the tied firms as indicated below:				
Buchart Horn Inc.	5	1	3	9
Canzian/Johnston & Associates, LLC	5	5	5	15
Quad Three Group, Inc.	1	5	3	9
The Committee voted to recommend one of the tied firms as indicated below:				
Buchart Horn Inc.	1	1	1	3
Quad Three Group, Inc.	5	5	5	15

Results of the
 Selections Committee Meeting November 26, 2013

DGS 571-33 PHASE 1 – Repair Exterior Walls on Various Buildings, State Correctional Institution - Rockview, Benner Twp., Centre County, PA				
	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP	
Firms that submitted ASP-150				Total Score
Barber & Hoffman, Inc.	5	5	5	15
MKSD, LLC	5	3	3	11
The Palumbo Group	5	3	1	9
USA Architects, Planners + Interior Designers, P.A.	5	3	1	9
Raudenbush Engineering, Inc.	3	1	3	7
Foreman Architects Engineers, Inc.	1	1	3	5
Dimensional Architecture	1	1	1	3
Hickey Architects, Inc.	1	1	1	3
The Committee voted to recommend one of the tied firms as indicated below:				
The Palumbo Group	5	5	3	13
USA Architects, Planners + Interior Designers, P.A.	5	3	3	11

Results of the
Selections Committee Meeting
November 26, 2013

DGS 572-25 PHASE 1 – Electrical Upgrades in Housing Units, State Correctional Institution - Huntingdon, Smithfield Twp., Huntingdon County, PA					
	<i>JOSEPH A. ZADLO, R.A. AICP Vice Chair</i>	<i>P. RICHARD SCHELLER, P.E.</i>	<i>DONALD SOKOLOSKI, CPC, LEED AP</i>		
Firms that submitted ASP-150				Total Score	
CJL Engineering	5	5	3	13	
H.F.Lenz Company	3	5	5	13	
KCI Technologies, Inc.	5	5	3	13	
Erdman, Anthony and Associates, Inc.	3	3	1	7	
Gillan & Hartmann, Inc.	3	3	1	7	
The EADS Group, Inc.	1	3	3	7	
Hayes Large Architects, LLP	1	1	3	5	
AE Works, Ltd.	1	1	1	3	
Astorino	1	1	1	3	
Gwin, Dobson & Foreman, Inc.	1	1	1	3	

DGS 800-293 Phase 1 – Capital Renewal, Phase II - Central Region				
The Pennsylvania State University, Blair County, PA				
	JOSEPH A. ZADLO, RA, ACP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOYKOLOSKI, CPC, LEED AP	
Firms that submitted ASP-150				Total Score
EwingCole	5	5	3	13
Renaissance 3 Architects, P.C. & Moody Nolan, Inc. (Joint Venture)	3	5	3	11
Weber Murphy Fox, Inc.	5	5	1	11
Celli-Flynn Brennan, Architects and Planners	3	3	3	9
Kimmel Bogrette Architecture + Site, Inc.	1	5	3	9
McKissick Associates PC	5	1	3	9
MKSD, LLC	3	3	3	9
RDGA 1A Inc. d/b/a RDG Planning & Design & Environetics Design Inc. (Joint Venture)	5	3	1	9
WTW Architects	3	3	3	9
Architectural Innovations, LLC	3	3	1	7
Astorino	3	3	1	7
CDI Architects Group, LLC, d/b/a L.R. Kimball Architecture and Engineering	1	1	5	7
Dennis L. Astorino Architects LLC d/b/a DLA+Architecture & Interior Design	3	1	3	7
Hughes Group Architects, Inc. & Brinjac Engineering, Inc. (Joint Venture)	3	3	1	7
IKM Incorporated & Perkins + Will (Joint Venture)	3	3	1	7
Nelson H2L2	3	3	1	7
PZS Architects, LLC	3	3	1	7
Spillman Farmer Architects	3	3	1	7
Apostolou Associates, Inc.	1	1	3	5
Canzian/Johnston & Associates, LLC	1	1	3	5
DRS Architects, Inc.	3	1	1	5
HHSDR Architects/Engineers	1	3	1	5
Lami-Grubb Architects & Glance & Associates, Inc. (Joint Venture)	1	3	1	5
TKA Architects, Inc.	1	3	1	5
ADB Construction Services, LLC	1	1	1	3
Architectural Concepts, P.C.	1	1	1	3
Chris Dawson Architect	1	1	1	3
Eckles Architecture & Engineering, inc.	1	1	1	3
Foreman Architects Engineers, Inc.	1	1	1	3
Friday Architects/Planners Inc.	1	1	1	3
Hayes Large Architects, LLP	1	1	1	3
KTH Architects, Inc.	1	1	1	3
RSSC Architecture	1	1	1	3
The Architectural Studio	1	1	1	3

Results of the
Selections Committee Meeting
November 26, 2013

DGS A 960-120 – Installation of Emergency Generator, Southeastern Veterans' Center, Spring City, Chester County, PA					
	<i>JOSEPH A. ZADLO, RA, AICP Vice Chair</i>	<i>P. RICHARD SCHELLER, P.E.</i>	<i>DONALD SOKOLOSKI, CPC, LEED AP</i>		
Firms that submitted ASP-150				Total Score	
Martin rogers Associates, P.C.	3	5	5	13	
Erdman, Anthony and Associates, Inc.	5	3	3	11	
KCI Technologies, Inc.	5	3	3	11	
Barton Associates, Inc.	1	3	5	9	
Gillan & Hartmann, Inc.	5	3	1	9	
Weigand Associates, Inc.	3	3	1	7	
Brinjac Engineering, Inc.	1	1	3	5	
H. F. Lenz Company	1	3	1	5	
Larson Design Group, Inc.	1	3	1	5	
AE Works, Ltd.	1	1	1	3	

Results of the
 Selections Committee Meeting
 November 26, 2013

DGS 962-19 PART 2 – New Water Tank, Huntingdon Readiness Center, Huntingdon, Huntingdon County, PA				
	<i>JOSEPH A. ZADLO, RA, AICP Vice Chair</i>	<i>P. RICHARD SCHELLER, P.E.</i>	<i>DONALD SOKOLOSKI, CPC, LEED AP</i>	
Firms that submitted ASP-150				Total Score
Keller Engineers, Inc.	1	1	1	3
The EADS Group, Inc.	1	1	1	3

Results of
 Selections Committee Meeting
 November 26, 2013

DGS A 970-221 – Installation of Emergency Generator, Southwestern Veterans' Center					
Pittsburgh, Allegheny County, PA					
	JOSEPH A. ZADLO, RA, AICP Vice Chair	P. RICHARD SCHELLER, P.E.	DONALD SOKOLOSKI, CPC, LEED AP		
Firms that submitted ASP-150				Total Score	
KCI Technologies, Inc.	3	5	5	13	
CJL Engineering	5	5	1	11	
H.F. Lenz Company	3	5	3	11	
Weigand Associates, Inc.	5	3	3	11	
AE Works, Ltd.	3	1	5	9	
Barton Associates, Inc.	5	1	3	9	
Erdman, Anthony and Associates, Inc.	3	3	1	7	
Tower Engineering	1	3	3	7	
Larson Design Group, Inc.	1	3	1	5	
Astorino	1	1	1	3	
The Committee voted to recommend two of the tied firms as indicated below:					
CJL Engineering	5	5	3	13	
H.F. Lenz Company	3	3	3	9	
Weigand Associates, Inc.	5	5	5	15	