Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Pennsylvania

	All Ages*	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
								Age Group											
Lip																			
Male/White	234	0	0	0	1	1	1	1	2	8	8	13	16	12	35	28	46	35	27
Male/Black	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Males*	244	0	0	0	2	1	1	1	3	9	9	13	18	12	36	28	48	35	27
Female/White	117	0	0	0	0	0	0	1	1	4	3	6	12	7	7	19	17	19	21
Females*	128	0	0	0	0	0	0	1	3	5	3	7	12	8	10	19	18	20	22
All Cases*	372	0	0	0	2	1	1	2	6	14	12	20	30	20	46	47	66	55	49
Tongue																			
Male/White	1,482	0	0	0	0	5	7	11	20	58	127	200	262	254	170	132	116	82	38
Male/Black	99	0	0	0	0	0	0	0	1	4	10	11	26	12	13	15	6	1	0
Males*	1,620	0	0	0	0	6	7	12	22	64	140	219	294	273	189	149	123	83	39
Female/White	679	0	0	0	1	5	11	9	19	24	52	68	72	78	63	72	74	77	54
Female/Black	50	0	0	0	0	0	0	0	2	2	2	5	8	6	6	7	6	6	0
Females*	748	0	0	0	1	5	11	9	21	27	56	78	81	88	72	80	81	83	55
All Cases*	2,368	0	0	0	1	11	18	21	43	91	196	297	375	361	261	229	204	166	94
Salivary Gland																			
Male/White	510	1	0	3	3	5	4	4	6	12	29	29	41	46	75	53	64	63	72
Male/Black	32	0	0	1	1	1	0	3	2	2	3	2	5	2	3	4	2	0	1
Males*	552	1	0	4	5	6	4	7	9	17	33	32	46	49	78	57	67	64	73
Female/White	333	0	1	3	6	5	3	2	15	15	18	31	28	36	27	26	48	21	48
Female/Black	30	0	0	0	1	1	1	1	0	0	3	3	4	4	3	4	1	2	2
Females*	377	0	1	3	8	6	4	5	16	15	22	34	33	40	32	30	51	26	51
All Cases*	929	1	1	7	13	12	8	12	25	32	55	66	79	89	110	87	118	90	124
Gum and Other Mouth																			
Male/White	560	0	0	2	0	0	3	2	7	15	31	55	69	67	75	63	67	55	49
Male/Black	39	0	0	0	0	0	1	1	0	2	1	5	3	14	2	4	4	0	2
Males*	626	0	0	2	0	0	4	4	10	18	37	60	76	87	78	70	73	55	52
Female/White	511	1	0	1	1	1	0	4	4	9	15	23	34	45	71	68	73	81	80
Female/Black	36	0	0	0	0	0	1	2	1	1	2	5	3	6	3	4	2	3	3
Females*	563	1	0	1	1	1	1	7	5	12	18	29	37	52	76	74	77	84	87
All Cases*	1,189	1	0	3	1	1	5	11	15	30	55	89	113	139	154	144	150	139	139
Floor of Mouth																			
Male/White	315	0	0	0	0	0	0	0	1	9	32	51	49	49	40	25	34	18	7
Male/Black	36	0	0	0	0	0	0	0	0	1	1	4	7	9	4	5	5	0	0
Males*	359	0	0	0	0	0	0	0	1	10	35	56	58	58	44	32	39	18	7
Female/White	139	0	0	0	0	0	0	0	0	7	11	11	10	21	17	26	14	11	11
Female/Black	16	0	0	0	0	0	0	0	0	0	2	5	1	2	1	4	1	0	0
Females*	157	0	0	0	0	0	0	0	0	7	13	16	11	24	18	30	15	12	11
All Cases*	516	0	0	0	0	0	0	0	1	17	48	72	69	82	62	62	54	30	18

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Pennsylvania

	All Ages*	Age Group: Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Tonsil																			
Male/White	945	0	0	0	0	0	1	1	19	52	117	196	193	110	102	67	45	27	15
Male/Black	78	0	0	0	0	0	0	0	1	5	11	9	11	16	10	6	4	3	2
Males*	1,036	0	0	0	0	0	1	1	21	57	129	209	208	127	113	73	50	30	17
Female/White	201	0	1	0	0	0	0	1	2	5	17	38	28	25	18	21	22	18	5
Female/Black	27	0	0	0	0	0	0	1	0	2	0	3	7	7	3	0	3	1	0
Females*	231	0	1	0	0	0	0	2	3	7	17	42	35	32	22	21	25	19	5
All Cases*	1,267	0	1	0	0	0	1	3	24	64	146	251	243	159	135	94	75	49	22
Oropharynx																			
Male/White	183	0	0	0	0	0	0	0	2	8	17	35	29	31	21	19	14	4	3
Male/Black	40	0	0	0	0	0	0	0	0	3	1	5	5	5	7	7	4	3	0
Males*	223	0	0	0	0	0	0	0	2	11	18	40	34	36	28	26	18	7	3
Female/White	67	0	0	0	0	0	1	0	2	0	2	5	8	16	9	5	5	4	10
Female/Black	16	0	0	0	0	0	0	0	0	2	4	1	1	1	3	4	0	0	0
Females*	83	0	0	0	0	0	1	0	2	2	6	6	9	17	12	9	5	4	10
All Cases*	306	0	0	0	0	0	1	0	4	13	24	46	43	53	40	35	23	11	13
Nasopharynx																			
Male/White	197	1	0	0	3	4	1	2	6	13	28	29	29	22	20	14	12	5	8
Male/Black	25	0	0	0	6	0	1	0	0	3	3	4	2	2	1	2	1	0	0
Males*	257	1	0	0	11	4	3	5	9	23	32	38	38	25	24	17	13	5	9
Female/White	75	1	0	2	2	1	0	1	1	2	9	6	9	9	6	4	15	3	4
Female/Black	12	0	0	1	1	1	0	0	0	0	1	3	2	1	0	1	0	0	1
Females*	104	1	0	3	4	2	1	2	4	5	11	12	12	12	7	5	15	3	5
All Cases*	361	2	0	3	15	6	4	7	13	28	43	50	50	37	31	22	28	8	14
Hypopharynx																			
Male/White	354	0	0	0	0	0	0	0	3	7	20	41	56	62	47	30	45	27	16
Male/Black	53	0	0	0	0	0	0	0	1	2	4	6	10	9	9	4	4	3	1
Males*	416	0	0	0	0	0	0	0	4	9	24	47	67	74	58	35	51	30	17
Female/White	86	0	0	0	0	0	0	0	1	3	5	6	10	13	9	18	7	8	6
Female/Black	12	0	0	0	0	0	0	0	0	0	2	0	2	1	1	4	1	1	0
Females*	100	0	0	0	0	0	0	0	1	3	7	7	13	14	10	22	8	9	6
All Cases*	516	0	0	0	0	0	0	0	5	12	31	54	80	88	68	57	59	39	23
Other Oral Cavity and Pharynx																			
Male/White	79	0	0	0	0	0	0	0	0	0	8	9	9	10	16	9	5	7	6
Male/Black	15	0	0	0	0	0	0	0	0	0	2	4	1	1	4	2	1	0	0
Males*	94	0	0	0	0	0	0	0	0	0	10	13	10	11	20	11	6	7	6
Female/White	28	0	0	0	1	0	0	0	0	0	0	2	5	3	2	5	4	3	3
Female/Black	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0
Females*	32	0	0	0	1	0	0	0	0	0	0	2	5	4	3	6	5	3	3
All Cases*	126	0	0	0	1	0	0	0	0	0	10	15	15	15	23	17	11	10	9

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Age Group

Pennsylvania	All Ages*	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Total Oral Cavity and Pharynx																			
Male/White	4,859	2	0	5	7	15	17	21	66	182	417	658	753	663	601	440	448	323	241
Male/Black	418	0	0	1	7	1	2	4	5	22	37	50	70	70	53	49	31	10	6
Males*	5,427	2	0	6	18	17	20	30	81	218	467	727	849	752	668	498	488	334	250
Female/White	2,236	2	2	6	11	12	15	18	45	69	132	196	216	253	229	264	279	245	242
Female/Black	203	0	0	1	2	2	2	4	3	7	16	25	28	29	21	29	15	13	6
Females*	2,523	2	2	7	15	14	18	26	55	83	153	233	248	291	262	296	300	263	255
All Cases*	7,950	4	2	13	33	31	38	56	136	301	620	960	1,097	1,043	930	794	788	597	505
Esophagus																			
Male/White	2,994	0	0	0	0	1	2	6	13	47	127	232	319	453	425	443	405	304	217
Male/Black	198	0	0	0	0	0	0	0	0	4	7	28	31	26	35	30	15	14	8
Males*	3,243	0	0	0	0	1	2	6	13	56	138	263	354	482	469	478	425	328	228
Female/White	787	0	0	0	0	0	1	0	4	16	26	34	51	74	88	104	119	117	153
Female/Black	119	0	0	0	0	0	0	0	1	3	3	16	23	17	14	16	9	9	8
Females*	924	0	0	0	0	0	1	0	6	19	29	50	75	93	105	123	133	128	162
All Cases*	4,167	0	0	0	0	1	3	6	19	75	167	313	429	575	574	601	558	456	390
Stomach																			
Male/White	2,856	0	0	0	0	3	6	11	30	57	98	196	259	324	397	370	419	391	295
Male/Black	361	0	0	0	0	0	0	2	7	15	25	35	39	33	43	52	49	33	28
Males*	3,320	0	0	0	0	3	6	13	41	76	129	245	306	375	450	430	486	428	332
Female/White	1,615	0	0	1	0	2	10	9	14	26	61	70	84	128	150	138	240	309	373
Female/Black	285	0	0	0	0	0	2	1	0	11	16	15	18	28	33	35	37	38	51
Females*	1,973	0	0	1	0	3	12	12	16	39	81	87	109	165	192	180	290	353	433
All Cases*	5,293	0	0	1	0	6	18	25	57	115	210	332	415	540	642	610	776	781	765
Small Intestine																			
Male/White	762	0	0	0	2	0	2	3	8	29	46	62	97	112	83	97	96	82	43
Male/Black	100	0	0	0	0	0	0	2	1	2	11	10	10	12	10	19	10	7	6
Males*	876	0	0	0	2	0	2	5	10	31	57	72	110	128	95	118	108	89	49
Female/White	676	0	0	0	0	0	3	6	11	18	43	61	54	65	82	88	98	84	63
Female/Black	99	0	0	0	0	0	0	0	3	3	4	10	8	15	16	6	15	6	13
Females*	794	0	0	0	0	0	4	7	16	21	47	72	64	83	100	96	116	90	78
All Cases*	1,670	0	0	0	2	0	6	12	26	52	104	144	174	211	195	214	224	179	127
Cecum																			
Male/White	2,403	0	0	0	0	0	3	8	11	36	60	111	170	222	295	321	399	397	370
Male/Black	230	0	0	0	0	0	0	1	3	8	14	33	23	19	32	33	27	21	16
Males*	2,663	0	0	0	0	0	3	10	15	45	76	146	194	244	331	358	428	423	390
Female/White	3,313	0	0	0	0	1	2	4	15	34	64	108	148	223	310	438	602	646	718
Female/Black	304	0	0	0	0	1	1	1	3	8	14	23	28	32	37	45	41	34	36
Females*	3,648	0	0	0	0	2	3	5	18	42	79	131	177	259	347	486	652	689	758
All Cases*	6,311	0	0	0	0	2	6	15	33	87	155	277	371	503	678	844	1,080	1,112	1,148

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Pennsylvania

	All Ages*	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
								Age Group											
Appendix																			
Male/White	257	0	0	0	0	5	2	5	6	18	16	38	36	26	23	27	18	24	13
Male/Black	20	0	0	0	0	0	1	1	0	3	0	2	3	3	2	3	1	1	0
Males*	282	0	0	1	0	5	3	7	6	22	16	41	39	29	25	31	19	25	13
Female/White	270	0	0	0	1	1	3	6	16	14	24	27	33	30	36	29	24	15	11
Female/Black	31	0	0	0	0	1	0	1	3	4	2	2	5	1	4	3	5	0	0
Females*	306	0	0	0	1	2	4	7	20	18	26	30	39	31	41	32	29	15	11
All Cases*	589	0	0	1	1	7	7	14	26	40	42	71	79	60	66	63	48	40	24
Ascending Colon																			
Male/White	2,153	0	0	0	0	2	3	6	14	27	42	98	122	174	248	319	407	384	307
Male/Black	203	0	0	0	0	1	1	2	5	4	9	18	14	27	19	27	39	18	19
Males*	2,390	0	0	0	0	3	4	9	19	34	52	117	142	205	270	351	448	405	331
Female/White	2,888	0	0	1	1	0	0	2	12	20	49	93	135	165	269	384	516	622	619
Female/Black	224	0	0	0	0	1	0	1	1	3	13	18	19	19	41	24	33	27	24
Females*	3,163	0	0	1	1	1	1	3	15	24	66	115	158	188	320	416	553	653	648
All Cases*	5,553	0	0	1	1	4	5	12	34	58	118	232	300	393	590	767	1,001	1,058	979
Hepatic Flexure																			
Male/White	580	0	0	0	0	0	1	4	2	8	12	33	38	41	64	84	99	96	98
Male/Black	40	0	0	0	0	0	1	0	0	4	2	3	4	8	3	2	6	3	4
Males*	632	0	0	0	0	0	2	4	2	12	15	37	42	50	67	90	108	101	102
Female/White	679	0	0	0	0	0	1	0	1	10	18	23	28	31	51	80	128	147	161
Female/Black	56	0	0	0	0	0	0	0	0	3	2	5	6	7	5	10	8	6	4
Females*	746	0	0	0	0	0	1	0	1	13	20	29	35	38	57	91	137	157	167
All Cases*	1,378	0	0	0	0	0	3	4	3	25	35	66	77	88	124	181	245	258	269
Transverse Colon																			
Male/White	992	0	0	0	0	2	3	1	9	12	26	44	65	93	123	148	192	145	129
Male/Black	93	0	0	0	1	0	1	0	0	1	5	9	16	13	10	9	13	10	5
Males*	1,101	0	0	0	1	2	4	1	9	14	32	53	83	111	134	158	208	155	136
Female/White	1,293	0	0	0	0	0	4	1	7	22	37	44	73	71	103	157	208	269	297
Female/Black	127	0	0	0	0	0	0	1	1	2	8	8	15	14	11	23	20	12	12
Females*	1,440	0	0	0	0	0	4	2	11	24	45	53	89	87	117	181	231	284	312
All Cases*	2,541	0	0	0	1	2	8	3	20	38	77	106	172	198	251	339	439	439	448
Splenic Flexure																			
Male/White	398	0	0	0	0	1	2	2	4	12	24	22	36	43	43	49	55	63	42
Male/Black	44	0	0	0	0	0	0	0	0	3	1	3	4	3	5	4	8	7	6
Males*	446	0	0	0	0	1	2	2	4	15	25	25	40	47	48	54	64	70	49
Female/White	384	0	0	0	0	0	1	0	8	9	9	23	24	20	48	44	62	67	69
Female/Black	52	0	0	0	0	0	0	0	2	1	1	5	10	9	6	7	7	2	2
Females*	444	0	0	0	0	0	1	0	10	10	10	30	34	30	54	51	70	70	74
All Cases*	890	0	0	0	0	1	3	2	14	25	35	55	74	77	102	105	134	140	123

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Pennsylvania

	All Ages*	Age Group: Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Descending Colon																			
Male/White	740	0	0	0	0	0	3	4	4	11	34	53	63	87	93	113	100	103	72
Male/Black	93	0	0	0	0	0	1	0	1	1	4	8	14	15	16	16	7	5	5
Males*	854	0	0	0	0	0	5	5	5	12	39	63	78	105	112	134	109	109	78
Female/White	601	0	0	0	0	0	1	3	3	9	27	56	45	48	46	68	93	108	94
Female/Black	79	0	0	0	0	1	0	1	0	4	3	6	6	9	7	12	12	8	10
Females*	697	0	0	0	0	1	1	5	5	14	30	63	55	58	55	81	108	117	104
All Cases*	1,551	0	0	0	0	1	6	10	10	26	69	126	133	163	167	215	217	226	182
Sigmoid Colon																			
Male/White	3,459	0	0	0	0	5	4	18	40	89	148	302	341	411	457	474	475	429	266
Male/Black	298	0	0	0	0	1	1	3	5	13	18	33	41	36	33	28	39	33	14
Males*	3,864	0	0	0	0	6	5	21	46	104	171	351	397	463	512	513	525	465	285
Female/White	3,127	0	0	0	2	3	6	19	40	75	146	227	248	282	315	371	450	479	464
Female/Black	309	0	0	0	1	0	0	1	5	14	19	30	41	29	36	37	47	22	27
Females*	3,527	0	0	0	3	3	7	20	50	91	171	269	301	323	359	420	503	507	500
All Cases*	7,391	0	0	0	3	9	12	41	96	195	342	620	698	786	871	933	1,028	972	785
Large Intestine, NOS																			
Male/White	769	0	0	0	0	0	0	3	7	8	15	35	53	75	90	91	95	132	164
Male/Black	80	0	0	0	0	0	0	0	1	5	2	6	10	13	11	11	10	7	4
Males*	876	0	0	0	0	0	0	3	8	14	18	47	66	93	104	104	107	141	170
Female/White	916	0	0	0	0	1	0	0	4	10	20	25	42	50	53	71	136	174	330
Female/Black	103	0	0	0	0	0	0	1	1	1	4	3	7	9	11	12	12	17	25
Females*	1,051	0	0	0	0	1	0	1	6	13	27	30	53	61	68	85	153	196	357
All Cases*	1,927	0	0	0	0	1	0	4	14	27	45	77	119	154	172	189	260	337	527
Total Colon																			
Male/White	11,751	0	0	0	0	15	21	51	97	221	377	736	924	1,172	1,436	1,626	1,840	1,773	1,461
Male/Black	1,101	0	0	0	1	2	6	7	15	42	55	115	129	137	131	133	150	105	73
Males*	13,108	0	0	1	1	17	28	62	114	272	444	880	1,081	1,347	1,603	1,793	2,016	1,894	1,554
Female/White	13,471	0	0	1	4	6	18	35	106	203	394	626	776	920	1,231	1,642	2,219	2,527	2,763
Female/Black	1,285	0	0	0	1	4	1	7	16	40	66	100	137	129	158	173	185	128	140
Females*	15,022	0	0	1	5	10	22	43	136	249	474	750	941	1,075	1,418	1,843	2,436	2,688	2,931
All Cases*	28,131	0	0	2	6	27	50	105	250	521	918	1,630	2,023	2,422	3,021	3,636	4,452	4,582	4,485
Rectum and Rectosigmoid																			
Male/White	5,520	0	0	0	0	2	9	34	70	144	308	546	606	688	733	747	678	595	360
Male/Black	388	0	0	0	0	0	3	6	17	13	26	58	44	45	45	35	44	33	19
Males*	6,063	0	0	0	0	2	12	41	93	161	343	631	672	753	804	800	731	637	383
Female/White	4,068	0	0	0	0	1	16	21	50	121	220	332	369	372	452	464	569	525	556
Female/Black	348	0	0	0	0	0	0	3	9	10	27	38	32	50	49	39	34	33	24
Females*	4,542	0	0	0	0	1	18	26	60	137	255	388	416	436	511	515	614	571	594
All Cases*	10,605	0	0	0	0	3	30	67	153	298	598	1,019	1,088	1,189	1,315	1,315	1,345	1,208	977

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Pennsylvania

	All Ages*	Age Group: Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Anus, Anal Canal, and Anorectum																			
Male/White	353	0	0	0	0	0	1	3	15	22	32	45	44	43	48	35	29	22	14
Male/Black	58	0	0	0	0	1	1	3	2	11	12	9	5	3	3	5	2	1	0
Males*	424	0	0	0	0	1	2	6	18	35	45	59	49	48	51	41	31	24	14
Female/White	640	0	0	0	0	0	1	4	12	35	79	81	86	66	66	68	50	49	43
Female/Black	64	0	0	0	0	0	0	0	2	7	10	7	8	8	11	4	4	1	2
Females*	725	0	0	0	0	0	1	4	15	43	91	89	94	77	78	74	61	50	47
All Cases*	1,149	0	0	0	0	1	3	10	33	78	136	148	143	125	129	115	92	74	61
Liver and Intrahepatic Bile Duct																			
Male/White	2,718	7	2	3	4	3	5	1	14	40	159	367	437	328	271	326	346	265	140
Male/Black	595	3	0	1	0	1	1	6	4	8	40	111	168	96	69	38	28	14	7
Males*	3,500	11	2	4	4	5	7	9	20	57	212	515	644	445	368	375	387	285	150
Female/White	1,063	8	1	0	3	2	2	1	6	17	28	75	86	93	130	119	158	169	165
Female/Black	186	0	0	0	0	1	3	1	1	2	11	34	21	29	17	21	15	21	9
Females*	1,311	8	1	0	3	4	5	2	9	20	42	115	114	130	158	144	184	193	179
All Cases*	4,811	19	3	4	7	9	12	11	29	77	254	630	758	575	526	519	571	478	329
Gallbladder and Other Biliary																			
Male/White	949	0	0	0	0	0	3	2	7	10	18	35	64	88	113	138	174	165	132
Male/Black	85	1	0	0	0	0	0	0	2	5	4	11	11	11	9	13	10	3	5
Males*	1,082	1	0	0	0	0	3	3	9	17	24	51	80	112	126	157	189	172	138
Female/White	1,173	0	0	0	0	1	3	2	4	10	24	43	62	83	131	127	210	212	261
Female/Black	128	0	0	0	0	0	0	3	2	4	4	5	12	12	21	12	14	25	14
Females*	1,332	0	0	0	0	1	3	5	6	14	33	49	77	102	154	141	225	242	280
All Cases*	2,414	1	0	0	0	1	6	8	15	31	57	100	157	214	280	298	414	414	418
Pancreas																			
Male/White	4,197	0	0	0	0	1	2	14	12	76	143	288	405	489	589	624	641	518	395
Male/Black	389	0	0	0	0	0	0	1	9	7	23	35	54	69	52	47	43	29	20
Males*	4,655	0	0	0	0	1	2	16	22	85	166	327	468	565	660	682	693	551	417
Female/White	4,340	0	0	1	1	5	2	11	17	50	91	189	294	377	449	545	749	730	829
Female/Black	515	0	0	0	0	0	3	2	1	2	18	37	36	56	53	87	75	75	70
Females*	4,920	0	0	1	1	5	5	14	20	53	110	232	336	438	511	639	834	813	908
All Cases*	9,576	0	0	1	1	6	7	30	42	138	276	560	804	1,003	1,171	1,321	1,527	1,364	1,325
Retroperitoneum and Peritoneum																			
Male/White	167	5	1	0	1	2	2	4	8	3	7	15	13	32	15	19	17	14	9
Male/Black	12	1	0	0	1	0	1	0	0	0	1	1	1	1	2	1	2	0	0
Males*	183	6	1	0	2	2	3	4	8	3	9	17	14	35	17	20	19	14	9
Female/White	597	3	0	1	2	1	3	3	5	13	30	39	70	73	76	88	94	60	36
Female/Black	46	1	0	0	0	0	1	1	0	4	4	8	5	3	2	7	1	6	3
Females*	656	5	0	1	2	1	4	5	6	17	35	49	75	77	80	99	95	66	39
All Cases*	839	11	1	1	4	3	7	9	14	20	44	66	89	112	97	119	114	80	48

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Age Group

Pennsylvania	All Ages*	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Other Digestive Organs																			
Male/White	115	0	0	0	0	0	0	0	1	4	5	8	12	11	15	18	13	10	18
Male/Black	6	0	0	0	0	0	0	0	0	0	2	2	1	0	0	0	1	0	0
Males*	127	0	0	0	0	0	0	0	1	4	7	11	15	11	15	20	14	10	19
Female/White	98	0	0	0	0	1	1	1	0	1	1	5	4	6	0	10	18	23	27
Female/Black	9	0	0	0	0	0	0	0	0	1	0	2	1	0	2	2	0	1	0
Females*	110	0	0	0	0	1	1	1	0	2	1	7	6	6	2	13	18	24	28
All Cases*	237	0	0	0	0	1	1	1	1	6	8	18	21	17	17	33	32	34	47
Total Digestive System																			
Male/White	32,382	12	3	3	7	27	53	129	275	653	1,320	2,530	3,180	3,740	4,125	4,443	4,658	4,139	3,084
Male/Black	3,293	5	0	1	2	4	12	27	57	107	206	415	493	433	399	373	354	239	166
Males*	36,581	18	3	5	9	32	67	165	349	797	1,574	3,071	3,793	4,301	4,658	4,914	5,099	4,432	3,293
Female/White	28,528	11	1	4	10	19	60	93	229	510	997	1,555	1,936	2,257	2,855	3,393	4,524	4,805	5,269
Female/Black	3,084	1	0	0	1	5	10	18	35	87	163	272	301	347	376	402	389	343	334
Females*	32,309	13	1	4	11	26	76	119	290	614	1,198	1,888	2,307	2,682	3,309	3,867	5,006	5,218	5,679
All Cases*	68,892	31	4	9	20	58	143	284	639	1,411	2,772	4,960	6,101	6,983	7,967	8,781	10,105	9,650	8,972
Nasal Cavity, Middle Ear, and Sinuses																			
Male/White	283	0	1	0	0	0	4	2	9	12	21	27	34	25	32	36	38	28	14
Male/Black	18	0	0	1	0	0	0	1	1	0	4	2	2	2	3	0	1	0	1
Males*	314	0	1	1	0	1	5	3	11	12	25	33	37	29	35	37	40	29	15
Female/White	189	0	0	0	2	2	1	2	4	6	16	15	11	20	22	18	19	24	27
Female/Black	16	0	0	0	0	1	0	1	0	2	3	2	0	0	0	2	1	1	3
Females*	208	0	0	0	2	3	1	3	4	8	19	17	12	20	22	20	20	26	31
All Cases*	522	0	1	1	2	4	6	6	15	20	44	50	49	49	57	57	60	55	46
Larynx																			
Male/White	2,107	0	0	0	0	2	3	1	10	31	116	213	278	302	338	249	261	185	118
Male/Black	253	0	0	0	0	0	0	0	1	4	11	28	33	37	49	36	32	18	4
Males*	2,411	0	0	0	0	2	3	1	12	36	128	247	323	350	393	290	298	204	124
Female/White	502	0	0	0	0	0	0	3	1	8	37	59	65	79	82	60	48	41	19
Female/Black	98	0	0	0	0	0	0	0	0	3	5	9	16	14	16	14	13	6	2
Females*	612	0	0	0	0	1	0	3	1	12	43	69	84	94	99	76	62	47	21
All Cases*	3,023	0	0	0	0	3	3	4	13	48	171	316	407	444	492	366	360	251	145
Lung and Bronchus																			
Male/White	25,349	5	0	0	4	4	12	14	59	237	660	1,367	2,088	3,125	3,870	4,135	4,382	3,382	2,005
Male/Black	2,524	1	0	0	1	1	0	4	11	39	118	232	287	375	401	372	340	221	121
Males*	28,248	6	0	0	6	6	14	19	73	287	791	1,617	2,414	3,550	4,337	4,567	4,776	3,646	2,139
Female/White	21,741	0	0	1	3	7	13	22	82	293	699	1,208	1,656	2,474	3,048	3,405	3,625	3,068	2,137
Female/Black	2,468	0	0	1	0	0	1	3	8	50	148	206	287	341	362	337	313	250	161
Females*	24,488	0	0	2	3	7	15	27	94	346	858	1,429	1,967	2,850	3,453	3,788	3,981	3,350	2,318
All Cases*	52,737	6	0	2	9	13	29	46	167	633	1,649	3,046	4,381	6,400	7,790	8,355	8,758	6,996	4,457

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Age Group

Pennsylvania	All Ages*	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Pleura																			
Male/White	19	0	0	0	0	0	0	0	0	0	2	0	3	1	1	0	5	6	1
Males*	19	0	0	0	0	0	0	0	0	0	2	0	3	1	1	0	5	6	1
Female/White	7	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	1	2	1
Female/Black	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Females*	8	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1	1	2	1
All Cases*	27	0	0	0	0	0	0	0	1	0	2	1	3	2	1	1	6	8	2
Trachea, Mediastinum, and Other Respiratory Organs																			
Male/White	85	6	0	0	0	5	3	3	3	4	6	8	6	9	9	6	7	6	4
Male/Black	11	2	0	0	0	0	1	2	1	0	0	1	1	0	2	1	0	0	0
Males*	97	8	0	0	1	5	4	5	4	4	6	9	7	9	11	7	7	6	4
Female/White	42	3	0	0	0	0	0	1	1	0	2	4	1	4	6	10	6	3	1
Female/Black	5	1	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	1	0
Females*	49	5	0	0	0	0	1	1	1	1	2	4	1	4	7	11	6	4	1
All Cases*	146	13	0	0	1	5	5	6	5	5	8	13	8	13	18	18	13	10	5
Total Respiratory System																			
Male/White	27,843	11	1	0	4	11	22	20	81	284	805	1,615	2,409	3,462	4,250	4,426	4,693	3,607	2,142
Male/Black	2,806	3	0	1	1	1	1	7	14	43	133	263	323	414	455	409	373	239	126
Males*	31,089	14	1	1	7	14	26	28	100	339	952	1,906	2,784	3,939	4,777	4,901	5,126	3,891	2,283
Female/White	22,481	3	0	1	5	9	14	28	89	307	754	1,287	1,733	2,578	3,158	3,493	3,699	3,138	2,185
Female/Black	2,588	1	0	1	0	1	1	4	8	56	156	217	303	355	379	355	327	258	166
Females*	25,365	5	0	2	5	11	17	34	101	367	922	1,520	2,064	2,969	3,581	3,896	4,070	3,429	2,372
All Cases*	56,455	19	1	3	12	25	43	62	201	706	1,874	3,426	4,848	6,908	8,358	8,797	9,197	7,320	4,655
Bones and Joints																			
Male/White	289	4	4	22	40	24	8	11	7	14	19	22	17	20	9	16	23	19	10
Male/Black	25	1	2	5	4	1	2	0	1	1	1	2	0	0	1	2	2	0	0
Males*	324	5	6	29	45	25	10	13	9	15	22	25	17	21	10	18	25	19	10
Female/White	247	2	9	17	13	13	6	10	8	12	14	20	11	15	12	21	15	24	25
Female/Black	17	1	2	4	1	2	1	0	0	2	0	2	1	0	0	1	0	0	0
Females*	277	3	13	23	15	15	9	11	8	15	16	22	13	16	12	22	15	24	25
All Cases*	601	8	19	52	60	40	19	24	17	30	38	47	30	37	22	40	40	43	35
Soft Tissue (Including Heart)																			
Male/White	1,146	33	9	15	27	17	23	24	36	52	78	95	92	113	103	90	127	111	101
Male/Black	91	1	1	4	4	2	4	4	10	9	6	8	5	5	6	9	5	6	2
Males*	1,280	37	10	19	32	20	28	31	47	61	87	107	102	126	109	103	135	120	106
Female/White	929	25	7	17	16	20	23	20	28	44	52	73	73	71	65	92	108	93	102
Female/Black	119	6	2	2	4	1	4	5	5	11	9	5	19	8	6	9	9	8	6
Females*	1,078	31	9	23	20	23	27	27	35	60	63	81	92	81	74	102	119	101	110
All Cases*	2,358	68	19	42	52	43	55	58	82	121	150	188	194	207	183	205	254	221	216

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Age Group

Pennsylvania	All Ages*	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Melanoma of the Skin																			
Male/White	6,725	2	3	7	22	46	78	126	198	291	475	639	713	726	791	717	793	626	472
Male/Black	29	1	1	0	1	0	0	0	1	2	1	1	4	4	0	3	5	3	2
Males*	7,185	3	4	7	25	52	87	138	218	318	516	703	761	783	832	755	834	657	492
Female/White	5,360	0	5	10	37	131	179	188	316	424	528	562	518	481	408	394	436	378	365
Female/Black	25	0	1	0	0	0	0	3	0	3	0	2	1	3	2	2	3	3	2
Females*	5,766	0	6	10	40	143	191	215	346	455	573	602	554	531	441	411	462	398	387
All Cases*	12,951	3	10	17	65	195	278	353	564	773	1,089	1,305	1,315	1,314	1,273	1,166	1,296	1,055	879
Other Skin																			
Male/White	606	1	0	1	1	2	5	9	6	13	21	32	38	52	47	79	106	90	103
Male/Black	29	0	0	1	1	0	5	2	3	0	3	3	1	5	0	1	1	3	0
Males*	668	1	1	3	2	3	10	11	10	16	27	39	41	58	47	85	111	95	108
Female/White	408	0	0	1	4	2	4	12	8	17	19	22	28	27	30	44	58	64	68
Female/Black	32	1	0	0	0	1	0	0	3	2	3	2	4	5	2	6	3	0	0
Females*	468	1	0	1	4	4	7	12	12	22	23	24	33	35	34	51	63	68	74
All Cases*	1,136	2	1	4	6	7	17	23	22	38	50	63	74	93	81	136	174	163	182
Total Skin																			
Male/White	7,331	3	3	8	23	48	83	135	204	304	496	671	751	778	838	796	899	716	575
Male/Black	58	1	1	1	2	0	5	2	4	2	4	4	5	9	0	4	6	6	2
Males*	7,853	4	5	10	27	55	97	149	228	334	543	742	802	841	879	840	945	752	600
Female/White	5,768	0	5	11	41	133	183	200	324	441	547	584	546	508	438	438	494	442	433
Female/Black	57	1	1	0	0	1	0	3	3	5	3	4	5	8	4	8	6	3	2
Females*	6,234	1	6	11	44	147	198	227	358	477	596	626	587	566	475	462	525	466	461
All Cases*	14,087	5	11	21	71	202	295	376	586	811	1,139	1,368	1,389	1,407	1,354	1,302	1,470	1,218	1,061
Breast																			
Male/White	421	0	0	0	0	0	1	3	6	6	22	32	48	52	59	43	54	51	44
Male/Black	48	0	0	0	0	0	0	0	2	2	3	4	3	4	10	7	1	5	7
Males*	487	0	0	0	0	0	1	3	8	8	25	38	55	60	71	51	57	57	53
Female/White	44,274	0	0	0	0	17	139	387	1,049	2,482	4,100	4,555	4,958	5,146	4,924	4,507	4,547	4,099	3,363
Female/Black	4,293	2	0	0	3	8	23	84	178	345	485	517	555	489	440	365	314	299	186
Females*	49,628	2	0	0	3	25	171	508	1,283	2,960	4,717	5,217	5,630	5,744	5,459	4,955	4,920	4,446	3,587
All Cases*	50,115	2	0	0	3	25	172	511	1,291	2,968	4,742	5,255	5,685	5,804	5,530	5,006	4,977	4,503	3,640
Cervix Uteri																			
Female/White	2,236	0	0	1	3	20	92	186	251	275	264	233	216	190	153	106	78	85	83
Female/Black	343	0	0	0	0	4	9	18	33	49	43	39	27	33	32	18	14	14	10
Females*	2,719	0	0	1	3	27	108	210	299	342	333	288	263	236	190	127	93	102	97
All Cases*	2,719	0	0	1	3	27	108	210	299	342	333	288	263	236	190	127	93	102	97
Corpus Uteri																			
Female/White	11,215	0	0	0	0	5	25	72	163	372	673	1,266	1,814	1,786	1,564	1,168	1,035	734	538
Female/Black	754	0	0	0	0	0	5	6	11	29	43	55	116	123	119	95	73	48	31
Females*	12,225	0	0	0	0	5	31	86	181	416	739	1,353	1,972	1,945	1,716	1,290	1,121	789	581
All Cases*	12,225	0	0	0	0	5	31	86	181	416	739	1,353	1,972	1,945	1,716	1,290	1,121	789	581

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Pennsylvania

	All Ages*	Age Group: Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Uterus, NOS																			
Female/White	136	0	0	0	0	0	2	0	0	5	3	2	9	12	6	11	17	21	48
Female/Black	10	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	1	1	2
Females*	151	0	0	0	0	0	2	0	0	5	3	2	14	15	7	12	18	23	50
All Cases*	151	0	0	0	0	0	2	0	0	5	3	2	14	15	7	12	18	23	50
Placenta																			
Female/White	9	0	0	0	0	4	0	3	2	0	0	0	0	0	0	0	0	0	0
Female/Black	4	0	0	0	0	1	1	0	0	1	1	0	0	0	0	0	0	0	0
Females*	17	0	0	0	1	6	2	3	2	1	2	0	0	0	0	0	0	0	0
All Cases*	17	0	0	0	1	6	2	3	2	1	2	0	0	0	0	0	0	0	0
Ovary																			
Female/White	4,978	1	5	6	22	25	36	57	87	201	358	473	611	534	522	496	527	505	512
Female/Black	346	0	1	3	2	5	5	4	8	14	32	40	34	53	34	26	30	34	21
Females*	5,429	2	8	9	24	30	46	64	100	226	404	528	660	592	568	528	559	543	538
All Cases*	5,429	2	8	9	24	30	46	64	100	226	404	528	660	592	568	528	559	543	538
Vagina																			
Female/White	245	1	0	0	0	0	1	0	3	16	8	28	16	21	15	26	24	49	37
Female/Black	34	0	0	0	0	0	0	0	1	2	0	7	5	2	5	2	3	2	5
Females*	285	1	0	0	0	0	1	0	4	18	8	37	23	24	20	28	28	51	42
All Cases*	285	1	0	0	0	0	1	0	4	18	8	37	23	24	20	28	28	51	42
Vulva																			
Female/White	1,176	0	0	0	1	1	8	9	32	50	76	86	66	90	100	110	146	184	217
Female/Black	81	0	0	0	0	0	1	1	4	8	14	12	5	9	8	6	5	3	5
Females*	1,282	0	0	0	1	1	9	11	38	58	92	101	72	100	110	117	156	192	224
All Cases*	1,282	0	0	0	1	1	9	11	38	58	92	101	72	100	110	117	156	192	224
Other Female Genital Organs																			
Female/White	278	1	1	0	0	0	0	0	5	7	12	27	34	41	36	40	27	31	16
Female/Black	20	0	0	0	0	0	1	0	0	3	3	3	2	2	1	3	2	0	0
Females*	303	1	1	0	0	0	1	1	5	11	15	32	36	43	37	43	29	32	16
All Cases*	303	1	1	0	0	0	1	1	5	11	15	32	36	43	37	43	29	32	16
Total Female Genital System																			
Female/White	20,273	3	6	7	26	55	164	327	543	926	1,394	2,115	2,766	2,674	2,396	1,957	1,854	1,609	1,451
Female/Black	1,592	0	1	3	2	10	22	29	57	106	136	156	191	224	200	151	128	102	74
Females*	22,411	4	9	10	29	69	200	375	629	1,077	1,596	2,341	3,040	2,955	2,648	2,145	2,004	1,732	1,548
All Cases*	22,411	4	9	10	29	69	200	375	629	1,077	1,596	2,341	3,040	2,955	2,648	2,145	2,004	1,732	1,548
Prostate																			
Male/White	42,867	6	1	0	0	0	0	5	20	186	875	3,036	5,753	7,335	8,088	6,957	5,532	3,146	1,927
Male/Black	5,144	1	0	0	0	0	0	0	3	68	241	549	897	933	936	689	437	233	157
Males*	51,195	7	1	0	0	0	0	5	26	269	1,190	3,795	7,019	8,752	9,638	8,198	6,438	3,639	2,215
All Cases*	51,195	7	1	0	0	0	0	5	26	269	1,190	3,795	7,019	8,752	9,638	8,198	6,438	3,639	2,215

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Age Group

Pennsylvania	All Ages*	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Testis																			
Male/White	1,732	6	6	6	85	210	262	268	273	222	151	107	61	24	16	15	4	9	7
Male/Black	45	0	0	0	2	9	10	5	8	5	3	1	0	1	0	1	0	0	0
Males*	1,817	7	6	6	87	223	279	279	291	231	161	108	62	25	16	16	4	9	7
All Cases*	1,818	7	6	6	87	223	279	279	291	232	161	108	62	25	16	16	4	9	7
Penis																			
Male/White	196	0	0	0	0	0	1	0	0	4	2	6	17	27	23	27	31	31	27
Male/Black	17	0	0	0	0	0	0	0	1	0	2	1	2	3	0	2	4	1	1
Males*	219	0	0	0	0	0	1	0	1	5	4	7	19	31	25	29	35	33	29
All Cases*	219	0	0	0	0	0	1	0	1	5	4	7	19	31	25	29	35	33	29
Other Male Genital Organs																			
Male/White	63	0	0	0	0	0	0	0	0	1	1	2	3	6	8	7	18	11	6
Male/Black	4	0	0	0	0	0	1	0	0	0	1	1	0	0	0	1	0	0	0
Males*	70	1	0	0	0	0	1	0	0	1	2	3	3	7	8	9	18	11	6
All Cases*	70	1	0	0	0	0	1	0	0	1	2	3	3	7	8	9	18	11	6
Total Male Genital System																			
Male/White	44,858	12	7	6	85	210	263	273	293	413	1,029	3,151	5,834	7,392	8,135	7,006	5,585	3,197	1,967
Male/Black	5,210	1	0	0	2	9	11	5	12	73	247	552	899	937	936	693	441	234	158
Males*	53,301	15	7	6	87	223	281	284	318	506	1,357	3,913	7,103	8,815	9,687	8,252	6,495	3,692	2,257
All Cases*	53,302	15	7	6	87	223	281	284	318	507	1,357	3,913	7,103	8,815	9,687	8,252	6,495	3,692	2,257
Urinary Bladder																			
Male/White	13,435	3	0	0	4	6	8	34	54	140	265	587	1,010	1,443	1,738	1,966	2,357	2,116	1,704
Male/Black	494	0	0	1	0	0	0	5	5	8	23	34	41	44	71	90	72	58	42
Males*	14,187	3	0	1	5	6	9	39	61	156	303	637	1,077	1,534	1,839	2,089	2,457	2,200	1,771
Female/White	4,528	1	1	0	2	3	5	11	26	49	126	239	278	449	506	595	701	757	779
Female/Black	259	0	0	0	0	0	0	0	2	2	3	11	20	28	28	35	48	32	50
Females*	4,868	1	1	0	2	3	6	12	29	52	134	256	303	485	547	642	759	798	838
All Cases*	19,055	4	1	1	7	9	15	51	90	208	437	893	1,380	2,019	2,386	2,731	3,216	2,998	2,609
Kidney and Renal Pelvis																			
Male/White	6,607	23	8	0	1	12	30	53	110	266	428	612	786	850	902	848	792	557	329
Male/Black	640	11	2	1	0	2	3	2	17	32	43	100	99	78	69	63	65	33	20
Males*	7,387	34	10	1	1	14	34	59	130	309	487	730	903	955	985	926	863	596	350
Female/White	4,280	29	11	1	6	7	22	45	75	134	254	349	418	479	485	543	589	477	356
Female/Black	478	3	1	0	2	1	1	5	10	14	44	51	61	63	60	50	49	37	26
Females*	4,843	35	13	1	9	8	27	50	85	152	305	407	488	557	557	597	647	521	384
All Cases*	12,231	69	23	2	10	22	61	109	215	461	792	1,137	1,391	1,513	1,542	1,523	1,510	1,117	734
Other Urinary Organs																			
Male/White	464	0	0	0	0	0	0	0	1	2	5	14	38	38	61	72	97	95	41
Male/Black	22	0	0	0	0	0	0	0	0	2	2	1	1	2	0	3	4	3	4
Males*	494	1	0	0	0	0	0	0	1	5	7	15	41	40	63	75	102	99	45
Female/White	278	0	0	0	0	0	0	0	1	2	3	7	14	23	24	51	66	46	41
Female/Black	18	0	0	0	0	0	0	0	0	0	0	3	1	2	1	3	2	2	4
Females*	302	0	0	0	0	0	0	0	1	2	3	10	15	27	26	54	70	49	45
All Cases*	796	1	0	0	0	0	0	0	2	7	10	25	56	67	89	129	172	148	90

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Age Group

Pennsylvania	All Ages*	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Total Urinary System																			
Male/White	20,506	26	8	0	5	18	38	87	165	408	698	1,213	1,834	2,331	2,701	2,886	3,246	2,768	2,074
Male/Black	1,156	11	2	2	0	2	3	7	22	42	68	135	141	124	140	156	141	94	66
Males*	22,068	38	10	2	6	20	43	98	192	470	797	1,382	2,021	2,529	2,887	3,090	3,422	2,895	2,166
Female/White	9,086	30	12	1	8	10	27	56	102	185	383	595	710	951	1,015	1,189	1,356	1,280	1,176
Female/Black	755	3	1	0	2	1	1	5	12	16	47	65	82	93	89	88	99	71	80
Females*	10,013	36	14	1	11	11	33	62	115	206	442	673	806	1,069	1,130	1,293	1,476	1,368	1,267
All Cases*	32,082	74	24	3	17	31	76	160	307	676	1,239	2,055	2,827	3,599	4,017	4,383	4,898	4,263	3,433
Eye and Orbit																			
Male/White	256	15	2	2	0	1	5	3	8	9	15	20	28	36	33	28	20	20	11
Male/Black	11	5	1	0	0	0	0	0	0	2	1	1	1	0	0	0	0	0	0
Males*	272	21	3	2	0	1	5	3	8	12	16	21	30	37	33	28	21	20	11
Female/White	259	19	4	0	1	1	3	2	4	8	14	21	28	30	23	25	33	19	24
Female/Black	7	3	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	1
Females*	272	25	4	0	1	1	3	2	4	9	15	22	28	30	23	26	33	19	27
All Cases*	544	46	7	2	1	2	8	5	12	21	31	43	58	67	56	54	54	39	38
Brain and Other Nervous System																			
Male/White	2,398	76	52	54	43	51	44	72	85	128	138	194	279	257	227	197	203	190	108
Male/Black	165	13	6	3	9	8	8	4	4	13	11	13	20	15	8	5	9	11	5
Males*	2,644	93	60	61	52	66	56	83	93	145	154	215	303	280	240	210	218	202	113
Female/White	2,106	76	46	44	36	35	49	40	68	76	115	151	191	199	179	188	204	203	206
Female/Black	134	12	10	2	3	2	6	3	5	11	9	8	13	13	5	14	5	6	7
Females*	2,298	97	61	50	39	37	58	44	77	93	126	162	209	213	189	207	211	211	214
All Cases*	4,942	190	121	111	91	103	114	127	170	238	280	377	512	493	429	417	429	413	327
Thyroid																			
Male/White	2,417	1	1	5	18	34	66	111	153	187	262	315	277	290	234	173	152	104	34
Male/Black	119	0	0	1	1	0	2	8	1	11	13	11	20	16	12	8	11	3	1
Males*	2,618	1	1	6	22	35	73	125	163	210	285	337	302	312	251	187	165	108	35
Female/White	7,667	0	2	23	107	197	367	515	723	816	977	932	847	585	525	422	308	219	102
Female/Black	571	0	0	1	6	17	31	49	44	42	77	65	66	51	51	28	24	13	6
Females*	8,634	0	2	24	121	231	429	606	815	906	1,106	1,041	940	662	599	462	343	233	114
All Cases*	11,252	1	3	30	143	266	502	731	978	1,116	1,391	1,378	1,242	974	850	649	508	341	149
Other Endocrine (including Thymus)																			
Male/White	246	44	10	3	6	3	4	4	8	8	19	15	19	22	25	18	25	9	4
Male/Black	37	7	1	0	2	0	0	0	3	2	5	1	5	2	5	2	0	2	0
Males*	294	53	11	3	8	3	4	4	12	10	25	16	25	27	31	22	25	11	4
Female/White	224	37	5	2	4	2	2	7	4	12	13	21	15	18	11	24	19	17	11
Female/Black	36	3	0	1	2	1	1	1	1	2	4	4	3	2	2	4	4	1	0
Females*	266	43	5	3	6	3	3	8	5	15	18	26	18	20	13	28	23	18	11
All Cases*	560	96	16	6	14	6	7	12	17	25	43	42	43	47	44	50	48	29	15

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Age Group

Pennsylvania	All Ages*	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Total Endocrine System																			
Male/White	2,663	45	11	8	24	37	70	115	161	195	281	330	296	312	259	191	177	113	38
Male/Black	156	7	1	1	3	0	2	8	4	13	18	12	25	18	17	10	11	5	1
Males*	2,912	54	12	9	30	38	77	129	175	220	310	353	327	339	282	209	190	119	39
Female/White	7,891	37	7	25	111	199	369	522	727	828	990	953	862	603	536	446	327	236	113
Female/Black	607	3	0	2	8	18	32	50	45	44	81	69	69	53	53	32	28	14	6
Females*	8,900	43	7	27	127	234	432	614	820	921	1,124	1,067	958	682	612	490	366	251	125
All Cases*	11,812	97	19	36	157	272	509	743	995	1,141	1,434	1,420	1,285	1,021	894	699	556	370	164
Hodgkin Lymphoma																			
Male/White	976	1	9	29	70	96	88	68	70	79	81	59	69	53	62	41	48	35	18
Male/Black	94	2	3	1	10	4	11	9	18	8	7	3	6	3	3	1	3	2	0
Males*	1,098	3	12	32	82	103	105	78	92	89	90	64	78	56	66	42	51	37	18
Female/White	871	0	2	18	73	98	91	70	68	68	46	38	46	36	44	34	62	43	33
Female/Black	104	0	2	4	9	13	10	8	13	8	8	8	6	3	4	3	3	1	1
Females*	998	0	4	22	84	118	105	79	85	76	55	47	53	39	49	37	65	45	34
All Cases*	2,096	3	16	54	166	221	210	157	177	165	145	111	131	95	115	79	116	82	52
Non-Hodgkin Lymphoma																			
Male/White	7,399	12	25	24	36	54	62	91	141	253	371	527	723	778	839	950	1,019	891	602
Male/Black	469	1	2	8	15	13	7	17	22	38	52	75	61	42	29	33	25	12	17
Males*	8,095	13	30	32	53	73	78	113	172	303	444	623	802	837	893	1,008	1,066	924	630
Female/White	6,775	4	8	15	21	38	46	48	85	165	303	438	521	634	786	783	1,008	983	889
Female/Black	393	0	3	5	2	7	6	7	22	15	32	27	31	45	48	34	36	39	34
Females*	7,367	4	12	26	25	46	57	57	118	184	345	481	575	700	856	844	1,071	1,035	931
All Cases*	15,463	17	42	58	78	119	135	171	290	487	789	1,104	1,377	1,537	1,749	1,852	2,137	1,959	1,561
Total Lymphoma																			
Male/White	8,375	13	34	53	106	150	150	159	211	332	452	586	792	831	901	991	1,067	926	620
Male/Black	563	3	5	9	25	17	18	26	40	46	59	78	67	45	32	34	28	14	17
Males*	9,193	16	42	64	135	176	183	191	264	392	534	687	880	893	959	1,050	1,117	961	648
Female/White	7,646	4	10	33	94	136	137	118	153	233	349	476	567	670	830	817	1,070	1,026	922
Female/Black	497	0	5	9	11	20	16	15	35	23	40	35	37	48	52	37	39	40	35
Females*	8,365	4	16	48	109	164	162	136	203	260	400	528	628	739	905	881	1,136	1,080	965
All Cases*	17,559	20	58	112	244	340	345	328	467	652	934	1,215	1,508	1,632	1,864	1,931	2,253	2,041	1,613
Myeloma																			
Male/White	1,920	0	0	0	0	2	4	4	13	46	81	123	191	219	236	263	286	254	198
Male/Black	304	0	0	0	0	1	0	2	2	14	21	21	43	49	42	40	33	26	10
Males*	2,283	0	0	0	0	3	4	6	15	62	106	146	242	271	290	308	330	289	211
Female/White	1,635	0	0	0	1	0	1	3	4	23	36	86	143	168	180	218	281	260	231
Female/Black	340	0	0	0	0	0	0	2	5	7	16	25	37	50	31	47	55	31	34
Females*	2,007	0	0	0	1	0	1	5	9	31	52	113	186	225	214	267	341	296	266
All Cases*	4,290	0	0	0	1	3	5	11	24	93	158	259	428	496	504	575	671	585	477

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Age Group

Pennsylvania	All Ages*	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Lymphocytic Leukemia																			
Male/White	2,330	101	51	30	40	26	23	15	25	66	98	143	183	226	248	260	311	280	204
Male/Black	132	13	6	4	8	3	5	1	3	4	6	10	9	12	7	9	11	14	7
Males*	2,615	124	60	35	52	30	30	16	31	74	113	161	209	255	275	291	334	302	222
Female/White	1,610	103	41	27	21	3	10	5	17	24	47	73	102	127	159	164	181	200	306
Female/Black	95	11	2	7	4	0	1	2	0	3	5	0	3	8	6	11	10	13	9
Females*	1,802	124	45	36	27	4	11	8	19	29	55	76	111	146	179	187	203	221	321
All Cases*	4,417	248	105	71	79	34	41	24	50	103	168	237	320	401	454	478	537	523	543
Myeloid and Monocytic Leukemia																			
Male/White	2,080	21	6	8	21	18	34	36	50	65	89	125	187	206	218	242	286	269	199
Male/Black	146	3	2	3	4	4	4	4	5	9	14	11	10	14	13	15	16	10	5
Males*	2,301	26	8	13	25	28	42	41	60	82	106	144	204	226	237	264	306	283	206
Female/White	1,725	16	4	14	16	25	17	38	44	53	96	116	138	138	147	174	220	231	238
Female/Black	137	2	3	1	3	7	1	4	7	4	11	18	12	9	15	9	13	4	14
Females*	1,914	18	7	16	22	33	18	44	55	59	113	140	156	149	166	190	238	237	253
All Cases*	4,215	44	15	29	47	61	60	85	115	141	219	284	360	375	403	454	544	520	459
Other Leukemia																			
Male/White	207	3	1	0	2	0	0	1	4	1	7	9	15	15	17	23	31	32	46
Male/Black	19	0	0	0	0	0	1	0	1	0	0	2	2	1	2	2	2	4	2
Males*	235	3	1	0	2	0	2	2	5	2	7	12	18	16	21	25	33	38	48
Female/White	237	1	2	3	2	1	1	1	1	6	3	11	7	7	13	24	31	45	78
Female/Black	16	0	0	0	0	0	0	0	1	1	2	0	1	1	3	3	1	2	1
Females*	258	1	2	4	2	1	1	1	3	7	5	11	10	8	16	27	32	47	80
All Cases*	493	4	3	4	4	1	3	3	8	9	12	23	28	24	37	52	65	85	128
Total Leukemia																			
Male/White	4,617	125	58	38	63	44	57	52	79	132	194	277	385	447	483	525	628	581	449
Male/Black	297	16	8	7	12	7	10	5	9	13	20	23	21	27	22	26	29	28	14
Males*	5,151	153	69	48	79	58	74	59	96	158	226	317	431	497	533	580	673	623	476
Female/White	3,572	120	47	44	39	29	28	44	62	83	146	200	247	272	319	362	432	476	622
Female/Black	248	13	5	8	7	7	2	6	8	8	18	18	16	18	24	23	24	19	24
Females*	3,974	143	54	56	51	38	30	53	77	95	173	227	277	303	361	404	473	505	654
All Cases*	9,125	296	123	104	130	96	104	112	173	253	399	544	708	800	894	984	1,146	1,128	1,130
Mesothelioma																			
Male/White	806	0	0	0	1	0	0	0	0	3	7	19	45	78	95	112	186	154	106
Male/Black	25	0	0	0	0	0	0	0	0	0	0	0	4	2	3	4	5	4	3
Males*	843	0	0	0	1	1	0	0	0	3	8	20	50	84	98	117	193	159	109
Female/White	204	0	0	0	0	0	0	1	2	4	0	8	7	15	22	24	33	48	40
Female/Black	7	0	0	0	0	0	0	0	0	2	0	1	2	0	0	1	0	0	1
Females*	211	0	0	0	0	0	0	1	2	6	0	9	9	15	22	25	33	48	41
All Cases*	1,054	0	0	0	1	1	0	1	2	9	8	29	59	99	120	142	226	207	150

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.

Number of Invasive Cancer Cases by Age, Sex and Race, For All Counties, 75 Selected Sites**
Pennsylvania Residents, Five-Year Summary, 2005-2009

Age Group

Pennsylvania	All Ages*	Under 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Kaposi Sarcoma																			
Male/White	93	0	0	0	0	0	3	5	7	18	7	14	6	4	2	1	5	4	17
Male/Black	50	0	0	1	1	0	9	3	5	12	10	4	3	0	1	0	0	1	0
Males*	157	0	0	1	1	1	13	9	14	33	18	18	10	4	4	2	5	6	18
Female/White	12	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	2	2	5
Female/Black	7	0	0	0	0	0	3	1	0	1	0	0	0	0	0	0	0	1	1
Females*	20	0	0	0	0	0	3	1	0	1	3	0	0	0	0	0	2	3	7
All Cases*	177	0	0	1	1	1	16	10	14	34	21	18	10	4	4	2	7	9	25
Other, Ill-Defined and Unknown																			
Male/White	6,366	6	2	1	4	12	20	25	37	104	197	345	490	575	629	852	1,010	1,042	1,015
Male/Black	461	2	0	1	2	1	3	3	4	8	26	46	45	51	52	58	54	57	48
Males*	7,027	8	2	2	7	13	24	31	49	123	231	413	553	640	700	927	1,093	1,125	1,086
Female/White	6,452	13	4	1	7	15	15	23	39	86	146	217	315	434	553	725	965	1,169	1,725
Female/Black	555	2	0	1	1	1	2	3	4	8	22	44	51	48	73	68	68	71	88
Females*	7,214	15	4	2	12	20	17	30	46	102	183	279	380	501	646	816	1,054	1,260	1,847
All Cases*	14,241	23	6	4	19	33	41	61	95	225	414	692	933	1,141	1,346	1,743	2,147	2,385	2,933
All Sites																			
Male/White	167,129	383	194	215	439	667	861	1,138	1,734	3,283	6,256	11,895	17,430	21,310	23,686	23,306	23,315	18,215	12,800
Male/Black	15,137	69	27	37	74	54	90	107	195	422	871	1,631	2,168	2,203	2,177	1,879	1,523	979	631
Males*	188,892	478	230	265	536	763	1,009	1,312	2,046	3,896	7,427	14,101	20,352	24,429	26,885	26,098	25,632	19,696	13,729
Female/White	163,599	345	160	211	419	703	1,233	1,892	3,476	6,317	10,172	13,092	15,309	16,844	17,734	18,159	20,223	19,174	18,134
Female/Black	15,110	48	27	33	45	79	125	232	403	739	1,202	1,464	1,710	1,783	1,753	1,631	1,506	1,279	1,051
Females*	183,099	424	200	264	493	835	1,455	2,275	4,112	7,377	11,779	15,008	17,462	19,081	19,922	20,154	22,084	20,720	19,450
All Cases*	371,997	902	430	529	1,029	1,598	2,464	3,588	6,158	11,274	19,206	29,110	37,815	43,511	46,807	46,252	47,717	40,416	33,179

* Includes any unknowns.
** Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.
Note: Starting with the 2001-2005 report, Mesothelioma and Kaposi Sarcoma appear as seperate groupings.