Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

	2005		2006		2007		2008		2009	
Pennsylvania	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	36,322	35,466	37,940	35,954	38,543	36,570	38,127	37,289	37,960	37,820
Oral Cavity and Pharynx	1,020	448	1,059	477	1,082	518	1,125	559	1,148	522
Esophagus	642	185	633	186	637	185	676	196	655	172
Stomach	638	413	663	401	661	377	721	390	638	392
Colon and Rectum	4,051	4,148	3,920	4,084	3,784	3,954	3,724	3,756	3,692	3,624
Liver and Intrahepatic Bile Duct	602	207	650	239	721	249	733	300	794	316
Pancreas	881	949	939	969	918	998	968	1,005	949	999
Larynx	493	112	467	126	504	115	524	111	423	148
Lung and Bronchus	5,746	4,741	5,668	4,777	5,674	4,997	5,606	4,987	5,614	4,994
Melanoma of the Skin	1,388	1,106	1,360	1,141	1,321	1,110	1,460	1,125	1,656	1,284
Female Breast	0	9,505	0	9,739	0	9,708	0	10,255	0	10,421
Cervix Uteri	0	531	0	534	0	560	0	535	0	559
Corpus and Uterus, NOS	0	2,363	0	2,339	0	2,509	0	2,570	0	2,595
Ovary	0	1,134	0	1,013	0	1,106	0	1,100	0	1,076
Prostate	9,435	0	10,770	0	11,150	0	10,098	0	9,742	0
Testis	352	0	357	0	342	0	389	0	380	0
Urinary Bladder*	2,722	956	2,802	974	2,833	1,017	2,963	943	2,867	978
Kidney and Renal Pelvis	1,312	936	1,482	1,006	1,518	902	1,575	1,007	1,500	992
Brain and Other Nervous System	520	428	534	443	535	493	525	488	530	446
Thyroid	395	1,439	455	1,561	504	1,715	612	1,885	652	2,034
Non-Hodgkin Lymphoma	1,559	1,424	1,619	1,447	1,548	1,433	1,596	1,534	1,773	1,529
Hodgkin Lymphoma	199	194	215	206	218	200	230	188	236	210
Myeloma	432	374	415	385	459	420	471	386	506	442
Leukemia	981	775	1,024	833	1,043	763	996	773	1,107	830
Other Sites	2,954	3,098	2,908	3,074	3,091	3,241	3,135	3,196	3,098	3,257

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

	2005		2006		2007		2008		2009	
Adams	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	256	251	282	283	256	243	298	314	286	283
Oral Cavity and Pharynx	8	5	7	5	8	2	6	5	6	3
Esophagus	1	0	3	0	7	0	6	0	5	0
Stomach	4	0	5	1	6	8	3	1	6	0
Colon and Rectum	30	31	34	41	23	23	35	31	30	35
Liver and Intrahepatic Bile Duct	6	1	5	0	2	2	2	4	6	2
Pancreas	4	5	6	7	10	6	10	2	8	14
Larynx	6	0	5	2	5	0	4	0	3	0
Lung and Bronchus	30	26	52	24	31	23	48	50	37	30
Melanoma of the Skin	15	10	11	10	18	12	14	17	20	13
Female Breast	0	78	0	85	0	61	0	79	0	79
Cervix Uteri	0	3	0	3	0	3	0	3	0	6
Corpus and Uterus, NOS	0	13	0	16	0	11	0	16	0	17
Ovary	0	2	0	9	0	6	0	16	0	5
Prostate	59	0	69	0	64	0	72	0	54	0
Testis	4	0	5	0	2	0	3	0	3	0
Urinary Bladder*	16	8	13	8	19	9	22	4	20	6
Kidney and Renal Pelvis	9	7	8	5	12	7	14	11	16	10
Brain and Other Nervous System	8	2	3	4	6	4	9	4	2	1
Thyroid	4	23	9	22	6	23	6	20	11	16
Non-Hodgkin Lymphoma	15	8	12	7	9	6	14	19	14	8
Hodgkin Lymphoma	2	1	0	2	2	2	1	2	2	1
Myeloma	4	3	4	3	4	8	2	1	5	1
Leukemia	6	4	8	6	4	5	5	9	14	6
Other Sites	25	21	23	23	18	22	22	20	24	30

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

	2005		2006		2007		2008		2009	
Allegheny	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	3,898	4,024	3,775	4,025	4,033	4,135	3,903	4,291	3,824	4,149
Oral Cavity and Pharynx	93	45	116	52	114	57	122	82	109	66
Esophagus	61	18	52	25	60	20	66	22	60	21
Stomach	80	66	84	55	84	45	101	48	61	51
Colon and Rectum	443	472	413	413	385	429	387	374	396	410
Liver and Intrahepatic Bile Duct	78	25	75	33	78	32	81	39	99	29
Pancreas	111	117	92	98	114	101	112	128	98	99
Larynx	59	10	50	12	50	16	59	9	48	19
Lung and Bronchus	635	588	594	597	638	677	614	669	608	619
Melanoma of the Skin	105	95	99	89	111	104	126	90	134	108
Female Breast	0	1,065	0	1,059	0	1,101	0	1,180	0	1,141
Cervix Uteri	0	40	0	42	0	45	0	39	0	51
Corpus and Uterus, NOS	0	248	0	237	0	285	0	295	0	249
Ovary	0	130	0	126	0	108	0	123	0	105
Prostate	978	0	945	0	1,123	0	988	0	919	0
Testis	38	0	28	0	35	0	35	0	46	0
Urinary Bladder*	301	112	295	132	308	101	351	102	328	118
Kidney and Renal Pelvis	165	112	168	111	164	109	142	129	135	104
Brain and Other Nervous System	46	49	54	55	45	57	57	52	51	50
Thyroid	50	167	60	231	65	224	75	271	86	268
Non-Hodgkin Lymphoma	175	166	173	185	171	156	143	163	175	148
Hodgkin Lymphoma	23	20	20	19	24	19	18	16	21	17
Myeloma	47	42	45	43	53	41	39	42	55	50
Leukemia	95	91	109	100	92	76	92	76	100	82
Other Sites	315	346	303	311	319	332	295	342	295	344

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Armstrong	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	246	230	264	218	224	214	209	189	246	222
Oral Cavity and Pharynx	5	2	5	2	6	5	2	3	7	5
Esophagus	4	1	4	3	2	3	5	1	5	0
Stomach	5	2	3	2	5	4	4	2	2	3
Colon and Rectum	28	24	33	30	14	25	21	19	25	19
Liver and Intrahepatic Bile Duct	4	0	5	0	2	3	2	1	1	1
Pancreas	9	6	4	3	7	9	3	1	3	7
Larynx	1	1	2	0	6	0	5	1	1	1
Lung and Bronchus	34	27	41	32	32	25	33	24	38	24
Melanoma of the Skin	7	4	9	6	6	4	7	3	5	5
Female Breast	0	62	0	55	0	51	0	53	0	58
Cervix Uteri	0	1	0	2	0	3	0	3	0	1
Corpus and Uterus, NOS	0	17	0	11	0	20	0	15	0	14
Ovary	0	6	0	8	0	9	0	7	0	4
Prostate	69	0	78	0	79	0	55	0	66	0
Testis	4	0	2	0	1	0	1	0	4	0
Urinary Bladder*	18	7	30	8	16	7	19	6	29	4
Kidney and Renal Pelvis	6	9	10	8	8	6	5	6	7	15
Brain and Other Nervous System	1	6	3	7	2	2	1	0	2	2
Thyroid	0	4	0	9	3	7	4	16	5	11
Non-Hodgkin Lymphoma	7	11	12	4	13	5	8	9	9	6
Hodgkin Lymphoma	1	2	0	2	4	0	0	0	1	3
Myeloma	1	4	1	3	3	3	6	1	6	2
Leukemia	14	6	9	5	2	4	7	4	6	6
Other Sites	28	28	13	18	13	19	21	14	24	31

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

	2005		2006		2007		2008		2009	
Beaver	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	595	559	608	593	526	576	553	554	563	567
Oral Cavity and Pharynx	22	8	15	13	21	6	16	4	17	2
Esophagus	13	1	8	1	15	4	6	2	9	2
Stomach	10	6	13	8	5	4	18	6	7	7
Colon and Rectum	72	62	61	69	59	66	59	55	47	51
Liver and Intrahepatic Bile Duct	11	4	7	3	7	3	13	4	8	5
Pancreas	19	12	15	21	17	18	16	18	19	13
Larynx	11	2	12	1	12	1	8	0	12	1
Lung and Bronchus	111	84	112	84	72	85	80	73	108	77
Melanoma of the Skin	13	7	8	11	15	13	23	18	16	18
Female Breast	0	137	0	163	0	139	0	164	0	179
Cervix Uteri	0	5	0	9	0	5	0	9	0	2
Corpus and Uterus, NOS	0	35	0	32	0	29	0	29	0	36
Ovary	0	18	0	18	0	20	0	15	0	15
Prostate	143	0	172	0	143	0	114	0	105	0
Testis	3	0	3	0	2	0	4	0	6	0
Urinary Bladder*	49	20	49	21	43	22	52	27	55	15
Kidney and Renal Pelvis	20	17	19	17	19	12	33	12	30	20
Brain and Other Nervous System	3	10	9	4	3	6	8	5	7	9
Thyroid	9	17	7	32	10	33	6	30	5	21
Non-Hodgkin Lymphoma	20	32	29	17	22	25	21	21	31	22
Hodgkin Lymphoma	2	1	1	5	2	5	3	2	4	4
Myeloma	6	7	5	2	7	4	9	7	7	10
Leukemia	16	8	15	12	13	12	16	9	16	11
Other Sites	42	66	48	50	39	64	48	44	54	47

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Bedford	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	176	124	143	144	181	146	188	157	173	134
Oral Cavity and Pharynx	6	0	3	3	4	4	7	1	9	0
Esophagus	4	1	2	1	1	0	5	1	3	0
Stomach	2	2	1	1	2	2	9	2	2	0
Colon and Rectum	13	24	16	17	17	19	16	16	12	8
Liver and Intrahepatic Bile Duct	1	0	1	0	2	3	2	1	2	0
Pancreas	1	2	0	4	4	2	0	3	4	2
Larynx	2	1	0	0	0	0	3	1	1	0
Lung and Bronchus	21	18	16	13	31	11	27	18	21	18
Melanoma of the Skin	9	8	5	7	6	6	7	10	7	4
Female Breast	0	23	0	45	0	40	0	46	0	43
Cervix Uteri	0	2	0	1	0	6	0	1	0	1
Corpus and Uterus, NOS	0	3	0	11	0	16	0	7	0	13
Ovary	0	3	0	2	0	4	0	3	0	3
Prostate	71	0	46	0	60	0	59	0	52	0
Testis	2	0	1	0	1	0	1	0	2	0
Urinary Bladder*	19	4	14	6	18	4	17	1	12	7
Kidney and Renal Pelvis	4	4	10	3	3	4	7	5	5	3
Brain and Other Nervous System	0	1	1	0	2	4	0	2	5	1
Thyroid	4	5	1	8	1	0	3	13	4	7
Non-Hodgkin Lymphoma	7	4	3	5	11	5	8	11	9	9
Hodgkin Lymphoma	1	1	2	0	0	1	1	2	0	1
Myeloma	2	0	1	3	0	2	1	2	1	0
Leukemia	1	1	5	2	9	4	0	1	3	0
Other Sites	6	17	15	12	9	9	15	10	19	14

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

	2005		2006		2007		2008		2009	
Berks	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	1,095	1,105	1,236	1,067	1,171	1,055	1,139	1,037	1,112	1,149
Oral Cavity and Pharynx	34	19	46	11	27	8	23	19	33	24
Esophagus	10	4	17	4	14	5	32	5	19	2
Stomach	13	10	15	10	17	10	15	7	13	14
Colon and Rectum	118	119	120	120	114	125	133	111	117	107
Liver and Intrahepatic Bile Duct	18	4	22	5	19	8	29	6	20	12
Pancreas	19	41	36	26	23	27	21	23	33	30
Larynx	13	4	12	0	16	2	13	2	8	5
Lung and Bronchus	176	139	197	146	148	123	159	131	148	139
Melanoma of the Skin	55	47	52	43	44	26	47	40	60	36
Female Breast	0	316	0	302	0	294	0	295	0	305
Cervix Uteri	0	17	0	21	0	14	0	14	0	16
Corpus and Uterus, NOS	0	58	0	76	0	74	0	77	0	66
Ovary	0	35	0	24	0	31	0	18	0	34
Prostate	295	0	354	0	338	0	284	0	278	0
Testis	13	0	18	0	16	0	17	0	15	0
Urinary Bladder*	95	29	83	25	104	27	90	21	76	25
Kidney and Renal Pelvis	40	34	51	24	38	31	54	31	46	37
Brain and Other Nervous System	14	15	9	12	22	12	17	16	18	19
Thyroid	12	40	9	42	12	58	25	43	18	54
Non-Hodgkin Lymphoma	53	50	43	45	52	44	42	46	50	61
Hodgkin Lymphoma	10	7	5	8	7	8	8	9	6	7
Myeloma	9	9	17	12	21	9	5	10	14	13
Leukemia	31	29	53	38	44	32	39	20	38	36
Other Sites	67	79	77	73	95	87	86	93	102	107

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Blair	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	400	330	372	398	372	388	423	402	394	395
Oral Cavity and Pharynx	15	4	10	5	19	8	10	8	8	1
Esophagus	5	3	11	0	5	4	10	1	6	1
Stomach	5	3	6	3	8	8	11	4	8	3
Colon and Rectum	59	49	38	56	46	45	53	40	36	44
Liver and Intrahepatic Bile Duct	4	2	6	3	8	2	4	3	11	2
Pancreas	10	14	9	12	13	16	11	11	11	11
Larynx	6	2	7	1	6	1	10	0	6	3
Lung and Bronchus	72	39	76	55	66	47	59	47	82	56
Melanoma of the Skin	12	5	13	16	12	12	15	19	13	11
Female Breast	0	78	0	89	0	100	0	102	0	103
Cervix Uteri	0	6	0	6	0	4	0	4	0	3
Corpus and Uterus, NOS	0	13	0	27	0	16	0	31	0	31
Ovary	0	14	0	13	0	21	0	12	0	11
Prostate	67	0	70	0	72	0	106	0	81	0
Testis	3	0	5	0	2	0	4	0	3	0
Urinary Bladder*	34	5	28	9	34	14	33	8	31	10
Kidney and Renal Pelvis	14	2	21	12	15	12	21	15	16	8
Brain and Other Nervous System	5	7	8	1	3	4	6	6	4	11
Thyroid	4	10	4	12	2	12	5	20	5	11
Non-Hodgkin Lymphoma	15	17	22	16	18	16	20	16	19	21
Hodgkin Lymphoma	1	2	3	5	2	1	2	2	3	1
Myeloma	8	3	0	3	2	2	4	3	4	3
Leukemia	16	13	8	15	13	6	11	8	13	17
Other Sites	45	39	27	39	26	37	28	42	34	33

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Bradford	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	198	188	216	195	221	210	194	177	213	204
Oral Cavity and Pharynx	8	4	9	6	6	4	3	2	4	2
Esophagus	2	0	8	4	3	2	4	1	3	2
Stomach	8	4	4	0	2	2	2	0	3	2
Colon and Rectum	17	19	18	31	33	24	17	18	17	19
Liver and Intrahepatic Bile Duct	1	1	3	0	2	0	4	1	1	1
Pancreas	4	4	3	5	5	3	9	4	2	11
Larynx	4	1	4	0	2	0	3	0	2	1
Lung and Bronchus	35	31	32	23	39	23	22	27	26	28
Melanoma of the Skin	10	2	11	8	6	3	14	10	3	10
Female Breast	0	49	0	48	0	57	0	47	0	56
Cervix Uteri	0	2	0	3	0	1	0	0	0	5
Corpus and Uterus, NOS	0	11	0	14	0	11	0	12	0	11
Ovary	0	4	0	2	0	7	0	5	0	5
Prostate	60	0	48	0	60	0	58	0	69	0
Testis	2	0	2	0	2	0	0	0	1	0
Urinary Bladder*	10	6	16	5	17	5	13	7	23	6
Kidney and Renal Pelvis	4	7	7	8	9	8	5	4	9	5
Brain and Other Nervous System	2	3	2	1	6	4	1	1	2	2
Thyroid	0	4	1	4	1	6	3	4	2	5
Non-Hodgkin Lymphoma	3	8	11	9	3	14	6	8	14	3
Hodgkin Lymphoma	0	0	0	1	1	0	1	1	0	2
Myeloma	1	3	1	1	3	2	2	0	4	2
Leukemia	6	7	6	5	4	5	2	3	6	2
Other Sites	21	18	30	17	17	29	25	22	22	24

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

	2005		2006		2007		2008		2009	
Bucks	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	1,642	1,662	1,863	1,697	1,945	1,717	1,863	1,787	1,897	1,891
Oral Cavity and Pharynx	55	20	48	20	62	36	64	28	61	39
Esophagus	26	10	29	12	20	9	32	11	37	8
Stomach	21	13	27	16	23	9	36	15	26	24
Colon and Rectum	189	190	150	174	181	179	147	159	141	151
Liver and Intrahepatic Bile Duct	25	10	35	10	28	17	25	11	51	21
Pancreas	53	46	41	35	43	52	50	58	45	47
Larynx	10	4	17	8	23	4	21	6	12	6
Lung and Bronchus	221	220	215	221	268	226	259	250	234	213
Melanoma of the Skin	65	79	71	73	67	71	80	68	117	81
Female Breast	0	464	0	509	0	463	0	504	0	535
Cervix Uteri	0	24	0	21	0	28	0	22	0	25
Corpus and Uterus, NOS	0	121	0	110	0	107	0	124	0	121
Ovary	0	52	0	49	0	59	0	50	0	75
Prostate	435	0	620	0	628	0	517	0	577	0
Testis	21	0	18	0	19	0	21	0	23	0
Urinary Bladder*	116	35	142	42	151	57	158	43	145	48
Kidney and Renal Pelvis	70	37	78	50	87	51	91	39	79	39
Brain and Other Nervous System	30	26	39	23	35	29	33	31	21	25
Thyroid	23	68	31	64	25	74	35	97	37	123
Non-Hodgkin Lymphoma	64	64	76	76	63	71	77	84	89	92
Hodgkin Lymphoma	10	11	10	16	6	8	13	9	9	14
Myeloma	26	15	8	11	14	11	18	13	20	28
Leukemia	60	27	58	39	44	30	45	34	46	33
Other Sites	122	126	150	118	158	126	141	131	127	143

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

	2005		2006		2007		2008		2009	
Butler	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	509	499	531	465	574	560	598	543	618	551
Oral Cavity and Pharynx	8	3	17	5	10	4	19	10	16	1
Esophagus	7	0	9	3	8	0	18	3	10	0
Stomach	13	5	7	1	12	6	9	7	8	3
Colon and Rectum	56	54	45	61	55	52	51	59	52	41
Liver and Intrahepatic Bile Duct	7	2	5	1	10	6	6	1	6	2
Pancreas	23	18	14	6	18	10	8	9	16	17
Larynx	5	1	7	1	4	1	6	0	4	1
Lung and Bronchus	71	59	80	68	86	75	81	54	87	69
Melanoma of the Skin	28	20	21	16	21	18	26	19	20	19
Female Breast	0	154	0	126	0	156	0	154	0	164
Cervix Uteri	0	10	0	3	0	4	0	6	0	6
Corpus and Uterus, NOS	0	33	0	33	0	35	0	41	0	31
Ovary	0	8	0	12	0	9	0	13	0	16
Prostate	138	0	173	0	179	0	183	0	213	0
Testis	9	0	5	0	6	0	8	0	3	0
Urinary Bladder*	33	15	34	15	40	14	37	7	50	17
Kidney and Renal Pelvis	8	8	24	14	13	21	15	10	19	13
Brain and Other Nervous System	10	6	10	6	11	5	10	13	8	11
Thyroid	8	24	9	33	14	42	21	56	14	42
Non-Hodgkin Lymphoma	22	20	20	14	17	30	18	29	27	28
Hodgkin Lymphoma	2	2	3	2	4	4	3	3	3	3
Myeloma	4	1	7	4	8	11	7	5	7	5
Leukemia	12	19	14	10	14	14	19	12	15	21
Other Sites	45	37	27	31	44	43	53	32	40	41

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Cambria	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	489	440	522	499	558	460	511	471	509	512
Oral Cavity and Pharynx	10	9	9	7	24	4	9	6	10	8
Esophagus	8	2	9	3	11	3	10	0	18	2
Stomach	7	3	7	15	8	6	10	8	9	6
Colon and Rectum	63	54	58	72	69	50	60	67	62	54
Liver and Intrahepatic Bile Duct	7	1	2	2	8	2	3	3	8	0
Pancreas	14	5	14	16	6	20	15	7	17	19
Larynx	4	0	6	2	7	3	11	0	9	0
Lung and Bronchus	58	39	70	57	62	46	68	54	62	52
Melanoma of the Skin	17	9	22	17	13	19	18	16	18	19
Female Breast	0	115	0	120	0	104	0	118	0	145
Cervix Uteri	0	8	0	2	0	6	0	4	0	5
Corpus and Uterus, NOS	0	34	0	28	0	37	0	38	0	38
Ovary	0	17	0	12	0	21	0	17	0	14
Prostate	167	0	140	0	189	0	134	0	117	0
Testis	4	0	2	0	2	0	4	0	3	0
Urinary Bladder*	42	17	53	16	44	21	41	21	61	15
Kidney and Renal Pelvis	11	11	24	14	13	14	19	15	17	12
Brain and Other Nervous System	6	5	3	4	10	8	5	4	10	5
Thyroid	1	18	6	18	6	14	10	21	6	21
Non-Hodgkin Lymphoma	16	13	18	21	22	21	29	16	27	23
Hodgkin Lymphoma	6	5	4	6	1	3	1	1	2	3
Myeloma	4	6	4	3	5	6	3	5	4	8
Leukemia	9	16	21	9	13	10	18	9	20	15
Other Sites	35	53	50	55	45	42	43	41	29	48

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Cameron	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	17	16	20	20	26	17	25	21	27	21
Oral Cavity and Pharynx	1	0	1	1	1	0	1	1	2	0
Esophagus	0	0	0	0	0	1	0	0	1	0
Stomach	1	0	1	0	1	0	0	0	0	0
Colon and Rectum	1	1	4	2	4	3	3	1	4	4
Liver and Intrahepatic Bile Duct	0	0	0	1	0	0	0	0	0	0
Pancreas	0	0	1	0	0	0	0	0	0	0
Larynx	0	0	0	0	0	0	0	0	1	0
Lung and Bronchus	3	2	1	5	1	3	2	5	6	1
Melanoma of the Skin	0	1	0	1	1	1	1	0	0	0
Female Breast	0	4	0	5	0	6	0	5	0	7
Cervix Uteri	0	0	0	1	0	1	0	1	0	0
Corpus and Uterus, NOS	0	1	0	0	0	0	0	1	0	1
Ovary	0	2	0	0	0	0	0	0	0	0
Prostate	5	0	9	0	7	0	9	0	9	0
Urinary Bladder*	0	0	0	2	4	1	4	0	1	1
Kidney and Renal Pelvis	0	0	0	0	1	0	0	0	1	3
Brain and Other Nervous System	2	0	0	0	1	0	0	0	0	1
Thyroid	0	1	0	0	0	0	1	0	0	0
Non-Hodgkin Lymphoma	1	0	0	0	1	1	1	2	0	0
Hodgkin Lymphoma	0	1	0	0	0	0	1	0	0	0
Myeloma	0	0	1	1	0	0	0	0	0	0
Leukemia	0	2	1	0	0	0	0	1	0	1
Other Sites	3	1	1	1	4	0	2	4	2	2

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Carbon	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	211	224	198	191	218	190	215	174	259	235
Oral Cavity and Pharynx	6	2	4	3	5	3	5	5	6	4
Esophagus	4	0	7	1	3	0	2	1	3	1
Stomach	4	2	2	2	7	1	5	1	4	0
Colon and Rectum	25	28	20	20	23	24	18	15	19	18
Liver and Intrahepatic Bile Duct	2	1	5	2	5	1	11	0	5	0
Pancreas	7	8	5	4	5	6	4	4	5	9
Larynx	5	0	4	1	6	1	3	2	3	1
Lung and Bronchus	42	29	23	18	42	20	37	16	55	27
Melanoma of the Skin	11	4	7	8	10	12	14	7	10	10
Female Breast	0	44	0	47	0	44	0	51	0	64
Cervix Uteri	0	3	0	2	0	2	0	4	0	3
Corpus and Uterus, NOS	0	8	0	12	0	12	0	19	0	14
Ovary	0	17	0	5	0	8	0	3	0	5
Prostate	46	0	56	0	43	0	50	0	45	0
Testis	2	0	1	0	1	0	1	0	0	0
Urinary Bladder*	17	10	17	8	22	6	18	4	27	7
Kidney and Renal Pelvis	10	9	4	7	7	4	11	5	16	7
Brain and Other Nervous System	3	5	3	6	2	1	3	2	4	3
Thyroid	2	18	7	10	4	12	2	9	7	13
Non-Hodgkin Lymphoma	8	10	11	6	9	8	8	4	9	11
Hodgkin Lymphoma	1	1	0	1	0	2	1	0	2	2
Myeloma	1	3	0	2	1	2	0	2	3	3
Leukemia	5	3	4	6	1	4	5	1	8	3
Other Sites	10	19	18	20	22	17	17	19	28	30

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Centre	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	295	262	327	307	330	251	322	297	315	275
Oral Cavity and Pharynx	5	2	9	6	9	7	6	10	10	3
Esophagus	3	1	2	1	5	1	7	1	6	1
Stomach	2	0	3	3	2	0	6	4	2	0
Colon and Rectum	27	27	36	35	32	24	24	32	27	31
Liver and Intrahepatic Bile Duct	2	1	4	1	2	1	2	2	6	0
Pancreas	10	10	12	6	10	7	12	5	8	4
Larynx	6	0	2	0	8	0	4	1	4	2
Lung and Bronchus	42	31	42	35	53	28	36	34	35	36
Melanoma of the Skin	14	11	11	8	21	7	17	15	23	12
Female Breast	0	71	0	89	0	70	0	81	0	75
Cervix Uteri	0	1	0	4	0	5	0	2	0	5
Corpus and Uterus, NOS	0	19	0	28	0	19	0	20	0	21
Ovary	0	18	0	11	0	11	0	12	0	9
Prostate	93	0	116	0	93	0	87	0	91	0
Testis	6	0	4	0	4	0	4	0	2	0
Urinary Bladder*	21	5	21	5	18	4	24	3	24	4
Kidney and Renal Pelvis	10	8	9	8	7	7	13	9	12	8
Brain and Other Nervous System	5	2	4	2	3	4	6	3	5	2
Thyroid	2	11	6	16	4	8	9	13	2	14
Non-Hodgkin Lymphoma	16	13	11	15	19	16	18	13	16	12
Hodgkin Lymphoma	1	2	0	1	1	0	3	3	4	6
Myeloma	1	3	2	2	3	1	4	2	2	2
Leukemia	9	8	15	14	12	9	18	10	8	6
Other Sites	20	18	18	17	24	22	22	22	28	22

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Chester	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	1,244	1,190	1,305	1,211	1,441	1,201	1,286	1,331	1,386	1,351
Oral Cavity and Pharynx	38	11	42	11	37	12	29	24	45	18
Esophagus	25	8	17	5	19	7	13	8	21	12
Stomach	20	10	18	24	28	6	28	9	29	10
Colon and Rectum	119	115	125	123	125	120	118	125	111	121
Liver and Intrahepatic Bile Duct	11	6	22	12	30	12	25	8	27	5
Pancreas	23	36	21	27	31	30	37	40	27	37
Larynx	13	1	13	2	11	5	14	6	8	6
Lung and Bronchus	176	144	170	143	160	136	143	146	149	154
Melanoma of the Skin	79	62	65	53	67	43	62	57	93	62
Female Breast	0	344	0	382	0	373	0	401	0	372
Cervix Uteri	0	15	0	11	0	18	0	16	0	16
Corpus and Uterus, NOS	0	78	0	67	0	68	0	75	0	101
Ovary	0	43	0	35	0	35	0	45	0	40
Prostate	321	0	414	0	516	0	377	0	393	0
Testis	24	0	15	0	12	0	15	0	13	0
Urinary Bladder*	99	18	78	32	96	35	94	26	102	26
Kidney and Renal Pelvis	44	29	55	25	62	27	53	26	51	32
Brain and Other Nervous System	17	12	18	20	15	28	25	22	22	21
Thyroid	21	48	14	56	18	72	26	85	33	93
Non-Hodgkin Lymphoma	50	51	64	43	56	47	57	61	69	56
Hodgkin Lymphoma	4	8	9	2	12	2	8	12	10	6
Myeloma	15	13	17	12	12	11	21	11	23	21
Leukemia	32	22	37	28	34	24	29	28	54	40
Other Sites	113	116	91	98	100	90	112	100	106	102

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Clarion	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	120	84	125	119	139	118	165	126	149	143
Oral Cavity and Pharynx	3	2	2	1	3	2	2	1	2	2
Esophagus	2	0	1	0	1	1	3	1	3	0
Stomach	3	0	1	0	0	0	2	1	4	3
Colon and Rectum	15	9	15	23	10	14	21	16	14	19
Liver and Intrahepatic Bile Duct	2	0	3	1	1	0	2	3	1	0
Pancreas	1	4	2	5	5	5	5	2	3	4
Larynx	1	0	1	1	2	0	1	0	0	0
Lung and Bronchus	17	9	18	10	25	9	21	15	23	18
Melanoma of the Skin	6	0	4	4	6	6	9	7	5	4
Female Breast	0	30	0	37	0	37	0	29	0	40
Cervix Uteri	0	0	0	2	0	1	0	2	0	2
Corpus and Uterus, NOS	0	7	0	5	0	8	0	12	0	10
Ovary	0	2	0	2	0	4	0	2	0	3
Prostate	27	0	34	0	36	0	57	0	48	0
Testis	2	0	1	0	0	0	0	0	0	0
Urinary Bladder*	15	3	8	0	15	1	9	4	12	3
Kidney and Renal Pelvis	2	3	5	6	6	3	5	6	3	1
Brain and Other Nervous System	2	0	2	2	3	1	1	3	2	3
Thyroid	2	3	4	3	1	4	3	8	1	6
Non-Hodgkin Lymphoma	2	0	4	3	7	8	10	2	9	11
Hodgkin Lymphoma	0	0	0	0	1	0	0	0	1	0
Myeloma	5	3	1	3	0	2	4	0	0	1
Leukemia	3	3	3	2	4	2	2	2	5	2
Other Sites	10	6	16	9	13	10	8	10	13	11

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Clearfield	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	274	265	268	267	285	250	310	266	290	243
Oral Cavity and Pharynx	11	2	6	3	10	3	8	3	11	4
Esophagus	6	3	2	0	5	0	5	1	4	0
Stomach	5	6	3	2	5	3	5	2	5	1
Colon and Rectum	27	35	27	31	34	35	34	34	30	22
Liver and Intrahepatic Bile Duct	1	1	4	1	5	1	2	3	5	2
Pancreas	8	2	6	4	4	3	7	8	4	8
Larynx	5	2	1	0	1	0	5	2	6	0
Lung and Bronchus	49	31	41	41	46	34	45	28	34	35
Melanoma of the Skin	10	11	16	8	9	10	14	9	10	10
Female Breast	0	73	0	87	0	56	0	67	0	66
Cervix Uteri	0	2	0	3	0	4	0	3	0	3
Corpus and Uterus, NOS	0	19	0	13	0	19	0	19	0	11
Ovary	0	7	0	6	0	8	0	6	0	5
Prostate	58	0	73	0	82	0	71	0	62	0
Testis	3	0	2	0	2	0	2	0	2	0
Urinary Bladder*	27	12	12	7	18	6	28	7	19	6
Kidney and Renal Pelvis	2	5	8	9	11	10	15	7	14	7
Brain and Other Nervous System	3	4	8	2	2	4	7	3	5	2
Thyroid	1	5	2	3	0	7	1	11	9	8
Non-Hodgkin Lymphoma	25	10	9	10	12	10	14	14	13	10
Hodgkin Lymphoma	2	0	2	2	2	1	2	2	1	1
Myeloma	1	7	7	3	4	4	4	3	6	5
Leukemia	8	4	13	4	10	11	12	2	13	6
Other Sites	22	24	26	28	23	21	29	32	37	31

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Clinton	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	134	95	104	108	133	128	149	113	118	115
Oral Cavity and Pharynx	6	0	2	1	2	2	8	1	2	0
Esophagus	1	0	2	0	1	1	4	1	0	0
Stomach	2	0	0	0	1	0	2	0	3	2
Colon and Rectum	17	13	17	14	16	14	13	9	10	7
Liver and Intrahepatic Bile Duct	0	0	1	0	0	1	1	1	0	1
Pancreas	0	3	4	4	5	2	4	2	2	1
Larynx	2	0	1	0	2	0	1	0	0	1
Lung and Bronchus	21	14	8	24	21	27	27	14	17	17
Melanoma of the Skin	8	2	3	6	6	6	3	2	8	5
Female Breast	0	33	0	21	0	35	0	30	0	32
Cervix Uteri	0	2	0	2	0	1	0	1	0	0
Corpus and Uterus, NOS	0	6	0	7	0	11	0	11	0	7
Ovary	0	1	0	2	0	6	0	2	0	3
Prostate	34	0	35	0	37	0	44	0	36	0
Testis	1	0	1	0	0	0	0	0	1	0
Urinary Bladder*	7	3	9	0	12	1	12	3	14	2
Kidney and Renal Pelvis	7	2	4	4	3	2	3	3	4	6
Brain and Other Nervous System	3	3	1	2	3	1	2	1	0	0
Thyroid	1	6	1	3	3	1	2	8	2	13
Non-Hodgkin Lymphoma	6	3	2	4	5	3	2	7	7	2
Hodgkin Lymphoma	0	0	0	1	0	0	0	0	0	0
Myeloma	0	0	0	1	0	2	2	2	1	0
Leukemia	3	4	2	0	4	1	5	4	3	4
Other Sites	15	0	11	12	12	11	14	11	8	12

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Columbia	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	215	190	203	159	227	170	235	222	225	202
Oral Cavity and Pharynx	2	3	4	4	5	3	9	4	9	1
Esophagus	11	0	3	0	6	0	8	1	6	2
Stomach	2	0	1	0	3	0	3	3	3	2
Colon and Rectum	27	21	13	18	15	14	32	25	18	19
Liver and Intrahepatic Bile Duct	4	1	0	0	2	0	2	1	2	2
Pancreas	6	7	3	4	4	7	8	8	4	5
Larynx	5	0	1	1	3	0	5	1	2	1
Lung and Bronchus	31	12	27	10	37	20	35	33	37	16
Melanoma of the Skin	9	11	10	9	11	3	14	8	18	11
Female Breast	0	52	0	52	0	44	0	48	0	49
Cervix Uteri	0	4	0	5	0	4	0	2	0	0
Corpus and Uterus, NOS	0	17	0	11	0	19	0	18	0	17
Ovary	0	6	0	3	0	2	0	6	0	6
Prostate	50	0	67	0	68	0	55	0	53	0
Testis	1	0	0	0	3	0	3	0	2	0
Urinary Bladder*	19	3	25	5	23	6	17	8	15	8
Kidney and Renal Pelvis	8	5	10	1	7	2	8	7	7	10
Brain and Other Nervous System	1	2	2	1	1	1	3	0	2	3
Thyroid	1	8	2	4	1	7	5	12	3	10
Non-Hodgkin Lymphoma	7	9	8	11	7	5	4	10	11	10
Hodgkin Lymphoma	1	1	0	0	2	1	1	1	1	0
Myeloma	7	1	2	0	1	1	2	2	4	2
Leukemia	7	3	6	4	11	5	7	8	12	4
Other Sites	16	24	19	16	17	26	14	16	16	24

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Crawford	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	250	257	323	285	296	305	276	251	275	229
Oral Cavity and Pharynx	8	2	9	7	11	4	6	3	12	5
Esophagus	4	1	3	1	7	2	2	3	6	0
Stomach	4	0	7	2	4	4	2	1	3	0
Colon and Rectum	20	33	40	31	37	43	29	21	23	20
Liver and Intrahepatic Bile Duct	5	2	5	1	4	1	3	3	5	2
Pancreas	11	9	9	7	10	7	9	6	5	6
Larynx	2	0	1	1	5	0	1	0	3	0
Lung and Bronchus	44	36	46	46	38	37	53	41	45	39
Melanoma of the Skin	14	14	13	15	6	8	6	13	10	10
Female Breast	0	67	0	75	0	77	0	65	0	64
Cervix Uteri	0	5	0	8	0	3	0	3	0	6
Corpus and Uterus, NOS	0	20	0	11	0	30	0	26	0	10
Ovary	0	9	0	8	0	7	0	8	0	4
Prostate	66	0	101	0	83	0	85	0	87	0
Testis	1	0	3	0	7	0	3	0	3	0
Urinary Bladder*	20	4	25	3	21	4	28	3	21	4
Kidney and Renal Pelvis	6	5	11	6	11	11	10	5	10	7
Brain and Other Nervous System	6	3	3	4	4	1	2	3	5	1
Thyroid	1	5	3	10	2	19	1	15	3	10
Non-Hodgkin Lymphoma	5	13	11	11	12	10	12	9	11	7
Hodgkin Lymphoma	2	1	0	0	0	2	1	2	2	0
Myeloma	1	1	6	2	2	2	4	2	2	1
Leukemia	7	3	7	4	12	3	5	6	4	5
Other Sites	23	24	20	32	20	30	14	13	15	28

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Cumberland	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	559	575	568	592	546	627	568	659	646	726
Oral Cavity and Pharynx	17	6	16	7	9	11	21	10	25	14
Esophagus	10	1	11	5	9	0	12	4	11	1
Stomach	9	8	6	3	8	3	7	7	10	7
Colon and Rectum	62	80	56	60	76	83	53	78	69	66
Liver and Intrahepatic Bile Duct	6	3	8	3	18	3	5	3	12	4
Pancreas	12	10	10	12	13	10	19	15	16	12
Larynx	8	2	3	1	5	2	6	0	7	0
Lung and Bronchus	90	68	103	75	76	77	94	72	74	83
Melanoma of the Skin	35	19	30	29	36	32	40	27	52	34
Female Breast	0	165	0	163	0	161	0	202	0	201
Cervix Uteri	0	3	0	8	0	12	0	6	0	11
Corpus and Uterus, NOS	0	40	0	50	0	54	0	35	0	57
Ovary	0	27	0	20	0	19	0	18	0	21
Prostate	138	0	145	0	103	0	109	0	125	0
Testis	4	0	5	0	5	0	3	0	7	0
Urinary Bladder*	31	18	36	13	44	20	39	16	49	11
Kidney and Renal Pelvis	15	23	22	18	26	19	37	17	27	21
Brain and Other Nervous System	8	8	9	3	7	7	9	11	8	9
Thyroid	8	14	10	23	10	23	6	25	13	49
Non-Hodgkin Lymphoma	32	27	26	27	20	23	30	30	37	31
Hodgkin Lymphoma	3	1	2	3	6	6	10	4	4	2
Myeloma	7	5	7	5	5	7	9	15	4	5
Leukemia	11	7	11	6	23	14	13	14	20	14
Other Sites	53	40	52	58	47	41	46	50	76	73

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Dauphin	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	665	710	629	756	651	700	640	702	633	743
Oral Cavity and Pharynx	20	7	24	10	10	5	34	11	15	6
Esophagus	8	5	12	2	10	2	6	1	9	2
Stomach	9	2	12	6	9	5	14	5	8	2
Colon and Rectum	58	80	60	80	73	63	56	76	62	76
Liver and Intrahepatic Bile Duct	13	4	12	4	17	6	20	4	17	9
Pancreas	13	23	16	21	17	19	22	12	18	14
Larynx	10	3	7	4	5	1	9	0	6	3
Lung and Bronchus	124	93	110	101	105	101	98	77	108	83
Melanoma of the Skin	39	39	36	41	40	25	29	26	44	37
Female Breast	0	201	0	196	0	199	0	221	0	220
Cervix Uteri	0	9	0	12	0	11	0	10	0	11
Corpus and Uterus, NOS	0	53	0	42	0	49	0	54	0	59
Ovary	0	23	0	32	0	20	0	22	0	19
Prostate	158	0	112	0	126	0	128	0	108	0
Testis	7	0	7	0	6	0	4	0	8	0
Urinary Bladder*	38	9	44	15	41	13	40	22	44	9
Kidney and Renal Pelvis	27	15	43	22	39	21	37	21	23	27
Brain and Other Nervous System	14	7	10	8	12	9	7	6	14	6
Thyroid	9	29	9	36	10	22	9	18	10	52
Non-Hodgkin Lymphoma	36	26	32	30	32	35	40	25	34	29
Hodgkin Lymphoma	2	5	5	3	4	5	5	8	8	8
Myeloma	6	11	7	12	10	5	7	10	6	9
Leukemia	17	15	15	14	26	14	20	13	17	11
Other Sites	57	51	56	65	59	70	55	60	74	51

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Delaware	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	1,647	1,648	1,700	1,640	1,687	1,691	1,689	1,597	1,730	1,722
Oral Cavity and Pharynx	39	12	42	17	40	22	64	26	48	22
Esophagus	35	17	11	13	22	7	26	11	29	6
Stomach	29	23	38	17	29	18	22	21	27	19
Colon and Rectum	183	206	180	188	166	202	165	164	168	156
Liver and Intrahepatic Bile Duct	24	9	47	11	30	15	39	18	41	17
Pancreas	45	41	39	42	23	41	42	41	37	42
Larynx	15	3	26	1	19	8	24	7	15	8
Lung and Bronchus	257	256	249	250	240	235	248	227	256	270
Melanoma of the Skin	95	68	74	74	80	77	63	59	113	72
Female Breast	0	478	0	438	0	465	0	439	0	496
Cervix Uteri	0	25	0	29	0	26	0	19	0	26
Corpus and Uterus, NOS	0	92	0	81	0	104	0	100	0	118
Ovary	0	48	0	56	0	56	0	53	0	36
Prostate	451	0	500	0	521	0	467	0	490	0
Testis	12	0	15	0	14	0	14	0	21	0
Urinary Bladder*	102	44	137	38	111	47	103	39	109	50
Kidney and Renal Pelvis	73	39	58	53	81	37	77	46	79	41
Brain and Other Nervous System	21	19	22	18	34	19	26	24	26	15
Thyroid	17	58	20	67	20	68	17	63	20	77
Non-Hodgkin Lymphoma	79	57	53	60	56	58	73	62	63	63
Hodgkin Lymphoma	11	8	10	9	12	14	9	8	7	6
Myeloma	8	17	15	18	15	19	26	10	21	17
Leukemia	37	30	45	30	40	24	43	41	44	25
Other Sites	114	98	119	130	134	129	141	119	116	140

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Elk	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	127	77	124	99	136	106	112	93	142	107
Oral Cavity and Pharynx	2	1	1	1	4	2	5	2	3	0
Esophagus	1	1	4	2	3	0	1	0	0	0
Stomach	1	0	1	0	0	2	2	1	0	0
Colon and Rectum	22	15	15	12	10	17	14	12	11	8
Liver and Intrahepatic Bile Duct	1	0	1	0	1	1	2	1	1	1
Pancreas	5	1	2	5	3	5	4	3	0	4
Larynx	3	0	3	0	0	0	2	0	3	0
Lung and Bronchus	15	21	17	11	20	20	13	13	15	15
Melanoma of the Skin	4	1	3	2	1	4	2	2	3	3
Female Breast	0	14	0	24	0	20	0	23	0	27
Cervix Uteri	0	0	0	1	0	2	0	3	0	2
Corpus and Uterus, NOS	0	2	0	5	0	7	0	3	0	12
Ovary	0	2	0	1	0	2	0	3	0	1
Prostate	35	0	37	0	34	0	37	0	60	0
Testis	1	0	0	0	3	0	2	0	3	0
Urinary Bladder*	10	1	9	3	16	4	5	4	8	8
Kidney and Renal Pelvis	4	0	2	3	7	4	6	5	3	2
Brain and Other Nervous System	1	2	2	0	2	3	0	0	2	2
Thyroid	1	1	0	3	0	3	2	10	4	8
Non-Hodgkin Lymphoma	4	4	7	3	10	0	4	4	8	2
Hodgkin Lymphoma	0	0	1	0	2	0	0	1	1	0
Myeloma	1	0	0	4	2	0	2	0	1	2
Leukemia	6	0	2	2	7	3	1	1	3	2
Other Sites	10	11	17	17	11	7	8	2	13	8

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Erie	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	672	747	819	702	767	806	768	768	739	754
Oral Cavity and Pharynx	26	10	19	6	28	14	31	12	24	8
Esophagus	11	6	18	4	16	4	14	6	13	7
Stomach	12	7	11	10	16	6	16	8	14	8
Colon and Rectum	80	65	86	77	78	75	72	75	73	59
Liver and Intrahepatic Bile Duct	9	3	13	2	5	3	15	3	5	7
Pancreas	11	24	22	24	15	21	28	21	16	16
Larynx	7	5	15	6	8	2	9	0	4	1
Lung and Bronchus	112	110	112	112	121	111	97	109	114	101
Melanoma of the Skin	22	26	24	20	28	20	20	24	32	27
Female Breast	0	196	0	193	0	224	0	235	0	208
Cervix Uteri	0	13	0	9	0	15	0	10	0	9
Corpus and Uterus, NOS	0	56	0	39	0	61	0	43	0	54
Ovary	0	22	0	25	0	27	0	18	0	18
Prostate	163	0	255	0	228	0	203	0	201	0
Testis	4	0	11	0	8	0	7	0	8	0
Urinary Bladder*	42	19	57	14	54	19	59	15	48	13
Kidney and Renal Pelvis	23	14	29	8	25	18	34	31	25	20
Brain and Other Nervous System	9	11	10	4	9	13	14	11	10	7
Thyroid	3	20	8	33	13	36	12	49	13	55
Non-Hodgkin Lymphoma	29	37	30	33	32	35	34	25	45	33
Hodgkin Lymphoma	5	6	9	6	4	8	8	3	5	4
Myeloma	9	5	10	3	16	8	18	10	5	7
Leukemia	28	17	20	16	19	17	18	14	24	22
Other Sites	67	75	60	58	44	69	59	46	60	70

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Fayette	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	465	473	476	449	530	474	502	451	495	441
Oral Cavity and Pharynx	16	3	16	7	11	10	15	7	20	8
Esophagus	12	3	6	2	9	0	10	3	6	1
Stomach	6	6	12	9	9	6	10	12	9	7
Colon and Rectum	45	54	53	45	51	49	65	46	63	60
Liver and Intrahepatic Bile Duct	6	3	4	4	10	4	8	7	4	6
Pancreas	17	19	19	9	21	17	9	13	15	9
Larynx	8	1	5	0	9	3	7	2	7	5
Lung and Bronchus	80	69	65	74	103	68	104	73	99	68
Melanoma of the Skin	7	9	10	7	11	9	9	5	15	6
Female Breast	0	108	0	112	0	111	0	106	0	98
Cervix Uteri	0	12	0	9	0	3	0	6	0	7
Corpus and Uterus, NOS	0	35	0	32	0	33	0	38	0	23
Ovary	0	17	0	12	0	14	0	11	0	11
Prostate	101	0	121	0	137	0	111	0	89	0
Testis	7	0	3	0	4	0	4	0	5	0
Urinary Bladder*	41	11	50	8	46	10	45	11	45	14
Kidney and Renal Pelvis	30	11	17	17	10	11	20	10	23	16
Brain and Other Nervous System	9	7	4	2	11	6	7	3	9	4
Thyroid	2	17	2	13	7	20	11	20	6	30
Non-Hodgkin Lymphoma	23	21	29	26	23	22	20	22	20	14
Hodgkin Lymphoma	1	1	3	4	2	3	0	0	4	2
Myeloma	6	6	6	3	9	7	7	7	5	2
Leukemia	12	11	11	11	13	10	6	7	8	9
Other Sites	36	49	40	43	34	58	34	42	43	41

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Forest	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	30	21	31	17	26	19	24	27	17	12
Oral Cavity and Pharynx	0	0	2	0	0	0	0	1	0	0
Esophagus	1	0	2	0	0	0	0	0	0	0
Stomach	0	0	1	0	0	0	0	0	0	0
Colon and Rectum	3	2	4	0	2	1	4	5	4	1
Liver and Intrahepatic Bile Duct	0	0	1	1	1	0	0	0	0	0
Pancreas	1	1	0	2	0	3	1	1	0	1
Larynx	0	1	0	0	1	0	1	0	0	0
Lung and Bronchus	6	4	2	1	5	3	6	4	4	3
Melanoma of the Skin	2	0	1	2	0	1	1	0	0	1
Female Breast	0	9	0	7	0	7	0	13	0	1
Corpus and Uterus, NOS	0	1	0	0	0	0	0	0	0	1
Ovary	0	1	0	0	0	1	0	0	0	0
Prostate	9	0	3	0	12	0	5	0	3	0
Testis	0	0	1	0	0	0	1	0	1	0
Urinary Bladder*	5	0	5	0	4	1	2	0	1	1
Kidney and Renal Pelvis	2	0	3	0	1	0	0	1	0	1
Brain and Other Nervous System	0	0	0	1	0	0	1	0	0	0
Thyroid	0	1	1	0	0	0	0	0	1	1
Non-Hodgkin Lymphoma	1	1	0	0	0	0	0	0	2	0
Hodgkin Lymphoma	0	0	1	1	0	0	0	0	0	0
Myeloma	0	0	1	1	0	0	0	0	0	0
Leukemia	0	0	0	0	0	0	0	0	1	0
Other Sites	0	0	3	1	0	2	2	2	0	1

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Franklin	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	432	342	463	415	440	431	494	411	479	424
Oral Cavity and Pharynx	11	8	12	6	14	4	8	8	25	7
Esophagus	8	2	14	2	9	1	8	1	15	1
Stomach	8	4	5	3	2	2	6	5	9	3
Colon and Rectum	46	30	53	28	38	49	62	47	46	41
Liver and Intrahepatic Bile Duct	3	2	4	2	8	0	7	1	6	0
Pancreas	6	6	19	6	9	12	14	12	14	8
Larynx	4	1	3	2	4	0	4	0	9	1
Lung and Bronchus	67	36	70	48	77	53	68	52	72	45
Melanoma of the Skin	14	17	22	24	13	22	33	22	24	13
Female Breast	0	99	0	126	0	122	0	110	0	117
Cervix Uteri	0	2	0	12	0	6	0	12	0	8
Corpus and Uterus, NOS	0	24	0	21	0	28	0	24	0	29
Ovary	0	16	0	11	0	10	0	16	0	10
Prostate	117	0	109	0	124	0	140	0	117	0
Testis	0	0	7	0	5	0	3	0	6	0
Urinary Bladder*	39	6	36	7	24	12	28	11	33	14
Kidney and Renal Pelvis	20	12	27	12	17	12	19	6	21	14
Brain and Other Nervous System	7	4	8	7	3	3	1	3	4	6
Thyroid	4	17	3	15	2	17	6	15	6	18
Non-Hodgkin Lymphoma	22	13	16	23	26	20	23	12	30	20
Hodgkin Lymphoma	6	2	3	1	1	2	2	1	2	5
Myeloma	5	5	4	6	5	2	3	2	9	7
Leukemia	13	8	11	19	18	17	12	15	7	14
Other Sites	32	28	37	34	41	37	47	36	24	43

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Fulton	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	31	41	52	34	46	38	52	41	53	37
Oral Cavity and Pharynx	1	0	1	0	0	2	1	0	2	1
Esophagus	2	0	0	0	2	0	1	0	1	0
Stomach	0	1	0	0	1	0	1	0	2	0
Colon and Rectum	5	3	9	5	5	3	4	2	3	4
Liver and Intrahepatic Bile Duct	0	0	1	0	1	0	1	2	2	1
Pancreas	0	2	1	1	2	0	2	2	1	1
Larynx	1	1	1	0	0	1	0	0	0	0
Lung and Bronchus	5	10	8	3	11	6	7	4	9	3
Melanoma of the Skin	2	1	0	2	4	4	5	1	3	1
Female Breast	0	9	0	12	0	9	0	7	0	7
Cervix Uteri	0	1	0	0	0	0	0	0	0	1
Corpus and Uterus, NOS	0	3	0	3	0	1	0	1	0	3
Ovary	0	2	0	1	0	3	0	3	0	0
Prostate	4	0	17	0	10	0	20	0	13	0
Testis	0	0	1	0	0	0	0	0	0	0
Urinary Bladder*	4	0	3	3	1	1	1	1	5	5
Kidney and Renal Pelvis	3	2	1	1	2	1	0	3	4	0
Brain and Other Nervous System	1	0	1	0	1	0	2	0	0	1
Thyroid	1	1	0	2	1	1	0	4	0	2
Non-Hodgkin Lymphoma	2	1	2	1	2	2	4	4	2	3
Hodgkin Lymphoma	0	0	0	0	0	0	0	1	0	0
Myeloma	0	0	1	0	0	0	0	0	2	0
Leukemia	0	1	0	0	1	0	2	2	1	0
Other Sites	0	3	5	0	2	4	1	4	3	4

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Greene	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	124	112	123	112	116	111	122	130	122	129
Oral Cavity and Pharynx	4	3	3	0	5	3	7	3	3	3
Esophagus	2	0	2	0	5	1	3	2	2	0
Stomach	2	1	2	1	0	1	0	1	3	1
Colon and Rectum	17	5	18	22	9	12	15	16	12	12
Liver and Intrahepatic Bile Duct	1	0	3	0	3	0	5	1	3	1
Pancreas	1	4	4	5	3	4	3	3	3	2
Larynx	2	0	4	0	4	0	3	0	4	0
Lung and Bronchus	20	22	28	12	19	15	11	21	20	19
Melanoma of the Skin	2	6	1	1	3	4	3	3	4	1
Female Breast	0	24	0	25	0	25	0	31	0	36
Cervix Uteri	0	1	0	2	0	0	0	1	0	1
Corpus and Uterus, NOS	0	5	0	8	0	6	0	7	0	11
Ovary	0	3	0	4	0	5	0	4	0	2
Prostate	34	0	21	0	20	0	26	0	33	0
Testis	0	0	0	0	1	0	1	0	1	0
Urinary Bladder*	7	5	12	3	13	1	11	1	6	4
Kidney and Renal Pelvis	3	1	3	5	4	5	4	5	5	4
Brain and Other Nervous System	2	1	1	2	4	0	4	0	2	2
Thyroid	0	7	1	4	2	7	2	7	1	7
Non-Hodgkin Lymphoma	4	8	5	5	6	2	4	5	3	7
Hodgkin Lymphoma	0	0	1	0	0	0	1	1	0	3
Myeloma	2	2	2	0	1	2	2	1	4	1
Leukemia	4	6	1	2	5	3	4	6	5	2
Other Sites	17	8	11	11	9	15	13	11	8	10

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Huntingdon	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	137	103	137	129	128	102	131	115	130	108
Oral Cavity and Pharynx	6	3	6	1	2	1	4	3	4	1
Esophagus	3	0	1	0	6	1	3	0	4	1
Stomach	0	0	3	1	1	1	3	0	1	1
Colon and Rectum	17	12	9	15	15	11	17	13	16	13
Liver and Intrahepatic Bile Duct	2	1	3	0	2	1	1	0	1	1
Pancreas	3	3	4	8	2	1	4	1	3	3
Larynx	5	0	3	1	4	0	3	0	5	1
Lung and Bronchus	16	11	31	9	16	18	21	14	21	12
Melanoma of the Skin	2	8	9	6	9	3	4	6	6	6
Female Breast	0	22	0	35	0	22	0	30	0	30
Cervix Uteri	0	0	0	2	0	0	0	1	0	1
Corpus and Uterus, NOS	0	8	0	14	0	7	0	10	0	5
Ovary	0	3	0	2	0	1	0	2	0	2
Prostate	35	0	32	0	31	0	31	0	30	0
Testis	3	0	1	0	1	0	3	0	3	0
Urinary Bladder*	7	4	7	4	7	3	10	1	13	6
Kidney and Renal Pelvis	3	2	6	1	2	3	4	1	2	3
Brain and Other Nervous System	3	1	0	2	2	2	1	3	0	4
Thyroid	2	4	1	3	2	6	2	6	1	4
Non-Hodgkin Lymphoma	7	4	5	10	7	3	5	10	5	3
Hodgkin Lymphoma	1	1	1	0	4	0	1	1	1	1
Myeloma	1	1	1	1	1	1	0	1	0	1
Leukemia	5	5	2	4	4	4	5	3	4	3
Other Sites	16	10	12	10	10	13	9	9	10	6

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Indiana	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	277	232	281	246	265	231	248	216	242	217
Oral Cavity and Pharynx	4	1	10	1	6	2	10	5	6	0
Esophagus	9	1	1	0	1	3	3	1	8	1
Stomach	4	4	4	3	6	4	5	3	3	3
Colon and Rectum	25	25	36	31	29	24	31	30	30	28
Liver and Intrahepatic Bile Duct	1	2	3	2	3	0	3	0	1	0
Pancreas	5	7	6	7	6	7	5	4	5	7
Larynx	5	2	1	0	0	0	2	0	1	2
Lung and Bronchus	37	25	30	23	47	26	30	22	24	28
Melanoma of the Skin	9	4	8	8	13	11	9	4	11	4
Female Breast	0	74	0	87	0	77	0	53	0	50
Cervix Uteri	0	2	0	2	0	2	0	4	0	1
Corpus and Uterus, NOS	0	18	0	17	0	14	0	21	0	19
Ovary	0	2	0	8	0	11	0	4	0	5
Prostate	89	0	89	0	78	0	60	0	63	0
Testis	2	0	1	0	2	0	6	0	3	0
Urinary Bladder*	22	10	25	9	17	4	20	10	23	8
Kidney and Renal Pelvis	8	6	13	2	9	5	12	2	6	10
Brain and Other Nervous System	4	3	2	3	4	3	3	3	7	6
Thyroid	2	7	4	6	1	9	6	11	3	19
Non-Hodgkin Lymphoma	10	13	13	5	10	8	10	8	12	7
Hodgkin Lymphoma	1	1	2	2	2	1	1	1	3	4
Myeloma	3	4	2	4	2	4	3	1	5	0
Leukemia	10	5	11	9	10	6	4	2	9	3
Other Sites	27	16	20	17	19	10	25	27	19	12

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Jefferson	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	143	134	147	125	152	128	145	152	153	129
Oral Cavity and Pharynx	11	1	1	3	5	2	3	1	4	1
Esophagus	2	1	3	1	4	0	1	3	2	1
Stomach	2	2	4	0	5	1	2	1	6	2
Colon and Rectum	21	15	16	11	14	15	10	22	13	11
Liver and Intrahepatic Bile Duct	1	2	3	0	0	0	4	0	2	0
Pancreas	1	2	5	3	2	1	2	6	2	6
Larynx	1	0	0	1	3	0	3	1	4	0
Lung and Bronchus	15	12	14	10	23	18	24	20	24	23
Melanoma of the Skin	3	11	10	3	2	4	3	11	7	7
Female Breast	0	36	0	40	0	17	0	30	0	38
Cervix Uteri	0	2	0	1	0	6	0	1	0	2
Corpus and Uterus, NOS	0	8	0	6	0	10	0	18	0	6
Ovary	0	2	0	7	0	6	0	5	0	1
Prostate	41	0	39	0	58	0	50	0	32	0
Testis	0	0	1	0	0	0	1	0	0	0
Urinary Bladder*	16	5	9	3	9	5	7	3	13	1
Kidney and Renal Pelvis	3	4	11	5	3	6	7	3	7	1
Brain and Other Nervous System	2	2	5	2	2	1	2	3	2	1
Thyroid	1	8	2	4	1	7	2	5	1	5
Non-Hodgkin Lymphoma	6	5	7	7	5	6	8	5	12	1
Hodgkin Lymphoma	1	0	2	1	1	0	0	0	0	0
Myeloma	1	0	2	3	4	6	3	0	1	3
Leukemia	5	1	2	5	3	3	5	2	8	3
Other Sites	10	15	11	9	8	14	8	12	13	16

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Juniata	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	58	51	50	58	66	61	63	57	49	55
Oral Cavity and Pharynx	3	3	2	0	2	1	3	1	1	3
Esophagus	4	0	0	0	2	0	0	0	1	0
Stomach	0	0	0	0	0	2	1	0	1	0
Colon and Rectum	6	10	12	5	8	6	6	9	6	8
Liver and Intrahepatic Bile Duct	0	0	1	0	2	1	0	1	1	0
Pancreas	0	1	0	4	3	2	2	3	0	1
Larynx	0	0	1	1	0	1	1	1	0	1
Lung and Bronchus	11	5	4	4	10	9	10	3	11	5
Melanoma of the Skin	3	7	3	0	0	1	7	2	1	3
Female Breast	0	8	0	21	0	13	0	19	0	14
Cervix Uteri	0	1	0	0	0	2	0	0	0	1
Corpus and Uterus, NOS	0	3	0	8	0	3	0	7	0	6
Ovary	0	0	0	1	0	2	0	1	0	2
Prostate	10	0	9	0	20	0	14	0	5	0
Testis	0	0	0	0	1	0	0	0	0	0
Urinary Bladder*	3	2	5	1	3	3	5	1	5	1
Kidney and Renal Pelvis	0	3	3	1	4	1	2	0	4	3
Brain and Other Nervous System	1	0	1	3	0	1	1	0	1	0
Thyroid	0	0	0	0	1	2	1	2	0	0
Non-Hodgkin Lymphoma	5	2	3	3	3	2	3	4	4	3
Hodgkin Lymphoma	0	0	1	0	0	0	0	0	0	1
Myeloma	3	0	0	1	0	1	3	0	0	1
Leukemia	1	1	0	1	3	3	0	1	4	1
Other Sites	8	5	5	4	4	5	4	2	4	1

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Lackawanna	2005 Males	2005 Females	2006 Males	2006 Females	2007 Males	2007 Females	2008 Males	2008 Females	2009 Males	2009 Females
All Cancer Sites	663	696	699	693	690	747	708	685	677	727
Oral Cavity and Pharynx	22	13	30	12	35	8	22	9	23	12
Esophagus	17	3	12	2	12	4	15	1	12	6
Stomach	17	5	14	11	11	14	11	5	13	7
Colon and Rectum	99	103	82	98	77	85	62	79	69	77
Liver and Intrahepatic Bile Duct	12	2	7	3	8	4	10	9	9	6
Pancreas	11	9	12	17	19	22	14	21	19	16
Larynx	19	2	11	1	12	4	10	1	7	8
Lung and Bronchus	126	94	106	80	96	84	129	90	110	105
Melanoma of the Skin	19	17	23	10	24	24	33	18	24	13
Female Breast	0	167	0	157	0	189	0	169	0	184
Cervix Uteri	0	11	0	14	0	11	0	9	0	13
Corpus and Uterus, NOS	0	55	0	60	0	63	0	38	0	50
Ovary	0	21	0	30	0	17	0	19	0	19
Prostate	118	0	176	0	151	0	154	0	154	0
Testis	8	0	6	0	7	0	8	0	8	0
Urinary Bladder*	52	23	72	17	58	37	63	15	47	21
Kidney and Renal Pelvis	18	25	22	24	27	14	35	19	25	20
Brain and Other Nervous System	10	3	9	7	11	10	7	12	12	12
Thyroid	4	30	6	32	10	44	12	44	17	45
Non-Hodgkin Lymphoma	27	27	25	22	28	32	40	22	29	24
Hodgkin Lymphoma	5	3	7	4	3	3	4	1	3	5
Myeloma	11	5	2	11	16	7	8	4	8	8
Leukemia	16	17	17	17	23	13	21	18	21	12
Other Sites	52	61	60	64	62	58	50	82	67	64

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Lancaster	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	1,276	1,184	1,392	1,248	1,343	1,300	1,397	1,303	1,422	1,301
Oral Cavity and Pharynx	37	16	31	22	24	10	27	15	44	19
Esophagus	18	6	25	3	20	8	21	1	19	6
Stomach	25	10	32	15	22	18	25	7	15	15
Colon and Rectum	140	136	146	139	140	151	130	129	152	138
Liver and Intrahepatic Bile Duct	18	7	21	10	22	9	18	14	19	6
Pancreas	25	37	43	37	35	21	23	28	41	29
Larynx	18	7	8	6	27	5	14	2	12	1
Lung and Bronchus	178	140	170	139	175	143	198	145	198	162
Melanoma of the Skin	52	35	68	40	50	41	71	30	72	53
Female Breast	0	328	0	316	0	358	0	400	0	361
Cervix Uteri	0	22	0	24	0	28	0	18	0	19
Corpus and Uterus, NOS	0	94	0	88	0	95	0	90	0	99
Ovary	0	42	0	36	0	40	0	42	0	38
Prostate	357	0	412	0	370	0	385	0	378	0
Testis	16	0	16	0	14	0	23	0	20	0
Urinary Bladder*	100	34	114	35	115	30	109	31	94	34
Kidney and Renal Pelvis	35	26	49	39	47	19	69	31	59	23
Brain and Other Nervous System	22	17	21	17	27	21	25	16	29	14
Thyroid	14	56	11	63	17	61	21	58	27	56
Non-Hodgkin Lymphoma	57	38	63	62	62	57	67	72	77	68
Hodgkin Lymphoma	14	9	13	8	11	10	7	11	9	7
Myeloma	19	18	15	11	17	25	16	11	18	15
Leukemia	34	16	33	33	44	23	45	25	42	22
Other Sites	97	90	101	105	104	127	103	127	97	116

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Lawrence	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	337	312	315	320	352	301	380	348	282	296
Oral Cavity and Pharynx	12	1	7	4	9	3	10	6	6	5
Esophagus	4	1	6	1	6	1	5	2	5	1
Stomach	7	4	8	4	5	2	3	4	4	2
Colon and Rectum	38	41	28	38	31	29	45	39	18	33
Liver and Intrahepatic Bile Duct	7	4	3	1	5	2	7	1	6	4
Pancreas	6	8	11	9	9	13	5	10	7	7
Larynx	7	0	4	1	5	2	1	1	2	0
Lung and Bronchus	57	37	50	40	47	37	70	43	49	45
Melanoma of the Skin	7	15	10	10	11	5	10	11	11	15
Female Breast	0	71	0	89	0	75	0	84	0	80
Cervix Uteri	0	4	0	2	0	5	0	5	0	3
Corpus and Uterus, NOS	0	16	0	13	0	18	0	14	0	16
Ovary	0	10	0	8	0	9	0	11	0	4
Prostate	94	0	72	0	102	0	95	0	63	0
Testis	2	0	1	0	0	0	5	0	5	0
Urinary Bladder*	13	11	25	10	29	9	28	15	24	2
Kidney and Renal Pelvis	12	13	5	13	18	14	9	9	17	4
Brain and Other Nervous System	5	5	6	5	4	2	3	2	4	1
Thyroid	4	15	5	14	5	18	9	21	11	28
Non-Hodgkin Lymphoma	15	13	26	10	15	8	17	15	14	8
Hodgkin Lymphoma	1	1	1	3	2	3	0	2	2	4
Myeloma	0	6	5	5	7	8	8	2	6	8
Leukemia	11	8	10	10	14	7	11	8	8	4
Other Sites	35	28	32	30	28	31	39	43	20	22

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Lebanon	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	376	369	390	337	400	371	413	377	402	377
Oral Cavity and Pharynx	13	4	9	2	11	3	13	3	15	6
Esophagus	4	1	10	1	4	0	9	1	11	2
Stomach	1	5	6	1	4	2	6	3	10	3
Colon and Rectum	38	48	31	43	36	41	42	46	38	39
Liver and Intrahepatic Bile Duct	4	0	0	3	7	5	5	2	5	3
Pancreas	7	5	10	8	8	11	11	8	3	11
Larynx	4	0	6	1	3	2	4	3	1	0
Lung and Bronchus	63	40	59	34	51	49	60	48	64	42
Melanoma of the Skin	15	16	15	11	19	11	19	16	21	15
Female Breast	0	95	0	98	0	104	0	96	0	90
Cervix Uteri	0	3	0	7	0	7	0	7	0	7
Corpus and Uterus, NOS	0	31	0	20	0	32	0	28	0	36
Ovary	0	6	0	12	0	17	0	12	0	8
Prostate	100	0	122	0	136	0	110	0	104	0
Testis	3	0	4	0	3	0	4	0	2	0
Urinary Bladder*	37	9	32	7	30	6	33	7	33	15
Kidney and Renal Pelvis	15	8	21	9	18	6	13	13	16	12
Brain and Other Nervous System	6	6	5	8	6	5	2	1	7	1
Thyroid	7	18	4	11	7	13	7	10	4	18
Non-Hodgkin Lymphoma	14	22	17	15	17	10	18	19	15	18
Hodgkin Lymphoma	3	3	3	0	1	0	3	0	3	0
Myeloma	3	4	3	5	4	2	4	2	5	5
Leukemia	11	11	8	4	5	5	14	7	11	13
Other Sites	28	34	25	37	30	40	36	45	34	33

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Lehigh	2005 Males	2005 Females	2006 Males	2006 Females	2007 Males	2007 Females	2008 Males	2008 Females	2009 Males	2009 Females
All Cancer Sites	973	957	1,002	938	1,034	998	979	977	972	1,008
Oral Cavity and Pharynx	32	18	27	17	28	12	30	15	28	18
Esophagus	13	2	14	7	14	3	13	5	19	2
Stomach	16	11	18	9	25	10	24	4	11	6
Colon and Rectum	95	107	96	110	96	96	85	82	97	81
Liver and Intrahepatic Bile Duct	13	2	16	5	17	2	17	8	25	10
Pancreas	25	20	20	24	28	29	17	26	30	31
Larynx	10	4	7	2	11	2	6	4	9	1
Lung and Bronchus	144	121	158	102	150	107	155	123	129	124
Melanoma of the Skin	43	39	41	39	50	44	46	38	45	41
Female Breast	0	250	0	252	0	277	0	253	0	288
Cervix Uteri	0	11	0	6	0	11	0	16	0	11
Corpus and Uterus, NOS	0	78	0	80	0	58	0	72	0	63
Ovary	0	34	0	22	0	23	0	34	0	29
Prostate	244	0	299	0	269	0	277	0	236	0
Testis	10	0	9	0	10	0	8	0	8	0
Urinary Bladder*	73	26	69	25	79	38	76	25	82	24
Kidney and Renal Pelvis	35	29	39	28	43	33	44	29	41	34
Brain and Other Nervous System	17	13	14	9	15	16	9	20	11	16
Thyroid	19	56	12	66	12	53	16	49	21	57
Non-Hodgkin Lymphoma	45	27	44	35	48	42	46	47	54	50
Hodgkin Lymphoma	6	8	8	9	11	8	7	4	9	9
Myeloma	10	10	11	9	12	10	13	13	17	12
Leukemia	32	23	28	22	29	28	25	24	39	27
Other Sites	91	68	72	60	87	96	65	86	61	74

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

	2005		2006		2007		2008		2009	
Luzerne	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	1,138	1,033	1,048	1,131	1,012	1,137	1,007	1,088	1,073	1,157
Oral Cavity and Pharynx	28	9	28	13	26	16	39	18	45	11
Esophagus	25	11	23	5	26	6	18	5	30	5
Stomach	31	15	18	15	19	13	14	20	21	14
Colon and Rectum	157	148	141	129	107	121	119	95	108	130
Liver and Intrahepatic Bile Duct	15	4	22	9	16	5	12	7	15	9
Pancreas	25	24	43	25	28	35	34	32	31	28
Larynx	13	5	9	5	22	4	14	1	12	4
Lung and Bronchus	210	119	135	136	174	147	185	140	178	133
Melanoma of the Skin	30	26	42	37	34	27	45	27	40	31
Female Breast	0	244	0	272	0	285	0	277	0	302
Cervix Uteri	0	17	0	24	0	19	0	19	0	16
Corpus and Uterus, NOS	0	73	0	85	0	95	0	89	0	84
Ovary	0	25	0	37	0	38	0	36	0	35
Prostate	245	0	254	0	225	0	194	0	221	0
Testis	8	0	10	0	12	0	14	0	13	0
Urinary Bladder*	100	26	83	43	62	33	78	30	69	28
Kidney and Renal Pelvis	54	31	37	36	43	18	37	21	37	27
Brain and Other Nervous System	12	12	12	11	16	20	13	11	15	10
Thyroid	11	59	15	51	11	66	11	66	14	67
Non-Hodgkin Lymphoma	36	46	38	44	33	38	34	37	51	38
Hodgkin Lymphoma	6	6	5	7	7	10	7	6	9	9
Myeloma	17	12	6	16	12	8	16	10	16	9
Leukemia	29	20	30	30	37	29	29	25	40	31
Other Sites	86	101	97	101	102	104	94	116	108	136

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Lycoming	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	353	326	327	321	359	384	441	378	378	390
Oral Cavity and Pharynx	6	3	10	7	13	3	15	6	11	3
Esophagus	7	0	3	1	8	1	7	4	2	2
Stomach	1	3	8	1	7	0	4	1	5	6
Colon and Rectum	45	37	45	48	36	49	57	39	35	40
Liver and Intrahepatic Bile Duct	5	0	3	0	7	0	3	5	6	2
Pancreas	12	2	5	8	5	9	10	9	7	10
Larynx	4	0	5	4	4	4	4	1	6	3
Lung and Bronchus	48	47	57	34	47	62	62	47	57	49
Melanoma of the Skin	16	11	12	14	15	9	17	14	23	23
Female Breast	0	80	0	67	0	96	0	94	0	106
Cervix Uteri	0	6	0	7	0	7	0	6	0	8
Corpus and Uterus, NOS	0	26	0	24	0	27	0	33	0	22
Ovary	0	8	0	4	0	7	0	8	0	13
Prostate	87	0	82	0	90	0	119	0	97	0
Testis	5	0	4	0	4	0	3	0	1	0
Urinary Bladder*	25	16	22	5	39	8	33	12	28	11
Kidney and Renal Pelvis	8	9	9	5	14	10	10	12	14	8
Brain and Other Nervous System	5	6	5	7	4	4	4	2	5	4
Thyroid	7	9	2	19	6	20	7	28	12	23
Non-Hodgkin Lymphoma	17	14	16	9	12	16	19	15	11	14
Hodgkin Lymphoma	1	1	0	0	1	0	6	2	7	2
Myeloma	3	6	4	9	9	7	5	4	1	4
Leukemia	5	7	7	4	10	8	13	8	10	5
Other Sites	46	35	28	44	28	37	43	28	40	32

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

McKean	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	119	143	130	129	158	134	144	143	126	122
Oral Cavity and Pharynx	3	3	5	2	4	0	9	2	3	2
Esophagus	5	1	5	0	1	1	4	1	1	2
Stomach	1	0	1	2	2	1	0	4	1	0
Colon and Rectum	20	12	15	15	17	23	12	12	17	14
Liver and Intrahepatic Bile Duct	2	1	2	1	0	0	1	0	2	1
Pancreas	3	4	1	3	4	3	6	5	2	3
Larynx	3	0	0	0	0	0	1	0	1	2
Lung and Bronchus	16	35	27	25	28	25	19	23	14	20
Melanoma of the Skin	7	5	5	4	5	3	5	5	7	3
Female Breast	0	34	0	27	0	35	0	38	0	24
Cervix Uteri	0	1	0	6	0	1	0	1	0	2
Corpus and Uterus, NOS	0	6	0	6	0	10	0	9	0	7
Ovary	0	4	0	2	0	0	0	6	0	2
Prostate	19	0	26	0	42	0	34	0	30	0
Testis	0	0	1	0	0	0	2	0	0	0
Urinary Bladder*	10	1	11	7	10	2	13	5	10	3
Kidney and Renal Pelvis	5	3	3	3	6	6	5	6	5	0
Brain and Other Nervous System	6	1	2	1	5	0	2	1	1	1
Thyroid	0	4	1	2	1	1	3	5	4	6
Non-Hodgkin Lymphoma	7	11	6	2	8	8	8	5	9	6
Hodgkin Lymphoma	1	0	0	0	0	2	1	1	0	0
Myeloma	1	0	2	1	1	0	1	2	2	1
Leukemia	2	4	3	3	6	0	2	3	2	4
Other Sites	8	13	14	17	18	13	16	9	15	19

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Mercer	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	428	379	452	354	474	363	437	410	426	406
Oral Cavity and Pharynx	13	5	16	9	10	3	12	3	12	2
Esophagus	4	1	5	1	12	1	12	0	9	1
Stomach	4	3	11	4	5	3	12	4	4	0
Colon and Rectum	38	37	52	52	39	35	39	58	53	47
Liver and Intrahepatic Bile Duct	4	1	4	2	8	3	5	2	6	2
Pancreas	9	12	7	11	11	7	12	8	10	9
Larynx	5	0	3	2	9	1	6	2	3	1
Lung and Bronchus	64	51	56	29	83	39	65	49	59	55
Melanoma of the Skin	17	8	14	15	6	12	14	13	11	16
Female Breast	0	102	0	81	0	93	0	110	0	124
Cervix Uteri	0	8	0	5	0	8	0	5	0	7
Corpus and Uterus, NOS	0	29	0	24	0	21	0	24	0	26
Ovary	0	14	0	6	0	21	0	10	0	13
Prostate	140	0	171	0	145	0	134	0	122	0
Testis	1	0	4	0	3	0	3	0	3	0
Urinary Bladder*	42	17	31	13	32	8	35	8	37	8
Kidney and Renal Pelvis	15	7	16	12	23	9	7	14	23	7
Brain and Other Nervous System	4	2	7	4	3	4	7	7	5	4
Thyroid	0	18	1	17	7	19	5	27	5	13
Non-Hodgkin Lymphoma	17	11	13	23	21	17	15	20	15	18
Hodgkin Lymphoma	6	4	0	1	2	4	3	0	2	2
Myeloma	6	2	5	3	4	4	5	5	2	5
Leukemia	9	9	12	8	7	12	9	9	6	8
Other Sites	30	38	24	32	44	39	37	32	39	38

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Mifflin	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	133	161	153	138	159	137	140	159	129	153
Oral Cavity and Pharynx	5	2	9	4	9	3	4	1	6	2
Esophagus	1	0	5	1	4	1	1	2	3	1
Stomach	0	0	5	0	2	0	2	0	1	1
Colon and Rectum	12	22	17	14	6	12	13	12	16	12
Liver and Intrahepatic Bile Duct	3	0	0	0	0	0	3	0	3	3
Pancreas	2	2	1	3	2	2	4	3	3	4
Larynx	2	0	5	0	1	1	2	0	0	0
Lung and Bronchus	23	19	23	22	26	16	20	32	22	22
Melanoma of the Skin	9	7	12	5	4	7	5	2	8	7
Female Breast	0	41	0	39	0	37	0	45	0	41
Cervix Uteri	0	1	0	1	0	3	0	2	0	2
Corpus and Uterus, NOS	0	12	0	6	0	10	0	14	0	12
Ovary	0	9	0	8	0	4	0	4	0	3
Prostate	25	0	33	0	48	0	37	0	38	0
Testis	2	0	0	0	0	0	1	0	0	0
Urinary Bladder*	14	6	11	6	15	6	14	5	5	6
Kidney and Renal Pelvis	5	8	7	3	8	4	6	5	4	4
Brain and Other Nervous System	3	1	1	2	0	2	1	4	1	2
Thyroid	1	5	0	1	0	5	0	5	0	9
Non-Hodgkin Lymphoma	9	8	10	8	4	5	7	3	6	7
Hodgkin Lymphoma	2	1	3	0	1	0	0	0	0	1
Myeloma	3	2	0	0	3	2	1	0	3	2
Leukemia	2	3	1	7	5	4	4	2	3	3
Other Sites	10	12	10	8	21	13	15	18	7	9

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Monroe	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	421	393	414	371	438	395	413	415	446	426
Oral Cavity and Pharynx	13	6	20	6	18	9	8	6	18	5
Esophagus	10	3	8	3	7	1	10	1	8	1
Stomach	9	0	5	1	8	2	3	2	9	4
Colon and Rectum	36	42	42	29	43	35	41	40	37	37
Liver and Intrahepatic Bile Duct	4	4	5	2	12	1	9	1	13	1
Pancreas	14	12	9	8	7	9	10	4	11	11
Larynx	6	1	11	1	3	1	8	4	6	3
Lung and Bronchus	70	55	74	58	73	56	80	66	73	65
Melanoma of the Skin	17	11	13	10	5	10	13	13	14	13
Female Breast	0	112	0	107	0	119	0	118	0	108
Cervix Uteri	0	6	0	8	0	5	0	13	0	8
Corpus and Uterus, NOS	0	26	0	22	0	34	0	20	0	30
Ovary	0	10	0	9	0	14	0	15	0	20
Prostate	91	0	100	0	121	0	117	0	116	0
Testis	4	0	3	0	7	0	2	0	4	0
Urinary Bladder*	38	10	26	9	26	8	18	14	35	14
Kidney and Renal Pelvis	12	10	18	5	22	5	13	8	6	8
Brain and Other Nervous System	9	4	7	9	2	7	4	10	7	5
Thyroid	5	19	4	16	3	13	6	13	8	19
Non-Hodgkin Lymphoma	13	17	17	16	17	14	12	17	21	16
Hodgkin Lymphoma	4	2	1	2	3	6	7	0	3	4
Myeloma	6	3	8	6	8	7	2	7	8	4
Leukemia	11	7	19	12	14	7	8	9	13	4
Other Sites	49	33	24	32	39	32	42	34	36	46

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Montgomery	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	2,034	2,229	2,378	2,166	2,293	2,275	2,401	2,255	2,348	2,336
Oral Cavity and Pharynx	55	28	59	27	48	46	62	29	62	28
Esophagus	39	11	45	10	34	11	38	9	31	7
Stomach	39	25	46	18	29	24	36	20	39	18
Colon and Rectum	195	242	235	257	191	202	199	218	202	216
Liver and Intrahepatic Bile Duct	45	17	33	16	34	17	39	18	44	20
Pancreas	47	57	62	72	64	55	66	63	60	86
Larynx	25	5	23	7	25	6	27	6	17	3
Lung and Bronchus	271	291	294	272	269	303	296	257	279	311
Melanoma of the Skin	95	70	88	70	84	71	109	74	112	82
Female Breast	0	669	0	628	0	639	0	682	0	688
Cervix Uteri	0	30	0	30	0	23	0	22	0	35
Corpus and Uterus, NOS	0	152	0	127	0	158	0	167	0	165
Ovary	0	61	0	47	0	79	0	76	0	87
Prostate	568	0	743	0	752	0	702	0	695	0
Testis	15	0	25	0	29	0	24	0	32	0
Urinary Bladder*	157	59	168	72	171	71	223	62	164	62
Kidney and Renal Pelvis	75	52	100	53	95	49	94	52	102	53
Brain and Other Nervous System	34	24	49	36	39	36	25	36	29	28
Thyroid	24	95	33	78	35	104	30	105	33	106
Non-Hodgkin Lymphoma	92	83	110	79	93	95	101	83	125	97
Hodgkin Lymphoma	5	9	11	12	13	10	13	14	16	11
Myeloma	28	20	19	20	32	20	21	28	34	25
Leukemia	63	54	62	51	59	54	68	37	68	49
Other Sites	162	175	173	184	197	202	228	197	204	159

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Montour	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	57	61	64	60	63	62	70	58	60	58
Oral Cavity and Pharynx	0	0	3	0	2	1	1	1	3	1
Esophagus	1	1	1	0	1	0	0	0	3	1
Stomach	1	0	0	0	0	0	0	1	0	0
Colon and Rectum	7	11	7	4	3	2	4	4	4	4
Liver and Intrahepatic Bile Duct	1	0	1	0	0	0	1	0	0	0
Pancreas	2	3	2	1	2	3	3	6	2	0
Larynx	0	0	0	1	1	1	0	0	1	0
Lung and Bronchus	9	8	17	7	7	9	5	3	4	8
Melanoma of the Skin	3	3	3	5	3	2	3	2	3	3
Female Breast	0	15	0	14	0	19	0	16	0	17
Cervix Uteri	0	0	0	0	0	0	0	1	0	0
Corpus and Uterus, NOS	0	6	0	5	0	5	0	5	0	2
Ovary	0	3	0	3	0	2	0	1	0	3
Prostate	13	0	17	0	18	0	26	0	22	0
Testis	0	0	2	0	1	0	1	0	0	0
Urinary Bladder*	4	1	0	1	4	3	6	3	5	1
Kidney and Renal Pelvis	2	2	1	6	4	1	3	3	3	2
Brain and Other Nervous System	1	0	0	2	1	0	3	1	0	1
Thyroid	0	0	1	3	2	0	0	3	2	3
Non-Hodgkin Lymphoma	5	2	4	5	3	5	5	3	4	2
Hodgkin Lymphoma	0	0	0	0	0	0	3	0	0	0
Myeloma	2	0	1	0	0	1	0	2	0	1
Leukemia	1	2	2	0	4	3	1	2	2	2
Other Sites	5	4	2	3	7	5	5	1	2	7

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Northampton	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	861	803	946	836	959	866	955	905	960	933
Oral Cavity and Pharynx	21	16	28	10	27	7	25	14	31	11
Esophagus	17	4	14	4	14	4	14	6	14	8
Stomach	9	9	15	14	12	10	16	13	16	13
Colon and Rectum	99	90	68	84	80	81	87	93	68	81
Liver and Intrahepatic Bile Duct	23	6	13	5	16	3	22	11	22	11
Pancreas	24	24	19	23	25	29	21	21	24	34
Larynx	12	2	10	1	12	3	11	4	10	1
Lung and Bronchus	126	78	145	106	122	101	132	101	130	104
Melanoma of the Skin	38	34	43	38	38	25	45	26	49	30
Female Breast	0	218	0	233	0	229	0	243	0	243
Cervix Uteri	0	14	0	8	0	12	0	13	0	11
Corpus and Uterus, NOS	0	47	0	54	0	67	0	63	0	82
Ovary	0	30	0	25	0	25	0	17	0	31
Prostate	223	0	278	0	288	0	274	0	270	0
Testis	9	0	12	0	8	0	10	0	10	0
Urinary Bladder*	67	26	62	25	85	28	79	26	73	17
Kidney and Renal Pelvis	30	16	37	30	32	23	30	26	26	21
Brain and Other Nervous System	12	9	14	7	13	14	13	13	12	12
Thyroid	16	44	13	42	14	52	17	53	23	63
Non-Hodgkin Lymphoma	45	36	45	33	49	38	44	46	51	36
Hodgkin Lymphoma	1	4	6	6	5	2	4	2	8	4
Myeloma	8	4	13	5	9	6	14	11	16	12
Leukemia	23	19	33	16	33	14	31	25	28	28
Other Sites	58	73	78	67	77	93	66	78	79	80

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Northumberland	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	333	291	304	298	343	290	340	305	333	295
Oral Cavity and Pharynx	5	5	7	6	11	5	7	4	9	3
Esophagus	9	0	6	2	5	4	6	2	5	2
Stomach	6	4	4	2	3	4	1	1	6	3
Colon and Rectum	33	36	33	30	41	25	28	28	32	32
Liver and Intrahepatic Bile Duct	3	1	5	2	6	1	3	2	4	0
Pancreas	7	6	8	12	9	11	10	8	11	10
Larynx	0	1	4	0	4	1	4	1	12	2
Lung and Bronchus	46	36	56	29	47	31	65	47	53	27
Melanoma of the Skin	15	7	8	10	21	13	12	11	15	14
Female Breast	0	65	0	92	0	72	0	70	0	81
Cervix Uteri	0	10	0	3	0	5	0	4	0	6
Corpus and Uterus, NOS	0	21	0	21	0	20	0	27	0	23
Ovary	0	5	0	12	0	8	0	11	0	12
Prostate	103	0	96	0	100	0	91	0	92	0
Testis	4	0	4	0	4	0	2	0	3	0
Urinary Bladder*	18	7	21	9	24	8	24	6	18	6
Kidney and Renal Pelvis	5	14	9	7	10	11	12	7	8	5
Brain and Other Nervous System	8	3	4	3	3	9	3	6	3	2
Thyroid	1	8	1	8	0	4	2	13	5	10
Non-Hodgkin Lymphoma	19	14	13	10	17	17	15	13	12	12
Hodgkin Lymphoma	5	0	0	1	3	2	3	3	2	1
Myeloma	3	5	3	1	2	1	6	3	2	3
Leukemia	20	4	4	7	6	6	13	4	10	8
Other Sites	23	39	18	31	27	32	33	34	31	33

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Perry	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	136	123	126	133	118	125	127	113	137	127
Oral Cavity and Pharynx	6	3	4	0	4	3	2	0	6	3
Esophagus	3	0	3	0	0	1	3	2	3	0
Stomach	1	0	1	2	1	1	4	0	3	2
Colon and Rectum	15	13	17	9	13	19	14	5	8	8
Liver and Intrahepatic Bile Duct	3	0	1	1	2	1	2	1	1	0
Pancreas	2	3	2	3	2	3	3	6	5	2
Larynx	2	0	3	0	2	0	2	0	3	0
Lung and Bronchus	24	14	26	18	23	13	25	17	34	11
Melanoma of the Skin	8	5	6	8	6	4	7	4	6	8
Female Breast	0	39	0	40	0	38	0	33	0	36
Cervix Uteri	0	0	0	0	0	3	0	0	0	2
Corpus and Uterus, NOS	0	8	0	10	0	14	0	12	0	12
Ovary	0	5	0	6	0	5	0	5	0	2
Prostate	31	0	20	0	18	0	17	0	20	0
Testis	0	0	3	0	0	0	0	0	2	0
Urinary Bladder*	5	2	10	1	7	0	12	0	7	4
Kidney and Renal Pelvis	8	8	5	2	6	2	8	6	8	2
Brain and Other Nervous System	3	1	1	1	2	3	4	0	1	2
Thyroid	2	5	3	4	2	5	4	6	3	10
Non-Hodgkin Lymphoma	9	3	8	5	4	3	5	6	6	7
Hodgkin Lymphoma	0	2	0	0	1	0	1	0	0	0
Myeloma	1	2	3	1	4	0	1	1	5	1
Leukemia	4	3	3	2	8	2	0	3	5	3
Other Sites	9	7	7	20	13	5	13	6	11	12

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Philadelphia	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	3,848	3,984	4,061	4,060	4,238	3,984	3,975	4,124	3,927	4,130
Oral Cavity and Pharynx	93	58	105	49	142	59	127	47	117	53
Esophagus	85	33	70	27	70	29	55	34	53	29
Stomach	93	70	69	60	109	56	97	66	91	61
Colon and Rectum	418	489	390	472	415	437	352	408	402	423
Liver and Intrahepatic Bile Duct	118	38	137	42	160	46	167	45	168	65
Pancreas	97	110	115	131	101	130	112	124	98	108
Larynx	65	28	66	25	73	14	68	25	59	33
Lung and Bronchus	713	629	654	669	656	682	572	643	625	641
Melanoma of the Skin	73	47	78	57	59	53	62	48	84	70
Female Breast	0	986	0	1,067	0	1,016	0	1,134	0	1,112
Cervix Uteri	0	100	0	77	0	91	0	107	0	94
Corpus and Uterus, NOS	0	245	0	246	0	220	0	244	0	272
Ovary	0	113	0	89	0	98	0	119	0	111
Prostate	1,016	0	1,248	0	1,323	0	1,128	0	1,080	0
Testis	30	0	32	0	29	0	35	0	27	0
Urinary Bladder*	232	90	243	101	208	113	251	98	247	101
Kidney and Renal Pelvis	137	105	132	109	159	91	181	115	172	122
Brain and Other Nervous System	50	40	51	48	47	42	48	53	46	41
Thyroid	36	134	39	145	42	169	50	153	42	168
Non-Hodgkin Lymphoma	147	129	158	128	138	123	140	139	133	139
Hodgkin Lymphoma	15	28	26	22	14	16	23	18	25	21
Myeloma	60	43	59	54	47	65	67	61	58	62
Leukemia	72	86	90	73	87	70	87	84	89	75
Other Sites	298	383	299	369	359	364	353	359	311	329

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Pike	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	157	131	186	129	176	126	176	188	194	168
Oral Cavity and Pharynx	3	2	9	2	8	3	5	3	3	3
Esophagus	2	1	2	1	5	3	6	2	3	2
Stomach	6	0	4	2	2	3	1	0	3	4
Colon and Rectum	13	14	23	13	16	12	25	24	22	15
Liver and Intrahepatic Bile Duct	2	1	4	1	6	0	5	4	2	1
Pancreas	5	0	6	2	1	2	4	4	6	5
Larynx	2	0	3	1	2	1	4	0	3	1
Lung and Bronchus	40	10	35	15	29	13	27	32	29	16
Melanoma of the Skin	6	2	4	3	3	3	2	13	8	4
Female Breast	0	47	0	25	0	35	0	53	0	38
Cervix Uteri	0	2	0	2	0	4	0	5	0	2
Corpus and Uterus, NOS	0	18	0	6	0	9	0	9	0	15
Ovary	0	7	0	5	0	1	0	5	0	6
Prostate	35	0	37	0	47	0	47	0	55	0
Testis	0	0	1	0	1	0	4	0	2	0
Urinary Bladder*	11	6	12	3	6	4	13	3	19	5
Kidney and Renal Pelvis	6	1	8	2	11	3	5	1	9	5
Brain and Other Nervous System	1	1	6	0	1	0	2	2	2	0
Thyroid	1	3	0	7	1	7	3	2	0	5
Non-Hodgkin Lymphoma	5	3	9	11	9	4	4	1	9	7
Hodgkin Lymphoma	1	1	1	2	1	1	1	0	0	0
Myeloma	1	0	2	4	3	1	6	3	4	4
Leukemia	2	1	4	7	5	6	4	5	5	10
Other Sites	15	11	16	15	19	11	8	17	10	20

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Potter	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	62	60	70	52	60	48	57	49	59	42
Oral Cavity and Pharynx	1	0	2	0	2	0	0	1	0	0
Esophagus	2	0	0	0	2	0	0	0	2	0
Stomach	0	0	1	1	0	0	1	1	0	1
Colon and Rectum	7	6	10	7	7	7	6	4	5	1
Liver and Intrahepatic Bile Duct	1	0	0	0	1	0	0	0	1	1
Pancreas	2	4	1	1	2	0	0	1	3	0
Larynx	1	1	1	0	1	0	0	0	0	0
Lung and Bronchus	8	5	11	5	6	10	7	4	8	12
Melanoma of the Skin	3	0	1	3	2	0	4	0	3	2
Female Breast	0	15	0	12	0	13	0	22	0	7
Cervix Uteri	0	3	0	3	0	0	0	3	0	0
Corpus and Uterus, NOS	0	2	0	3	0	5	0	1	0	4
Ovary	0	3	0	0	0	2	0	2	0	0
Prostate	17	0	23	0	17	0	16	0	15	0
Testis	0	0	0	0	0	0	1	0	0	0
Urinary Bladder*	4	1	8	0	7	1	5	1	3	1
Kidney and Renal Pelvis	2	3	2	6	2	1	3	1	5	2
Brain and Other Nervous System	1	2	1	0	0	0	2	0	0	0
Thyroid	0	2	1	1	1	1	0	0	1	4
Non-Hodgkin Lymphoma	4	2	2	2	1	2	4	2	3	0
Hodgkin Lymphoma	0	0	1	1	0	0	0	0	1	0
Myeloma	0	0	0	1	0	0	3	1	0	1
Leukemia	5	2	2	1	3	0	2	0	2	2
Other Sites	4	9	3	5	6	6	3	5	7	4

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Schuylkill	2005 Males	2005 Females	2006 Males	2006 Females	2007 Males	2007 Females	2008 Males	2008 Females	2009 Males	2009 Females
All Cancer Sites	559	445	509	455	514	498	496	508	502	536
Oral Cavity and Pharynx	22	7	12	7	12	6	21	5	17	6
Esophagus	8	3	9	2	14	1	7	3	9	2
Stomach	7	10	9	6	10	5	7	8	7	2
Colon and Rectum	64	70	57	71	58	66	55	67	68	56
Liver and Intrahepatic Bile Duct	3	0	8	3	7	3	11	6	6	1
Pancreas	9	15	10	13	9	10	10	15	15	16
Larynx	7	1	9	3	3	1	3	2	6	1
Lung and Bronchus	97	56	86	45	89	66	81	63	78	71
Melanoma of the Skin	23	19	18	15	23	13	16	13	12	17
Female Breast	0	91	0	103	0	129	0	105	0	146
Cervix Uteri	0	10	0	11	0	8	0	8	0	13
Corpus and Uterus, NOS	0	28	0	39	0	40	0	43	0	40
Ovary	0	17	0	14	0	18	0	15	0	11
Prostate	138	0	124	0	137	0	117	0	105	0
Testis	6	0	5	0	2	0	6	0	4	0
Urinary Bladder*	43	23	37	12	33	20	36	17	37	23
Kidney and Renal Pelvis	13	11	27	17	23	6	17	16	26	22
Brain and Other Nervous System	9	8	7	2	4	7	8	7	7	7
Thyroid	9	7	4	12	2	12	13	17	8	10
Non-Hodgkin Lymphoma	21	16	16	17	23	19	19	18	18	18
Hodgkin Lymphoma	5	1	4	2	5	2	1	5	2	1
Myeloma	6	3	5	9	6	7	5	3	6	5
Leukemia	13	4	14	6	16	10	13	12	21	9
Other Sites	56	45	48	46	38	49	50	60	50	59

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Snyder	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	101	84	101	82	106	86	114	88	108	108
Oral Cavity and Pharynx	2	0	3	2	3	2	2	1	4	2
Esophagus	1	0	1	0	1	0	1	0	4	0
Stomach	0	1	0	0	2	0	3	0	2	0
Colon and Rectum	10	10	10	9	15	16	9	15	4	12
Liver and Intrahepatic Bile Duct	0	0	0	0	2	0	2	1	2	2
Pancreas	3	3	1	3	1	2	2	5	3	5
Larynx	0	0	0	0	1	0	1	0	0	0
Lung and Bronchus	20	9	11	7	16	6	20	10	15	6
Melanoma of the Skin	3	1	7	4	3	6	4	3	5	9
Female Breast	0	27	0	23	0	25	0	19	0	27
Cervix Uteri	0	2	0	1	0	1	0	1	0	0
Corpus and Uterus, NOS	0	7	0	6	0	7	0	8	0	10
Ovary	0	1	0	6	0	0	0	3	0	5
Prostate	33	0	37	0	32	0	28	0	30	0
Testis	3	0	0	0	0	0	2	0	1	0
Urinary Bladder*	7	1	5	1	10	1	9	1	7	1
Kidney and Renal Pelvis	4	4	3	2	5	4	4	1	6	3
Brain and Other Nervous System	1	1	1	1	1	0	3	2	2	4
Thyroid	0	1	0	4	1	3	3	2	1	5
Non-Hodgkin Lymphoma	3	4	4	4	3	3	6	2	6	4
Hodgkin Lymphoma	0	1	1	0	0	0	1	1	0	0
Myeloma	2	1	1	1	1	2	0	1	0	2
Leukemia	2	1	3	0	2	0	6	1	5	3
Other Sites	7	9	13	8	7	8	8	11	11	8

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Somerset	2005 Males	2005 Females	2006 Males	2006 Females	2007 Males	2007 Females	2008 Males	2008 Females	2009 Males	2009 Females
All Cancer Sites	313	217	260	258	267	239	268	225	270	232
Oral Cavity and Pharynx	12	1	5	2	4	4	6	1	5	5
Esophagus	5	0	6	2	5	1	3	1	7	0
Stomach	4	5	1	1	4	5	5	3	6	2
Colon and Rectum	33	25	30	32	29	23	23	22	31	23
Liver and Intrahepatic Bile Duct	3	2	7	2	4	0	3	0	2	0
Pancreas	6	2	8	8	7	7	5	8	9	8
Larynx	3	1	2	1	4	1	5	2	3	2
Lung and Bronchus	35	18	44	22	35	20	39	19	34	16
Melanoma of the Skin	12	10	9	8	6	6	9	6	14	9
Female Breast	0	46	0	70	0	51	0	51	0	61
Cervix Uteri	0	5	0	5	0	8	0	6	0	3
Corpus and Uterus, NOS	0	20	0	16	0	19	0	17	0	13
Ovary	0	7	0	6	0	9	0	9	0	4
Prostate	106	0	71	0	93	0	75	0	62	0
Testis	1	0	1	0	2	0	3	0	0	0
Urinary Bladder*	21	5	20	7	14	10	22	14	24	11
Kidney and Renal Pelvis	7	6	8	9	7	6	9	5	6	6
Brain and Other Nervous System	4	2	4	3	2	5	8	1	2	2
Thyroid	3	6	3	10	7	10	3	12	4	15
Non-Hodgkin Lymphoma	17	18	11	16	6	10	11	14	16	11
Hodgkin Lymphoma	1	0	0	0	0	1	3	1	1	1
Myeloma	5	4	4	7	4	5	3	3	4	7
Leukemia	9	10	8	7	5	8	11	6	14	6
Other Sites	26	24	18	24	29	30	22	24	26	27

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Sullivan	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	26	19	30	25	32	14	36	17	33	22
Oral Cavity and Pharynx	1	0	1	0	0	1	1	0	0	1
Esophagus	1	0	0	0	1	0	1	0	0	0
Stomach	0	0	1	0	0	0	1	0	0	0
Colon and Rectum	4	2	2	0	3	0	2	2	6	1
Liver and Intrahepatic Bile Duct	0	0	0	1	0	1	0	0	1	0
Pancreas	0	0	0	0	0	1	2	1	1	1
Larynx	0	0	0	0	0	0	2	0	0	1
Lung and Bronchus	5	2	5	2	6	2	8	2	5	1
Melanoma of the Skin	1	0	2	0	3	1	2	1	1	2
Female Breast	0	9	0	10	0	2	0	5	0	4
Cervix Uteri	0	1	0	0	0	0	0	0	0	1
Corpus and Uterus, NOS	0	0	0	3	0	3	0	3	0	4
Ovary	0	1	0	0	0	0	0	0	0	0
Prostate	10	0	10	0	8	0	8	0	7	0
Urinary Bladder*	2	0	3	0	3	1	2	2	4	0
Kidney and Renal Pelvis	1	0	1	2	2	0	1	0	1	2
Brain and Other Nervous System	0	0	0	1	0	0	0	0	1	0
Thyroid	0	0	0	1	0	1	0	0	0	0
Non-Hodgkin Lymphoma	1	1	1	3	1	0	2	0	0	2
Hodgkin Lymphoma	0	0	0	0	0	0	0	0	2	0
Myeloma	0	0	0	0	0	0	0	0	0	1
Leukemia	0	0	2	1	1	0	1	1	2	1
Other Sites	0	3	2	1	4	1	3	0	2	0

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Susquehanna	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	127	142	159	124	146	109	130	121	139	108
Oral Cavity and Pharynx	6	2	6	1	5	2	1	4	6	1
Esophagus	2	0	3	2	1	0	6	0	2	1
Stomach	2	1	4	1	3	0	2	0	3	1
Colon and Rectum	17	21	16	11	8	9	19	18	10	10
Liver and Intrahepatic Bile Duct	3	1	3	1	4	2	0	0	0	0
Pancreas	0	2	6	3	7	5	4	8	1	1
Larynx	3	0	4	0	2	0	0	0	0	0
Lung and Bronchus	11	19	28	17	28	14	27	15	16	16
Melanoma of the Skin	4	1	5	1	2	5	3	4	2	3
Female Breast	0	39	0	33	0	30	0	21	0	34
Cervix Uteri	0	1	0	3	0	2	0	3	0	3
Corpus and Uterus, NOS	0	10	0	15	0	9	0	8	0	7
Ovary	0	8	0	3	0	4	0	1	0	3
Prostate	36	0	51	0	37	0	32	0	51	0
Testis	0	0	3	0	0	0	0	0	1	0
Urinary Bladder*	10	4	10	6	14	2	7	2	11	2
Kidney and Renal Pelvis	3	3	1	1	8	1	5	4	8	1
Brain and Other Nervous System	4	2	3	1	2	1	3	4	3	1
Thyroid	3	6	0	5	0	3	3	7	2	4
Non-Hodgkin Lymphoma	7	3	5	2	5	4	5	8	3	5
Hodgkin Lymphoma	0	0	0	1	2	1	1	1	0	0
Myeloma	1	1	2	2	2	2	1	0	2	2
Leukemia	2	4	5	2	2	2	4	3	3	4
Other Sites	13	14	4	13	14	11	7	10	15	9

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Tioga	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	147	142	161	120	165	109	163	144	149	130
Oral Cavity and Pharynx	4	2	2	1	6	2	3	2	5	2
Esophagus	2	0	2	0	3	0	5	0	2	0
Stomach	3	2	1	0	0	0	5	1	1	2
Colon and Rectum	15	12	14	17	16	10	18	14	18	15
Liver and Intrahepatic Bile Duct	0	0	0	0	1	0	0	2	2	1
Pancreas	3	1	4	2	6	3	1	4	5	2
Larynx	3	0	1	0	2	1	2	0	1	0
Lung and Bronchus	24	23	27	14	23	21	19	23	25	17
Melanoma of the Skin	5	2	6	4	5	2	6	5	7	6
Female Breast	0	44	0	39	0	29	0	40	0	31
Cervix Uteri	0	0	0	1	0	1	0	0	0	1
Corpus and Uterus, NOS	0	12	0	7	0	7	0	8	0	10
Ovary	0	2	0	3	0	7	0	1	0	5
Prostate	32	0	41	0	54	0	56	0	41	0
Testis	3	0	0	0	2	0	2	0	1	0
Urinary Bladder*	16	5	14	1	15	2	8	6	12	4
Kidney and Renal Pelvis	3	3	7	2	3	2	6	4	5	4
Brain and Other Nervous System	2	1	3	3	3	1	3	0	1	1
Thyroid	0	6	4	3	3	5	2	5	2	6
Non-Hodgkin Lymphoma	7	6	19	8	7	7	5	8	7	7
Hodgkin Lymphoma	0	1	2	0	0	1	0	1	1	1
Myeloma	3	0	2	1	2	1	1	0	1	4
Leukemia	7	5	3	2	5	2	3	8	3	1
Other Sites	15	15	9	12	9	5	18	12	9	10

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Union	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	142	119	122	98	125	107	143	105	135	114
Oral Cavity and Pharynx	5	2	5	2	5	2	3	3	4	2
Esophagus	1	0	2	1	1	2	0	0	2	2
Stomach	3	2	2	0	1	0	2	0	2	1
Colon and Rectum	14	8	11	17	8	15	18	10	10	5
Liver and Intrahepatic Bile Duct	1	2	3	1	1	2	5	1	3	0
Pancreas	0	1	0	2	2	0	2	4	4	5
Larynx	1	0	0	0	2	1	1	0	3	0
Lung and Bronchus	20	12	16	10	12	6	19	12	17	21
Melanoma of the Skin	8	7	5	4	4	6	12	6	4	14
Female Breast	0	41	0	27	0	27	0	25	0	21
Cervix Uteri	0	1	0	2	0	4	0	1	0	1
Corpus and Uterus, NOS	0	9	0	11	0	10	0	8	0	8
Ovary	0	3	0	1	0	1	0	3	0	1
Prostate	48	0	46	0	44	0	36	0	44	0
Testis	1	0	2	0	1	0	3	0	0	0
Urinary Bladder*	7	5	3	3	9	2	6	2	3	1
Kidney and Renal Pelvis	8	5	5	0	7	1	8	3	6	5
Brain and Other Nervous System	1	0	1	0	2	1	1	1	1	0
Thyroid	1	5	5	2	6	4	3	4	3	8
Non-Hodgkin Lymphoma	5	7	1	2	6	2	6	9	10	4
Hodgkin Lymphoma	1	0	1	0	0	0	0	1	0	1
Myeloma	1	0	2	1	0	2	1	1	0	0
Leukemia	2	1	2	1	3	3	5	2	6	2
Other Sites	14	8	10	11	11	16	12	9	13	12

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Venango	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	167	159	197	148	179	166	202	204	170	186
Oral Cavity and Pharynx	7	0	3	2	2	1	5	2	6	3
Esophagus	0	0	3	0	3	2	4	0	5	2
Stomach	2	1	2	2	4	0	5	1	7	1
Colon and Rectum	17	18	20	22	15	21	17	18	14	13
Liver and Intrahepatic Bile Duct	0	0	0	0	1	0	6	1	2	1
Pancreas	6	6	4	3	2	2	2	4	5	10
Larynx	2	1	5	1	0	0	2	2	2	1
Lung and Bronchus	23	22	44	20	35	27	31	34	30	24
Melanoma of the Skin	7	7	6	6	3	6	7	5	11	0
Female Breast	0	43	0	41	0	47	0	59	0	58
Cervix Uteri	0	2	0	1	0	4	0	3	0	2
Corpus and Uterus, NOS	0	14	0	11	0	10	0	13	0	12
Ovary	0	1	0	2	0	1	0	5	0	9
Prostate	54	0	52	0	56	0	58	0	36	0
Testis	2	0	3	0	1	0	1	0	4	0
Urinary Bladder*	11	5	16	2	17	8	15	4	20	10
Kidney and Renal Pelvis	8	5	7	6	8	2	11	10	7	6
Brain and Other Nervous System	3	2	0	1	4	3	2	1	0	1
Thyroid	0	6	1	4	3	3	5	8	1	9
Non-Hodgkin Lymphoma	4	6	10	5	5	6	10	12	6	7
Hodgkin Lymphoma	0	0	0	1	1	1	1	1	0	2
Myeloma	1	1	5	0	3	1	3	3	3	1
Leukemia	4	3	4	2	5	4	3	7	4	4
Other Sites	16	16	12	16	11	17	14	11	7	10

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Warren	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	168	109	197	147	164	128	187	133	173	152
Oral Cavity and Pharynx	5	1	6	1	3	1	6	1	2	1
Esophagus	6	0	7	0	4	1	2	0	7	0
Stomach	0	0	1	2	6	4	2	2	2	3
Colon and Rectum	18	10	23	16	16	16	15	15	15	16
Liver and Intrahepatic Bile Duct	6	1	1	1	4	0	1	0	4	1
Pancreas	2	1	3	2	2	4	0	4	2	4
Larynx	3	0	5	0	0	1	7	0	1	0
Lung and Bronchus	15	14	21	16	14	19	21	23	19	20
Melanoma of the Skin	3	0	7	6	9	7	6	5	11	7
Female Breast	0	31	0	44	0	26	0	37	0	36
Cervix Uteri	0	1	0	5	0	1	0	2	0	2
Corpus and Uterus, NOS	0	5	0	11	0	6	0	11	0	11
Ovary	0	8	0	2	0	2	0	3	0	12
Prostate	68	0	68	0	57	0	70	0	58	0
Testis	0	0	1	0	1	0	0	0	0	0
Urinary Bladder*	17	10	26	4	16	1	18	9	14	2
Kidney and Renal Pelvis	2	4	4	4	5	2	6	1	2	0
Brain and Other Nervous System	1	2	1	2	0	1	2	0	2	1
Thyroid	3	1	2	7	1	6	1	4	2	10
Non-Hodgkin Lymphoma	6	4	5	6	5	6	9	3	10	6
Hodgkin Lymphoma	0	0	1	0	1	0	1	1	2	0
Myeloma	2	1	1	3	2	1	1	2	2	1
Leukemia	1	2	2	2	2	2	5	2	8	6
Other Sites	10	13	12	13	16	21	14	8	10	13

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Washington	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	632	717	710	660	690	679	727	702	691	652
Oral Cavity and Pharynx	18	9	23	14	21	14	26	11	21	7
Esophagus	4	1	15	5	13	5	23	6	12	4
Stomach	12	10	16	8	13	12	15	11	10	6
Colon and Rectum	88	81	81	61	79	81	67	70	77	66
Liver and Intrahepatic Bile Duct	13	9	12	5	9	4	13	6	13	7
Pancreas	19	17	15	18	14	25	14	11	18	13
Larynx	7	3	10	2	8	0	15	1	7	4
Lung and Bronchus	111	106	126	93	109	103	94	87	118	93
Melanoma of the Skin	14	18	15	12	16	13	19	17	20	21
Female Breast	0	190	0	181	0	168	0	202	0	180
Cervix Uteri	0	12	0	3	0	16	0	7	0	17
Corpus and Uterus, NOS	0	35	0	60	0	46	0	43	0	44
Ovary	0	34	0	22	0	20	0	31	0	17
Prostate	145	0	179	0	184	0	209	0	164	0
Testis	8	0	6	0	7	0	9	0	4	0
Urinary Bladder*	48	21	54	24	71	16	61	19	59	19
Kidney and Renal Pelvis	23	21	29	24	24	21	31	14	22	20
Brain and Other Nervous System	8	6	10	9	7	3	4	8	10	10
Thyroid	7	25	11	27	10	37	8	22	6	22
Non-Hodgkin Lymphoma	21	32	24	23	27	22	27	35	35	21
Hodgkin Lymphoma	3	2	5	5	3	5	4	5	7	7
Myeloma	10	8	4	1	7	11	12	9	8	4
Leukemia	20	16	19	13	16	12	21	21	23	10
Other Sites	53	61	56	50	52	45	55	66	57	60

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Wayne	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	163	147	130	148	167	124	184	152	190	144
Oral Cavity and Pharynx	3	0	5	3	5	6	6	1	8	2
Esophagus	3	1	2	0	5	0	4	1	5	0
Stomach	1	3	3	1	1	1	8	2	3	2
Colon and Rectum	16	21	17	17	15	12	19	18	18	15
Liver and Intrahepatic Bile Duct	2	0	2	1	3	1	7	1	9	0
Pancreas	2	6	3	4	4	2	4	4	2	3
Larynx	3	0	0	1	4	0	2	3	1	2
Lung and Bronchus	30	11	19	29	25	21	29	24	31	17
Melanoma of the Skin	4	3	4	5	4	2	9	6	6	1
Female Breast	0	41	0	35	0	26	0	40	0	37
Cervix Uteri	0	5	0	3	0	2	0	0	0	0
Corpus and Uterus, NOS	0	14	0	5	0	12	0	10	0	8
Ovary	0	9	0	6	0	4	0	6	0	6
Prostate	56	0	33	0	47	0	34	0	40	0
Testis	3	0	0	0	4	0	4	0	1	0
Urinary Bladder*	14	6	11	4	17	3	13	4	12	5
Kidney and Renal Pelvis	7	2	6	1	3	3	10	4	7	4
Brain and Other Nervous System	0	4	2	2	1	1	3	2	2	3
Thyroid	0	6	0	5	0	12	3	7	5	9
Non-Hodgkin Lymphoma	6	3	6	9	6	7	10	3	8	8
Hodgkin Lymphoma	0	0	1	0	3	0	2	0	0	2
Myeloma	2	1	5	1	2	1	3	2	5	2
Leukemia	3	3	2	5	3	0	2	3	7	6
Other Sites	8	8	9	11	15	8	12	11	20	12

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Westmoreland	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	1,249	1,105	1,277	1,215	1,282	1,165	1,166	1,193	1,288	1,221
Oral Cavity and Pharynx	37	16	30	14	31	16	32	17	30	24
Esophagus	16	6	21	8	20	6	24	7	19	4
Stomach	27	17	31	13	24	10	33	12	31	21
Colon and Rectum	156	124	131	144	137	152	123	126	144	122
Liver and Intrahepatic Bile Duct	15	5	9	10	19	7	9	9	20	12
Pancreas	30	38	32	40	26	35	27	42	39	25
Larynx	23	0	16	5	12	2	14	1	21	2
Lung and Bronchus	199	166	189	159	206	168	198	157	196	167
Melanoma of the Skin	40	17	39	24	43	19	28	23	34	24
Female Breast	0	296	0	317	0	313	0	331	0	372
Cervix Uteri	0	6	0	13	0	11	0	17	0	12
Corpus and Uterus, NOS	0	60	0	77	0	92	0	89	0	82
Ovary	0	38	0	31	0	42	0	27	0	43
Prostate	314	0	340	0	349	0	288	0	305	0
Testis	11	0	13	0	8	0	13	0	9	0
Urinary Bladder*	103	21	118	33	113	25	102	39	108	31
Kidney and Renal Pelvis	47	30	48	42	39	20	50	32	45	30
Brain and Other Nervous System	14	11	14	18	19	17	17	13	24	9
Thyroid	9	46	12	34	22	41	18	57	27	49
Non-Hodgkin Lymphoma	53	51	65	64	64	39	51	49	71	44
Hodgkin Lymphoma	5	6	8	7	9	8	6	5	9	5
Myeloma	8	15	17	13	14	20	9	15	19	11
Leukemia	38	25	35	33	35	28	25	18	39	23
Other Sites	104	111	109	116	92	94	99	107	98	109

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

Wyoming	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	58	53	61	58	102	89	98	82	102	91
Oral Cavity and Pharynx	4	1	1	0	5	1	2	0	4	1
Esophagus	0	0	1	0	4	0	6	0	3	0
Stomach	1	0	1	1	4	0	1	1	3	0
Colon and Rectum	4	10	9	6	9	9	10	7	5	10
Liver and Intrahepatic Bile Duct	1	0	1	1	1	1	2	1	1	3
Pancreas	0	2	0	1	2	3	1	3	4	3
Larynx	0	1	0	0	1	2	3	0	2	0
Lung and Bronchus	8	4	9	4	13	12	11	11	22	5
Melanoma of the Skin	3	4	1	1	11	3	2	3	3	4
Female Breast	0	14	0	17	0	24	0	22	0	30
Cervix Uteri	0	0	0	0	0	1	0	0	0	2
Corpus and Uterus, NOS	0	3	0	6	0	4	0	12	0	3
Ovary	0	0	0	1	0	3	0	5	0	2
Prostate	15	0	22	0	27	0	23	0	21	0
Testis	0	0	0	0	3	0	1	0	0	0
Urinary Bladder*	6	1	4	1	4	0	10	2	5	1
Kidney and Renal Pelvis	4	1	1	0	6	3	4	1	3	1
Brain and Other Nervous System	1	1	1	1	1	3	0	1	3	2
Thyroid	0	1	2	4	1	4	2	3	3	7
Non-Hodgkin Lymphoma	3	3	1	3	2	5	3	2	3	3
Hodgkin Lymphoma	1	0	1	0	1	0	0	0	0	0
Myeloma	0	0	1	2	1	0	0	0	7	0
Leukemia	1	2	2	3	4	2	4	0	1	4
Other Sites	6	5	3	6	2	9	13	8	9	10

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.

Number of Cancer Cases (Invasive) by Primary Site*, Sex and Year, By County
Pennsylvania Residents, 2005-2009

York	2005		2006		2007		2008		2009	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
All Cancer Sites	1,134	1,112	1,284	1,077	1,223	1,155	1,233	1,193	1,150	1,197
Oral Cavity and Pharynx	22	14	29	11	29	13	32	18	35	16
Esophagus	22	5	30	2	26	6	27	4	19	4
Stomach	16	7	18	6	14	8	12	8	18	7
Colon and Rectum	134	120	131	110	116	124	124	117	122	89
Liver and Intrahepatic Bile Duct	16	8	13	5	22	0	16	6	18	9
Pancreas	23	20	32	29	21	31	31	29	24	29
Larynx	11	1	18	5	17	2	30	3	14	2
Lung and Bronchus	168	130	186	134	185	150	157	157	190	142
Melanoma of the Skin	62	41	68	35	54	56	70	43	65	61
Female Breast	0	313	0	308	0	302	0	323	0	334
Cervix Uteri	0	15	0	21	0	15	0	19	0	19
Corpus and Uterus, NOS	0	92	0	97	0	79	0	91	0	101
Ovary	0	33	0	28	0	32	0	35	0	32
Prostate	287	0	378	0	361	0	301	0	246	0
Testis	14	0	17	0	12	0	20	0	17	0
Urinary Bladder*	90	28	74	17	77	25	99	16	84	28
Kidney and Renal Pelvis	49	25	51	24	64	28	46	38	50	19
Brain and Other Nervous System	14	12	15	11	20	12	20	13	22	14
Thyroid	12	74	22	74	24	75	26	89	24	97
Non-Hodgkin Lymphoma	45	43	60	31	48	52	61	46	49	66
Hodgkin Lymphoma	7	10	5	9	5	6	12	6	6	3
Myeloma	14	17	18	7	12	7	15	7	13	8
Leukemia	38	23	30	27	33	24	36	23	28	32
Other Sites	90	81	89	86	83	108	98	102	106	85

* Cancer cases were coded using the ICD-O-3 manual. Cancer primary site/type groupings follow the definitions used by the National Cancer Institute's SEER program. With the exception of urinary bladder cases, all in situ cancers are excluded.