TABLE A
AIDS IN PENNSYLVANIA

TRENDS OF LIVING AIDS CASES AT THE END OF EACH YEAR: 1998-2003

NORTHEASTERN REGIONAL HIV PLANNING COALITION

LACKAWANNA, LUZERNE, PIKE, SUSQUEHANNA, WAYNE, WYOMING COUNTIES

		1998		1999		2000		2001		2002		2003	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	TOTAL	194	100	210	100	216	100	236	100	244	100	251	100
SEX	MALE	163	84	177	84	181	84	199	84	201	82	207	82
	FEMALE	31	16	33	16	35	16	37	16	43	18	44	18
RACE/ETHNIC	WHITE(NON-HISP)	119	61	125	60	129	60	139	59	144	59	147	59
	BLACK(NON-HISP)	47	24	50	24	52	24	57	24	59	24	61	24
	HISPANIC	27	14	33	16	34	16	39	17	40	16	42	17
	ASIAN/PACIFIC ISLANDER	1	1	1	0	1	0	1	0	1	0	1	0
	NATIVE AMERICAN	0	0	1	0	0	0	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS)	0-12 (PEDIATRIC)	4	2	4	2	3	1	3	1	4	2	4	2
at Diagnosis of AIDS	13-19	3	2	3	1	3	1	3	1	3	1	3	1
	20-29	29	15	31	15	32	15	33	14	35	14	35	14
	30-39	94	48	99	47	100	46	106	45	110	45	112	45
	40-49	50	26	56	27	58	27	68	29	70	29	73	29
	OVER 49	14	7	17	8	20	9	23	10	22	9	24	10
MODE OF	MEN SEX W/MEN (MSM)	56	29	64	30	67	31	72	31	74	30	75	30
TRANSMISSION	INJECTING DRUG(IDU)	88	45	92	44	95	44	99	42	97	40	103	41
	MSM & IDU	21	11	19	9	18	8	20	8	22	9	21	8
	COAGULATION DIS	4	2	4	2	4	2	4	2	4	2	4	2
	HETEROSEXUAL CONTACT	17	9	19	9	20	9	23	10	23	9	23	9
	TRANSFUSION	0	0	0	0	0	0	0	0	0	0	0	0
	UNDETERMINED/OTHER	2	1	6	3	7	3	13	6	18	7	19	8
	ALL PEDIATRIC***	6	3	6	3	5	2	5	2	6	2	6	2
COUNTY	LACKAWANNA	60	31	61	29	65	30	73	31	75	31	76	30
	LUZERNE	78	40	86	41	87	40	89	38	94	39	99	39
	PIKE	9	5	10	5	11	5	16	7	17	7	17	7
	SUSQUEHANNA	7	4	6	3	4	2	5	2	5	2	7	3
	WAYNE	35	18	41	20	40	19	42	18	43	18	42	17
	WYOMING	5	3	6	3	9	4	11	5	10	4	10	4

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13.

Cases reported as of 06/30/2004
HIV/AIDS Surveillance - Bureau of Epidemiology
Data Support - Bureau of Health Statistics & Research
Pennsylvania Department of Health

TABLE 1
AIDS IN PENNSYLVANIA

TRENDS OF LIVING AIDS CASES AT THE END OF EACH YEAR: 1998-2003

LACKAWANNA COUNTY

		1998		1999		2000		2001		2002		2003	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	TOTAL	60	100	61	100	65	100	73	100	75	100	76	100
SEX	MALE	43	72	45	74	50	77	56	77	57	76	58	76
	FEMALE	17	28	16	26	15	23	17	23	18	24	18	24
RACE/ETHNIC	WHITE(NON-HISP)	40	67	40	66	42	65	45	62	47	63	47	62
	BLACK(NON-HISP)	15	25	14	23	16	25	20	27	19	25	19	25
	HISPANIC	5	8	6	10	7	11	8	11	9	12	10	13
	ASIAN/PACIFIC ISLANDER	0	0	0	0	0	0	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	1	2	0	0	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS) at Diagnosis of AIDS	0-12 (PEDIATRIC)	1	2	1	2	1	2	1	1	1	1	1	1
	13-19	1	2	1	2	1	2	1	1	1	1	1	1
	20-29	13	22	13	21	15	23	16	22	16	21	16	21
	30-39	29	48	28	46	27	42	29	40	31	41	31	41
	40-49	15	25	17	28	19	29	22	30	22	29	22	29
	OVER 49	1	2	1	2	2	3	4	5	4	5	5	7
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	12	20	15	25	17	26	20	27	22	29	23	30
	INJECTING DRUG(IDU)	28	47	26	43	28	43	30	41	29	39	29	38
	MSM & IDU	8	13	7	11	7	11	7	10	8	11	8	11
	COAGULATION DIS	2	3	2	3	2	3	2	3	2	3	2	3
	HETEROSEXUAL CONTACT	9	15	9	15	9	14	10	14	9	12	9	12
	TRANSFUSION	0	0	0	0	0	0	0	0	0	0	0	0
	UNDETERMINED/OTHER	0	0	1	2	1	2	3	4	4	5	4	5
	ALL PEDIATRIC***	1	2	1	2	1	2	1	1	1	1	1	1

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13.

Cases reported as of 06/30/2004
HIV/AIDS Surveillance - Bureau of Epidemiology
Data Support - Bureau of Health Statistics & Research
Pennsylvania Department of Health

TABLE 2
AIDS IN PENNSYLVANIA

TRENDS OF LIVING AIDS CASES AT THE END OF EACH YEAR: 1998-2003

LUZERNE COUNTY

		1998		1999		2000		2001		2002		2003	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	TOTAL	78	100	86	100	87	100	89	100	94	100	99	100
SEX	MALE	67	86	74	86	74	85	79	89	80	85	84	85
	FEMALE	11	14	12	14	13	15	10	11	14	15	15	15
RACE/ETHNIC	WHITE(NON-HISP)	44	56	49	57	50	57	51	57	54	57	55	56
	BLACK(NON-HISP)	21	27	23	27	23	26	23	26	25	27	28	28
	HISPANIC	12	15	13	15	13	15	14	16	14	15	15	15
	ASIAN/PACIFIC ISLANDER	1	1	1	1	1	1	1	1	1	1	1	1
	NATIVE AMERICAN	0	0	0	0	0	0	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS)	0-12 (PEDIATRIC)	1	1	1	1	0	0	0	0	1	1	1	1
at Diagnosis of AIDS	13-19	2	3	2	2	2	2	2	2	2	2	2	2
	20-29	11	14	12	14	12	14	12	13	14	15	14	14
	30-39	38	49	40	47	42	48	43	48	44	47	46	46
	40-49	17	22	21	24	20	23	22	25	23	24	26	26
	OVER 49	9	12	10	12	11	13	10	11	10	11	10	10
MODE OF	MEN SEX W/MEN (MSM)	22	28	26	30	27	31	28	31	28	30	28	28
TRANSMISSION	INJECTING DRUG(IDU)	36	46	39	45	40	46	38	43	38	40	42	42
	MSM & IDU	8	10	7	8	7	8	9	10	9	10	9	9
	COAGULATION DIS	1	1	1	1	1	1	1	1	1	1	1	1
	HETEROSEXUAL CONTACT	6	8	6	7	6	7	6	7	6	6	6	6
	TRANSFUSION	0	0	0	0	0	0	0	0	0	0	0	0
	UNDETERMINED/OTHER	2	3	4	5	4	5	5	6	9	10	10	10
	ALL PEDIATRIC***	3	4	3	3	2	2	2	2	3	3	3	3

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13.

Cases reported as of 06/30/2004
HIV/AIDS Surveillance - Bureau of Epidemiology
Data Support - Bureau of Health Statistics & Research
Pennsylvania Department of Health

TABLE 3
AIDS IN PENNSYLVANIA

TRENDS OF LIVING AIDS CASES AT THE END OF EACH YEAR: 1998-2003

PIKE COUNTY

		1998		1999		2000		2001		2002		2003	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	TOTAL	9	100	10	100	11	100	16	100	17	100	17	100
SEX	MALE	9	100	10	100	10	91	12	75	12	71	12	71
	FEMALE	0	0	0	0	1	9	4	25	5	29	5	29
RACE/ETHNIC	WHITE(NON-HISP)	9	100	9	90	10	91	14	88	15	88	15	88
	BLACK(NON-HISP)	0	0	1	10	1	9	2	13	2	12	2	12
	HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
	ASIAN/PACIFIC ISLANDER	0	0	0	0	0	0	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	0	0	0	0	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS) at Diagnosis of AIDS	0-12 (PEDIATRIC)	0	0	0	0	0	0	0	0	0	0	0	0
	13-19	0	0	0	0	0	0	0	0	0	0	0	0
	20-29	0	0	0	0	0	0	0	0	0	0	0	0
	30-39	4	44	5	50	5	45	7	44	8	47	8	47
	40-49	3	33	3	30	3	27	6	38	6	35	6	35
	OVER 49	2	22	2	20	3	27	3	19	3	18	3	18
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	6	67	6	60	6	55	7	44	7	41	7	41
	INJECTING DRUG(IDU)	3	33	3	30	3	27	3	19	3	18	3	18
	MSM & IDU	0	0	0	0	0	0	0	0	0	0	0	0
	COAGULATION DIS	0	0	0	0	0	0	0	0	0	0	0	0
	HETEROSEXUAL CONTACT	0	0	0	0	0	0	2	13	3	18	3	18
	TRANSFUSION	0	0	0	0	0	0	0	0	0	0	0	0
	UNDETERMINED/OTHER	0	0	1	10	2	18	4	25	4	24	4	24
	ALL PEDIATRIC	0	0	0	0	0	0	0	0	0	0	0	0

Cases reported as of 06/30/2004
HIV/AIDS Surveillance - Bureau of Epidemiology
Data Support - Bureau of Health Statistics & Research
Pennsylvania Department of Health

TABLE 4
AIDS IN PENNSYLVANIA

TRENDS OF LIVING AIDS CASES AT THE END OF EACH YEAR: 1998-2003

SUSQUEHANNA COUNTY

		1998		1999		2000		2001		2002		2003	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	TOTAL	7	100	6	100	4	100	5	100	5	100	7	100
SEX	MALE	7	100	6	100	4	100	5	100	5	100	7	100
	FEMALE	0	0	0	0	0	0	0	0	0	0	0	0
RACE/ETHNIC	WHITE(NON-HISP)	6	86	5	83	3	75	4	80	4	80	6	86
	BLACK(NON-HISP)	1	14	1	17	1	25	1	20	1	20	1	14
	HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
	ASIAN/PACIFIC ISLANDER	0	0	0	0	0	0	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	0	0	0	0	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS) at Diagnosis of AIDS	0-12 (PEDIATRIC)	0	0	0	0	0	0	0	0	0	0	0	0
	13-19	0	0	0	0	0	0	0	0	0	0	0	0
	20-29	1	14	1	17	0	0	0	0	0	0	0	0
	30-39	3	43	2	33	2	50	3	60	3	60	3	43
	40-49	3	43	3	50	2	50	2	40	2	40	2	29
	OVER 49	0	0	0	0	0	0	0	0	0	0	2	29
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	4	57	4	67	2	50	2	40	2	40	2	29
	INJECTING DRUG(IDU)	2	29	1	17	1	25	2	40	2	40	4	57
	MSM & IDU	0	0	0	0	0	0	0	0	0	0	0	0
	COAGULATION DIS	0	0	0	0	0	0	0	0	0	0	0	0
	HETEROSEXUAL CONTACT	1	14	1	17	1	25	1	20	1	20	1	14
	TRANSFUSION	0	0	0	0	0	0	0	0	0	0	0	0
	UNDETERMINED/OTHER	0	0	0	0	0	0	0	0	0	0	0	0
	ALL PEDIATRIC	0	0	0	0	0	0	0	0	0	0	0	0

Cases reported as of 06/30/2004
HIV/AIDS Surveillance - Bureau of Epidemiology
Data Support - Bureau of Health Statistics & Research
Pennsylvania Department of Health

TABLE 5
AIDS IN PENNSYLVANIA

TRENDS OF LIVING AIDS CASES AT THE END OF EACH YEAR: 1998-2003

WAYNE COUNTY

		1998		1999		2000		2001		2002		2003	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	TOTAL	35	100	41	100	40	100	42	100	43	100	42	100
SEX	MALE	33	94	37	90	36	90	38	90	39	91	38	90
	FEMALE	2	6	4	10	4	10	4	10	4	9	4	10
RACE/ETHNIC	WHITE(NON-HISP)	15	43	16	39	15	38	14	33	14	33	14	33
	BLACK(NON-HISP)	10	29	11	27	11	28	11	26	12	28	11	26
	HISPANIC	10	29	14	34	14	35	17	40	17	40	17	40
	ASIAN/PACIFIC ISLANDER	0	0	0	0	0	0	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	0	0	0	0	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS)	0-12 (PEDIATRIC)	2	6	2	5	2	5	2	5	2	5	2	5
at Diagnosis of AIDS	13-19	0	0	0	0	0	0	0	0	0	0	0	0
	20-29	4	11	5	12	5	13	5	12	5	12	5	12
	30-39	16	46	20	49	20	50	20	48	20	47	20	48
	40-49	11	31	11	27	11	28	12	29	13	30	13	31
	OVER 49	2	6	3	7	2	5	3	7	3	7	2	5
MODE OF	MEN SEX W/MEN (MSM)	10	29	10	24	10	25	10	24	10	23	10	24
TRANSMISSION	INJECTING DRUG(IDU)	17	49	21	51	21	53	22	52	22	51	22	52
	MSM & IDU	4	11	4	10	3	8	3	7	4	9	3	7
	COAGULATION DIS	1	3	1	2	1	3	1	2	1	2	1	2
	HETEROSEXUAL CONTACT	1	3	3	7	3	8	3	7	3	7	3	7
	TRANSFUSION	0	0	0	0	0	0	0	0	0	0	0	0
	UNDETERMINED/OTHER	0	0	0	0	0	0	1	2	1	2	1	2
	ALL PEDIATRIC***	2	6	2	5	2	5	2	5	2	5	2	5

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13.

Cases reported as of 06/30/2004
HIV/AIDS Surveillance - Bureau of Epidemiology
Data Support - Bureau of Health Statistics & Research
Pennsylvania Department of Health

TABLE 6
AIDS IN PENNSYLVANIA

TRENDS OF LIVING AIDS CASES AT THE END OF EACH YEAR: 1998-2003

WYOMING COUNTY

		1998		1999		2000		2001		2002		2003	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	TOTAL	5	100	6	100	9	100	11	100	10	100	10	100
SEX	MALE	4	80	5	83	7	78	9	82	8	80	8	80
	FEMALE	1	20	1	17	2	22	2	18	2	20	2	20
RACE/ETHNIC	WHITE(NON-HISP)	5	100	6	100	9	100	11	100	10	100	10	100
	BLACK(NON-HISP)	0	0	0	0	0	0	0	0	0	0	0	0
	HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
	ASIAN/PACIFIC ISLANDER	0	0	0	0	0	0	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	0	0	0	0	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS) at Diagnosis of AIDS	0-12 (PEDIATRIC)	0	0	0	0	0	0	0	0	0	0	0	0
	13-19	0	0	0	0	0	0	0	0	0	0	0	0
	20-29	0	0	0	0	0	0	0	0	0	0	0	0
	30-39	4	80	4	67	4	44	4	36	4	40	4	40
	40-49	1	20	1	17	3	33	4	36	4	40	4	40
	OVER 49	0	0	1	17	2	22	3	27	2	20	2	20
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	2	40	3	50	5	56	5	45	5	50	5	50
	INJECTING DRUG(IDU)	2	40	2	33	2	22	4	36	3	30	3	30
	MSM & IDU	1	20	1	17	1	11	1	9	1	10	1	10
	COAGULATION DIS	0	0	0	0	0	0	0	0	0	0	0	0
	HETEROSEXUAL CONTACT	0	0	0	0	1	11	1	9	1	10	1	10
	TRANSFUSION	0	0	0	0	0	0	0	0	0	0	0	0
	UNDETERMINED/OTHER	0	0	0	0	0	0	0	0	0	0	0	0
	ALL PEDIATRIC	0	0	0	0	0	0	0	0	0	0	0	0

Cases reported as of 06/30/2004
HIV/AIDS Surveillance - Bureau of Epidemiology
Data Support - Bureau of Health Statistics & Research
Pennsylvania Department of Health

TABLE B
AIDS IN PENNSYLVANIA
THE INCIDENCE OF AIDS IN PA
1998-2004
NORTHEASTERN REGIONAL HIV PLANNING COALITION

LACKAWANNA, LUZERNE, PIKE, SUSQUEHANNA, WAYNE, WYOMING COUNTIES

		1980-1997		1998		1999		2000^		2001^		2002^		2003^*		1998-2003		Jan-June 2004	TOTAL TO DATE 1980-2004	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	NUMBER	PERCENT
	TOTAL	479	100	27	100	22	100	20	100	26	100	15	100	8	100	118	100	0	597	100
VITAL STATUS (CURRENT)	ALIVE	152	32	21	78	18	82	15	75	24	92	13	87	8	100	99	84	0	251	42
	DEAD	327	68	6	22	4	18	5	25	2	8	2	13	0	0	19	16	0	346	58
SEX	MALE	416	87	25	93	19	86	15	75	20	77	9	60	7	88	95	81	0	511	86
	FEMALE	63	13	2	7	3	14	5	25	6	23	6	40	1	13	23	19	0	86	14
RACE/ETHNIC	WHITE(NON-HISP)	337	70	20	74	9	41	14	70	14	54	8	53	3	38	68	58	0	405	68
	BLACK(NON-HISP)	90	19	5	19	5	23	5	25	6	23	4	27	3	38	28	24	0	118	20
	HISPANIC	51	11	2	7	7	32	1	5	6	23	3	20	2	25	21	18	0	72	12
	ASIAN/PACIFIC ISLANDER	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	NATIVE AMERICAN	0	0	0	0	1	5	0	0	0	0	0	0	0	0	1	1	0	1	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS) at Diagnosis of AIDS	0-12 (PEDIATRIC)	9	2	0	0	0	0	0	0	0	0	1	7	0	0	1	1	0	10	2
	13-19	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	1
	20-29	73	15	1	4	2	9	2	10	1	4	2	13	0	0	8	7	0	81	14
	30-39	226	47	9	33	11	50	5	25	8	31	7	47	2	25	42	36	0	268	45
	40-49	121	25	15	56	6	27	9	45	12	46	5	33	3	38	50	42	0	171	29
	OVER 49	45	9	2	7	3	14	4	20	5	19	0	0	3	38	17	14	0	62	10
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	188	39	11	41	8	36	9	45	6	23	3	20	1	13	38	32	0	226	38
	INJECTING DRUG(IDU)	184	38	10	37	8	36	7	35	7	27	2	13	6	75	40	34	0	224	38
	MSM & IDU	38	8	3	11	0	0	0	0	2	8	2	13	0	0	7	6	0	45	8
	COAGULATION DIS	12	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	2
	HETEROSEXUAL CONTACT	32	7	2	7	2	9	2	10	5	19	2	13	0	0	13	11	0	45	8
	TRANSFUSION	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	1
	UNDETERMINED/OTHER	7	1	1	4	4	18	2	10	6	23	5	33	1	13	19	16	0	26	4
	ALL PEDIATRIC***	11	2	0	0	0	0	0	0	0	0	1	7	0	0	1	1	0	12	2
COUNTY	LACKAWANNA	142	30	9	33	5	23	9	45	9	35	6	40	1	13	39	33	0	181	30
	LUZERNE	207	43	12	44	9	41	6	30	6	23	7	47	5	63	45	38	0	252	42
	PIKE	29	6	2	7	1	5	1	5	5	19	1	7	0	0	10	8	0	39	7
	SUSQUEHANNA	16	3	0	0	0	0	0	0	1	4	0	0	2	25	3	3	0	19	3
	WAYNE	72	15	4	15	6	27	1	5	3	12	1	7	0	0	15	13	0	87	15
	WYOMING	13	3	0	0	1	5	3	15	2	8	0	0	0	0	6	5	0	19	3

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13.

^Decline in AIDS incidence may be due to decrease in AIDS diagnosis attributable to improved antiretroviral therapy and

*partially due to reporting delays.

Cases reported as of 06/30/2004

HIV/AIDS Surveillance - Bureau of Epidemiology

Data Support - Bureau of Health Statistics & Research

Pennsylvania Department of Health

TABLE 7
AIDS IN PENNSYLVANIA
THE INCIDENCE OF AIDS IN PA
1998-2004
LACKAWANNA COUNTY

		1980-1997												1998-2004**		TOTAL TO DATE 1980-2004	
				1998		1999		2000^		2001^		2002-2004**					
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	TOTAL	142	100	9	100	5	100	9	100	9	100	7	100	39	100	181	100
SEX	MALE	112	79	9	100	5	100	7	78	7	78	6	86	34	87	146	81
	FEMALE	30	21	0	0	0	0	2	22	2	22	1	14	5	13	35	19
RACE/ETHNIC	WHITE(NON-HISP)	114	80	6	67	2	40	6	67	3	33	4	57	21	54	135	75
	BLACK(NON-HISP)	21	15	2	22	1	20	2	22	4	44	1	14	10	26	31	17
	HISPANIC	7	5	1	11	1	20	1	11	2	22	2	29	7	18	14	8
	ASIAN/PACIFIC ISLANDER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	0	0	1	20	0	0	0	0	0	0	1	3	1	1
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS) at Diagnosis of AIDS	0-12 (PEDIATRIC)	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1
	13-19	2	1	0	0	0	0	0	0	0	0	0	0	0	0	2	1
	20-29	25	18	0	0	0	0	2	22	1	11	0	0	3	8	28	15
	30-39	67	47	4	44	3	60	1	11	3	33	4	57	15	38	82	45
	40-49	32	23	5	56	2	40	5	56	3	33	2	29	17	44	49	27
	OVER 49	15	11	0	0	0	0	1	11	2	22	1	14	4	10	19	10
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	55	39	4	44	3	60	4	44	4	44	4	57	19	49	74	41
	INJECTING DRUG(IDU)	51	36	2	22	1	20	4	44	2	22	1	14	10	26	61	34
	MSM & IDU	9	6	2	22	0	0	0	0	0	0	1	14	3	8	12	7
	COAGULATION DIS	6	4	0	0	0	0	0	0	0	0	0	0	0	0	6	3
	HETEROSEXUAL CONTACT	13	9	1	11	0	0	1	11	1	11	0	0	3	8	16	9
	TRANSFUSION	5	4	0	0	0	0	0	0	0	0	0	0	0	0	5	3
	UNDETERMINED/OTHER	2	1	0	0	1	20	0	0	2	22	1	14	4	10	6	3
	ALL PEDIATRIC***	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1

** Only includes cases reported by June 30, 2004.

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13.

^Decline in AIDS incidence may be due to decrease in AIDS diagnosis attributable to improved antiretroviral therapy and

*partially due to reporting delays.

Cases reported as of 06/30/2004
HIV/AIDS Surveillance - Bureau of Epidemiology
Data Support - Bureau of Health Statistics & Research
Pennsylvania Department of Health

TABLE 8
AIDS IN PENNSYLVANIA
THE INCIDENCE OF AIDS IN PA
1998-2004
LUZERNE COUNTY

		1980-1997														1998-2003		Jan-June 2004	TOTAL TO DATE 1980-2004	
				1998		1999		2000^		2001^		2002^		2003^*						
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	NUMBER	PERCENT
	TOTAL	207	100	12	100	9	100	6	100	6	100	7	100	5	100	45	100	0	252	100
SEX	MALE	183	88	10	83	8	89	5	83	5	83	3	43	4	80	35	78	0	218	87
	FEMALE	24	12	2	17	1	11	1	17	1	17	4	57	1	20	10	22	0	34	13
RACE/ETHNIC	WHITE(NON-HISP)	131	63	9	75	5	56	4	67	4	67	3	43	1	20	26	58	0	157	62
	BLACK(NON-HISP)	47	23	2	17	2	22	2	33	1	17	2	29	3	60	12	27	0	59	23
	HISPANIC	28	14	1	8	2	22	0	0	1	17	2	29	1	20	7	16	0	35	14
	ASIAN/PACIFIC ISLANDER	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	NATIVE AMERICAN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS) at Diagnosis of AIDS	0-12 (PEDIATRIC)	4	2	0	0	0	0	0	0	0	0	1	14	0	0	1	2	0	5	2
	13-19	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1
	20-29	35	17	1	8	1	11	0	0	0	0	2	29	0	0	4	9	0	39	15
	30-39	98	47	3	25	3	33	4	67	2	33	2	29	2	40	16	36	0	114	45
	40-49	51	25	6	50	4	44	1	17	3	50	2	29	3	60	19	42	0	70	28
	OVER 49	16	8	2	17	1	11	1	17	1	17	0	0	0	0	5	11	0	21	8
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	81	39	5	42	4	44	3	50	1	17	0	0	0	0	13	29	0	94	37
	INJECTING DRUG(IDU)	80	39	5	42	3	33	2	33	0	0	1	14	4	80	15	33	0	95	38
	MSM & IDU	21	10	0	0	0	0	0	0	2	33	0	0	0	0	2	4	0	23	9
	COAGULATION DIS	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1
	HETEROSEXUAL CONTACT	12	6	1	8	0	0	0	0	2	33	1	14	0	0	4	9	0	16	6
	TRANSFUSION	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	UNDETERMINED/OTHER	3	1	1	8	2	22	1	17	1	17	4	57	1	20	10	22	0	13	5
	ALL PEDIATRIC***	6	3	0	0	0	0	0	0	0	0	1	14	0	0	1	2	0	7	3

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13.

^Decline in AIDS incidence may be due to decrease in AIDS diagnosis attributable to improved antiretroviral therapy and

*partially due to reporting delays.

Cases reported as of 06/30/2004

HIV/AIDS Surveillance - Bureau of Epidemiology

Data Support - Bureau of Health Statistics & Research

Pennsylvania Department of Health

TABLE 9
AIDS IN PENNSYLVANIA
THE INCIDENCE OF AIDS IN PA
1980-1997, 1998-2004
PIKE COUNTY

		1980-1997		1998-2004**		TOTAL TO DATE 1980-2004	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	TOTAL	29	100	10	100	39	100
SEX	MALE	28	97	5	50	33	85
	FEMALE	1	3	5	50	6	15
RACE/ETHNIC	WHITE(NON-HISP)	26	90	8	80	34	87
	BLACK(NON-HISP)	3	10	2	20	5	13
	HISPANIC	0	0	0	0	0	0
	ASIAN/PACIFIC ISLANDER	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0
AGE (YEARS) at Diagnosis of AIDS	0-12 (PEDIATRIC)	1	3	0	0	1	3
	13-19	0	0	0	0	0	0
	20-29	1	3	0	0	1	3
	30-39	10	34	5	50	15	38
	40-49	10	34	4	40	14	36
	OVER 49	7	24	1	10	8	21
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	16	55	2	20	18	46
	INJECTING DRUG(IDU)	10	34	3	30	13	33
	MSM & IDU	0	0	0	0	0	0
	COAGULATION DIS	0	0	0	0	0	0
	HETEROSEXUAL CONTACT	2	7	0	0	2	5
	TRANSFUSION	0	0	0	0	0	0
	UNDETERMINED/OTHER	0	0	3	30	3	8
	ALL PEDIATRIC***	1	3	0	0	1	3

** Only includes cases reported by June 30, 2004.

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13.

Cases reported as of 06/30/2004
HIV/AIDS Surveillance - Bureau of Epidemiology
Data Support - Bureau of Health Statistics & Research
Pennsylvania Department of Health

TABLE 10
AIDS IN PENNSYLVANIA
THE INCIDENCE OF AIDS IN PA
1980-1997, 1998-2004
SUSQUEHANNA COUNTY

		1980-1997		1998-2004**		TOTAL TO DATE 1980-2004	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	TOTAL	16	100	3	100	19	100
SEX	MALE	16	100	3	100	19	100
	FEMALE	0	0	0	0	0	0
RACE/ETHNIC	WHITE(NON-HISP)	14	88	3	100	17	89
	BLACK(NON-HISP)	2	13	0	0	2	11
	HISPANIC	0	0	0	0	0	0
	ASIAN/PACIFIC ISLANDER	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0
AGE (YEARS)	0-12 (PEDIATRIC)	0	0	0	0	0	0
at Diagnosis of AIDS	13-19	0	0	0	0	0	0
	20-29	2	13	0	0	2	11
	30-39	8	50	1	33	9	47
	40-49	5	31	0	0	5	26
	OVER 49	1	6	2	67	3	16
MODE OF	MEN SEX W/MEN (MSM)	11	69	0	0	11	58
TRANSMISSION	INJECTING DRUG(IDU)	2	13	3	100	5	26
	MSM & IDU	1	6	0	0	1	5
	COAGULATION DIS	0	0	0	0	0	0
	HETEROSEXUAL CONTACT	1	6	0	0	1	5
	TRANSFUSION	0	0	0	0	0	0
	UNDETERMINED/OTHER	1	6	0	0	1	5
	ALL PEDIATRIC***	0	0	0	0	0	0

** Only includes cases reported by June 30, 2004.

Cases reported as of 06/30/2004
HIV/AIDS Surveillance - Bureau of Epidemiology
Data Support - Bureau of Health Statistics & Research & Research
Pennsylvania Department of Health

TABLE 11
AIDS IN PENNSYLVANIA
THE INCIDENCE OF AIDS IN PA
1980-1997, 1998-2004
WAYNE COUNTY

		1980-1997		1998-2004**		TOTAL TO DATE 1980-2004	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	TOTAL	72	100	15	100	87	100
SEX	MALE	65	90	13	87	78	90
	FEMALE	7	10	2	13	9	10
RACE/ETHNIC	WHITE(NON-HISP)	39	54	4	27	43	49
	BLACK(NON-HISP)	17	24	4	27	21	24
	HISPANIC	16	22	7	47	23	26
	ASIAN/PACIFIC ISLANDER	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0
AGE (YEARS) at Diagnosis of AIDS	0-12 (PEDIATRIC)	3	4	0	0	3	3
	13-19	0	0	0	0	0	0
	20-29	9	13	1	7	10	11
	30-39	36	50	5	33	41	47
	40-49	19	26	7	47	26	30
	OVER 49	5	7	2	13	7	8
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	19	26	1	7	20	23
	INJECTING DRUG(IDU)	37	51	9	60	46	53
	MSM & IDU	6	8	2	13	8	9
	COAGULATION DIS	3	4	0	0	3	3
	HETEROSEXUAL CONTACT	4	6	2	13	6	7
	TRANSFUSION	0	0	0	0	0	0
	UNDETERMINED/OTHER	0	0	1	7	1	1
	ALL PEDIATRIC***	3	4	0	0	3	3

** Only includes cases reported by June 30, 2004.

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have occurred before age 13.

Cases reported as of 06/30/2004
HIV/AIDS Surveillance - Bureau of Epidemiology
Data Support - Bureau of Health Statistics & Research & Research
Pennsylvania Department of Health

TABLE 12
AIDS IN PENNSYLVANIA
THE INCIDENCE OF AIDS IN PA
1980-1997, 1998-2004
WYOMING COUNTY

		1980-1997		1998-2004**		TOTAL TO DATE 1980-2004	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
	TOTAL	13	100	6	100	19	100
SEX	MALE	12	92	5	83	17	89
	FEMALE	1	8	1	17	2	11
RACE/ETHNIC	WHITE(NON-HISP)	13	100	6	100	19	100
	BLACK(NON-HISP)	0	0	0	0	0	0
	HISPANIC	0	0	0	0	0	0
	ASIAN/PACIFIC ISLANDER	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	0	0	0	0
	UNKNOWN & MULTI-RACE	0	0	0	0	0	0
AGE (YEARS) at Diagnosis of AIDS	0-12 (PEDIATRIC)	0	0	0	0	0	0
	13-19	0	0	0	0	0	0
	20-29	1	8	0	0	1	5
	30-39	7	54	0	0	7	37
	40-49	4	31	3	50	7	37
	OVER 49	1	8	3	50	4	21
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	6	46	3	50	9	47
	INJECTING DRUG(IDU)	4	31	2	33	6	32
	MSM & IDU	1	8	0	0	1	5
	COAGULATION DIS	0	0	0	0	0	0
	HETEROSEXUAL CONTACT	0	0	1	17	1	5
	TRANSFUSION	1	8	0	0	1	5
	UNDETERMINED/OTHER	1	8	0	0	1	5
	ALL PEDIATRIC	0	0	0	0	0	0

Cases reported as of 06/30/2004
HIV/AIDS Surveillance - Bureau of Epidemiology
Data Support - Bureau of Health Statistics & Research
Pennsylvania Department of Health