MATERNAL AND CHILD HEALTH STATUS INDICATORS ALLENTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

1				
ALL R	ACES	WHITE	BLACK	HISPANIC
ALL CAUSES	19	14	5	5
MOTOR VEHICLE ACCIDENTS	7	4	3	0
RESIDENTIAL FIRE	3	3	0	2
DROWNING or SUFFOCATION	0	0	0	0
OTHER ACCIDENTS	0	0	0	0
ASSAULT (HOMICIDE)	1	1	0	0
INTENTIONAL SELF- HARM (SUICIDE)	0	0	0	0
ALL OTHER CAUSES	8	6	2	3

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	5,009	2,139	827	2,686
PERCENT	22.0	12.6	43.9	51.5

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

1000		100	7 1000
			RATE
NO.	NAIL	NO.	NAIL
18	10.9	59	11.8
14	10.2	47	11.0
4	22.9	11	22.0
5	9.5	15	8.9
5	0.5	13	0.9
	NO. 18 14	18 10.9 14 10.2 4 22.9	NO. RATE NO. 18 10.9 59 14 10.2 47 4 22.9 11

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	2
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE	IN FIRST TRIMESTER	BIRTHS TO MOT	HERS UNDER 18	
OIMOTHER	Number	Percent	Number	Percent	Number	Percent	
ALL RACES	162	9.8	252	16.8	107	6.5	
WHITE	123	9.0	194	15.6	87	6.4	
BLACK	27	15.4	42	27.5	16	9.1	
HISPANIC	63	10.7	107	20.3	60	10.2	

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).


ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

TRENDS:


Maternal and Child Health Status Indicators ALLENTOWN CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
7.0	9.9	10.2	10.2	9.8

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
16.5	19.9	15.2	20.5	16.8

Percent of Births to Mothers Under 18



١	1995	1996	1997	1998	1999
ı	7.2	6.9	7.3	7.2	6.5



93-95	94-96	95-97	96-98	97-99
8.6	7.7	10.5	10.5	11.8

MATERNAL AND CHILD HEALTH STATUS INDICATORS ALTOONA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	15	13	2	0
MOTOR VEHIC ACCIDENTS	LE 1	1	0	0
RESIDENTIAL F	FIRE 0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0
OTHER ACCIDENTS	2	2	0	0
ASSAULT (HOMICIDE)	3	1	2	0
INTENTIONAL S HARM (SUICIDE	·	0	0	0
ALL OTHER CA	USES 8	8	0	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	3,380	3,199	110	19
PERCENT	27.0	26.4	40.7	38.8

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	1999		1997	7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	6	9.2	15	8.0
WHITE	6	9.6	14	7.8
BLACK	0	0.0	1	20.8
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

LOW BIRT	TH WEIGHT	NO PRENATAL CARE	IN FIRST TRIMESTER	BIRTHS TO MOT	HERS UNDER 18
Number	Percent	Percent Number Percent		Number	Percent
50	7.7	53	8.2	30	4.6
45	7.2	46	7.4	27	4.3
1	6.7	4	26.7	3	20.0
0	0.0	0	0.0	0	0.0
	Number 50	50 7.7 45 7.2 1 6.7	Number Percent Number 50 7.7 53 45 7.2 46 1 6.7 4	Number Percent Number Percent 50 7.7 53 8.2 45 7.2 46 7.4 1 6.7 4 26.7	Number Percent Number Percent Number 50 7.7 53 8.2 30 45 7.2 46 7.4 27 1 6.7 4 26.7 3

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators ALTOONA CITY

Percent Low Birth Weight




	1995	1996	1997	1998	1999
ſ	6.2	9.1	5.3	6.5	7.7

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
12.3	9.6	9.4	9.6	8.2

Percent of Births to Mothers Under 18



I	1995	1996	1997	1998	1999
	5.7	5.7	4.3	5.2	4.6



93-95	94-96	95-97	96-98	97-99
10.6	11.3	9.4	8.5	8.0

MATERNAL AND CHILD HEALTH STATUS INDICATORS BETHLEHEM CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	8	7	1	1
MOTOR VEHICLI ACCIDENTS	∃	4	0	0
RESIDENTIAL FI	RE 0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER ACCIDENTS	0	0	0	0
ASSAULT (HOMICIDE)	1	1	0	1
INTENTIONAL SI HARM (SUICIDE)	^	0	0	0
ALL OTHER CAL	ISES 3	2	1	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,995	1,265	217	1,974
PERCENT	20.2	11.2	33.1	51.6

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	19	99	1997	7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	4	5.1	17	7.0
WHITE	4	5.6	17	7.7
BLACK	0	0.0	0	0.0
HISPANIC	3	12.0	6	8.4

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE	IN FIRST TRIMESTER	BIRTHS TO MOT	HERS UNDER 18
OI WOTHER	Number	Percent	Number	Number Percent		Percent
ALL RACES	66	8.4	95	12.6	58	7.4
WHITE	59	8.3	79	11.5	48	6.8
BLACK	5	11.1	11	26.8	10	22.2
HISPANIC	30	12.0	38	15.8	36	14.3

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators BETHLEHEM CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
11.3	11.0	10.5	9.4	8.4

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
12.1	15.4	12.3	10.9	12.6

Percent of Births to Mothers Under 18



Γ	1995	1996	1997	1998	1999
Γ	7.7	5.6	5.9	5.8	7.4



93-95	94-96	95-97	96-98	97-99
7.2	6.7	5.9	6.8	7.0

MATERNAL AND CHILD HEALTH STATUS INDICATORS CHESTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

AL	L RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	8	0	8	0
MOTOR VEHICLE ACCIDENTS	1	0	1	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	1	0	1	0
OTHER ACCIDENTS	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0
INTENTIONAL SELI HARM (SUICIDE)	= <u> </u>	0	0	0
ALL OTHER CAUSE	S 5	0	5	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	3,980	297	3,370	490
PERCENT	34.4	12.8	38.4	66.8

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	1999		1997	7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	5	7.5	25	12.1
WHITE	0	0.0	3	10.3
BLACK	5	8.9	22	12.7
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
ONWOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	96	14.5	240	38.5	69	10.4
WHITE	9	11.1	26	32.9	5	6.2
BLACK	86	15.3	204	38.9	60	10.7
HISPANIC	2	6.1	11	33.3	5	15.2

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators CHESTER CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
13.2	11.8	13.9	15.3	14.5

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
38.5	37.8	40.6	37.0	38.5

Percent of Births to Mothers Under 18



I	1995	1996	1997	1998	1999
	13.5	14.3	12.5	12.1	10.4



93-95	94-96	95-97	96-98	97-99
17.8	15.9	15.0	14.3	12.1

MATERNAL AND CHILD HEALTH STATUS INDICATORS EASTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

ALL R	ACES	WHITE	BLACK	HISPANIC
ALL CAUSES	0	0	0	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER ACCIDENTS	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0
INTENTIONAL SELF- HARM (SUICIDE)	0	0	0	0
ALL OTHER CAUSES	0	0	0	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	1,160	752	249	219
PERCENT	19.8	16.1	31.6	56.2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	1999		1997	7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	2	5.1	13	11.0
WHITE	1	3.2	9	9.4
BLACK	1	16.7	4	23.1
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	1
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE	IN FIRST TRIMESTER	BIRTHS TO MOT	HERS UNDER 18
OIWOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	53	13.6	85	22.8	30	7.7
WHITE	41	13.2	58	19.5	24	7.7
BLACK	12	20.0	24	42.9	5	8.3
HISPANIC	8	17.8	18	43.9	2	4.4

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators EASTON CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
9.8	7.7	10.9	13.8	13.6

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
21.4	22.5	24.7	20.2	22.8

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
6.7	5.9	5.7	6.2	7.7



93-95	94-96	95-97	96-98	97-99
12.6	13.2	8.9	14.3	11.0

MATERNAL AND CHILD HEALTH STATUS INDICATORS ERIE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

ALL I	RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	21	13	6	3
MOTOR VEHICLE ACCIDENTS	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	3	0	2	0
OTHER ACCIDENTS	1	1	0	0
ASSAULT (HOMICIDE)	2	1	1	0
INTENTIONAL SELF- HARM (SUICIDE)	2	2	0	0
ALL OTHER CAUSES	13	9	3	3

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	8,200	4,539	3,265	813
PERCENT	30.5	21.7	62.0	68.5

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	1999		1997	7-1999	
ETHNICITY	NO.	RATE	NO.	RATE	
ALL RACES	23	14.0	61	12.1	
WHITE	13	10.3	33	8.3	
BLACK	10	27.3	28	27.7	
HISPANIC	2	20.6	3	10.4	

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	2
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE	IN FIRST TRIMESTER	BIRTHS TO MOT	HERS UNDER 18
OI WOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	158	9.6	350	22.1	101	6.1
WHITE	98	7.8	228	18.6	49	3.9
BLACK	59	16.1	119	34.7	51	13.9
HISPANIC	9	9.3	29	30.9	8	8.2

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators ERIE CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
8.5	8.2	8.2	8.7	9.6

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
23.4	21.4	22.3	22.1	22.1

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
7.4	7.8	6.4	5.9	6.1



93-95	94-96	95-97	96-98	97-99
11.3	10.6	10.6	10.6	12.1

MATERNAL AND CHILD HEALTH STATUS INDICATORS HARRISBURG CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

ALL	RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	13	2	11	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0
RESIDENTIAL FIRE	1	0	1	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER ACCIDENTS	1	0	1	0
ASSAULT (HOMICIDE)	1	0	1	0
INTENTIONAL SELF- HARM (SUICIDE)	0	0	0	0
ALL OTHER CAUSES	3 10	2	8	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	6,183	1,157	4,183	1,114
PERCENT	44.7	33.2	47.4	61.6

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	19	99	1997	7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	6	6.9	25	8.2
WHITE	3	9.3	8	6.9
BLACK	3	6.0	14	8.2
HISPANIC	0	0.0	2	5.2

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY	RACE or ETHNICITY LOW BIRTH WEIGHT of MOTHER		NO PRENATAL CARE	IN FIRST TRIMESTER	BIRTHS TO MOTHERS UNDER 18	
OIWOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	103	11.8	206	24.8	77	8.8
WHITE	33	10.2	71	23.0	19	5.9
BLACK	66	13.3	120	25.6	54	10.9
HISPANIC	12	9.5	36	30.0	16	12.7

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators HARRISBURG CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
9.7	11.6	9.9	11.0	11.8

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
21.7	22.2	24.6	28.1	24.8

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
10.1	9.6	10.2	9.7	8.8



93-95	94-96	95-97	96-98	97-99
16.3	15.6	11.8	9.1	8.2

MATERNAL AND CHILD HEALTH STATUS INDICATORS JOHNSTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

<i>A</i>	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	6	5	0	0
MOTOR VEHICLE ACCIDENTS	1	1	0	0
RESIDENTIAL FIR	E 0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0
OTHER ACCIDENTS	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0
INTENTIONAL SE HARM (SUICIDE)	LF- 0	0	0	0
ALL OTHER CAUS	SES 4	3	0	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,622	1,971	596	66
PERCENT	43.3	38.8	65.4	52.8

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	19	1999		7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	4	13.3	14	13.8
WHITE	4	15.7	14	16.0
BLACK	0	0.0	0	0.0
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE	IN FIRST TRIMESTER	BIRTHS TO MOT	HERS UNDER 18
OI WOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	23	7.7	49	17.2	10	3.3
WHITE	17	6.7	39	16.2	8	3.1
BLACK	6	14.3	10	25.0	2	4.8
HISPANIC	1	16.7	3	50.0	1	16.7

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).


ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

TRENDS:


Maternal and Child Health Status Indicators JOHNSTOWN CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
8.2	8.8	10.7	10.1	7.7

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
22.1	18.8	18.8	17.3	17.2

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
6.4	7.8	4.5	5.4	3.3



93-95	94-96	95-97	96-98	97-99
9.5	13.6	14.6	15.3	13.8

MATERNAL AND CHILD HEALTH STATUS INDICATORS LANCASTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

ALL F	RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	14	5	5	4
MOTOR VEHICLE ACCIDENTS	1	0	1	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	1
OTHER ACCIDENTS	1	1	0	1
ASSAULT (HOMICIDE)	2	0	0	0
INTENTIONAL SELF- HARM (SUICIDE)	3	1	1	1
ALL OTHER CAUSES	6	2	3	1

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

		ALL RACES	WHITE	BLACK	HISPANIC
N	UMBER	4,543	1,269	1,035	2,567
Р	ERCENT	32.1	17.2	39.5	52.2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	1999		1997-1999	
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	6	5.9	24	7.6
WHITE	4	5.0	15	5.9
BLACK	2	11.0	9	17.8
HISPANIC	1	2.4	9	7.5

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY LOW BIRTH WEIGHT of MOTHER		NO PRENATAL CARE	NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18			
	OIMOTHER	Number	Percent	Number	Percent	Number	Percent	
	ALL RACES	90	8.9	109	11.3	87	8.6	
	WHITE	66	8.3	81	10.5	65	8.2	
	BLACK	20	11.0	20	11.8	21	11.6	
	HISPANIC	42	10.2	47	12.1	52	12.7	
								1

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators LANCASTER CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
7.1	9.1	9.0	9.4	8.9

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
16.3	14.9	13.6	14.2	11.3

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
11.2	10.0	8.4	7.9	8.6



93-95	94-96	95-97	96-98	97-99
7.4	7.2	6.1	8.1	7.6

MATERNAL AND CHILD HEALTH STATUS INDICATORS McKEESPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

ALL	RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	8	3	5	0
MOTOR VEHICLE ACCIDENTS	2	0	2	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	1	0	1	0
OTHER ACCIDENTS	0	0	0	0
ASSAULT (HOMICIDE)	2	1	1	0
INTENTIONAL SELF- HARM (SUICIDE)	0	0	0	0
ALL OTHER CAUSES	3	2	1	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,084	1,343	707	55
PERCENT	38.1	33.4	52.5	61.1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	1999		1997	7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	2	5.8	9	8.1
WHITE	1	4.5	4	5.6
BLACK	0	0.0	4	10.2
HISPANIC	1	1000.0	1	66.7

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

F	PERTUSSIS	0
1	MUMPS	0
1	MEASLES	0
F	RUBELLA	0
[DIPHTHERIA	0
-	TETANUS	0
F	POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	ΓΗ WEIGHT	NO PRENATAL CARE	IN FIRST TRIMESTER	BIRTHS TO MOT	HERS UNDER 18
OI WOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	39	11.2	41	12.1	37	10.7
WHITE	19	8.6	21	9.7	18	8.1
BLACK	20	16.4	20	16.7	19	15.6
HISPANIC	0	0.0	0	0.0	0	0.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).


ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

TRENDS:


Maternal and Child Health Status Indicators McKEESPORT CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
9.4	10.8	12.5	10.3	11.2

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
27.1	20.6	16.2	15.7	12.1

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
7.6	7.8	8.6	10.3	10.7



93-95	94-96	95-97	96-98	97-99
10.7	6.6	6.6	8.4	8.1

MATERNAL AND CHILD HEALTH STATUS INDICATORS NEW CASTLE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

ALL RA	ACES	WHITE	BLACK	HISPANIC
ALL CAUSES	6	4	2	0
MOTOR VEHICLE ACCIDENTS	3	3	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0
OTHER ACCIDENTS	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0
INTENTIONAL SELF- HARM (SUICIDE)	0	0	0	0
ALL OTHER CAUSES	2	1	1	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,091	1,560	512	41
PERCENT	34.1	29.6	64.9	60.3

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	19	99	1997	7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	0	0.0	5	4.1
WHITE	0	0.0	5	4.8
BLACK	0	0.0	0	0.0
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	1
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY LOW BIF		TH WEIGHT	NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
OIWOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	41	10.5	59	15.5	21	5.4
WHITE	31	9.2	46	14.0	17	5.0
BLACK	10	19.2	13	25.5	4	7.7
HISPANIC	0	0.0	0	0.0	0	0.0

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators NEW CASTLE CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
8.9	10.0	10.1	8.7	10.5

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
20.1	17.5	15.0	12.9	15.5

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
9.4	6.4	7.9	7.2	5.4



93-95	94-96	95-97	96-98	97-99
13.2	11.0	7.9	8.9	4.1

MATERNAL AND CHILD HEALTH STATUS INDICATORS NORRISTOWN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	6	2	4	0
MOTOR VEHICL ACCIDENTS	E 1	1	0	0
RESIDENTIAL FI	RE 1	1	0	0
DROWNING or SUFFOCATION	1	0	1	0
OTHER ACCIDENTS	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0
INTENTIONAL S HARM (SUICIDE	1	0	1	0
ALL OTHER CAU	JSES 2	0	2	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	868	415	437	31
PERCENT	12.4	9.7	18.0	9.1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	19	99	1997	7-1999	
ETHNICITY	NO.	RATE	NO.	RATE	
ALL RACES	6	13.0	18	11.7	
WHITE	2	8.9	5	6.3	
BLACK	4	19.6	13	19.8	
HISPANIC	1	14.5	2	11.1	

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE	NO PRENATAL CARE IN FIRST TRIMESTER		HERS UNDER 18
OI WOTTLEN	Number	Percent	Number	Percent	Number	Percent
ALL RACES	44	9.5	122	27.7	37	8.0
WHITE	16	7.1	57	26.9	8	3.6
BLACK	27	13.2	59	30.3	25	12.3
HISPANIC	6	8.7	31	46.3	2	2.9

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).


ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

TRENDS:


Maternal and Child Health Status Indicators NORRISTOWN BOROUGH

Percent Low Birth Weight




1995	1996	1997	1998	1999
8.2	9.7	8.7	9.8	9.5

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
29.9	29.6	25.2	32.1	27.7

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
6.2	5.8	6.2	4.6	8.0



93-95	94-96	95-97	96-98	97-99
17.7	17.8	14.6	9.7	11.7

MATERNAL AND CHILD HEALTH STATUS INDICATORS PHILADELPHIA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

ALL R	ACES	WHITE	BLACK	HISPANIC
ALL CAUSES	428	145	255	62
MOTOR VEHICLE ACCIDENTS	50	21	26	9
RESIDENTIAL FIRE	31	3	23	4
DROWNING or SUFFOCATION	21	7	13	2
OTHER ACCIDENTS	27	11	14	3
ASSAULT (HOMICIDE)	99	20	74	19
INTENTIONAL SELF- HARM (SUICIDE)	15	11	4	2
ALL OTHER CAUSES	185	72	101	23

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

		ALL RACES	WHITE	BLACK	HISPANIC
N	UMBER	112,622	22,120	71,402	17,803
Р	ERCENT	30.3	13.9	40.5	56.6

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	19	99	1997	7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	252	11.6	810	12.3
WHITE	51	5.8	185	6.9
BLACK	187	16.7	572	16.8
HISPANIC	18	7.1	70	9.5

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	27
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE I	N FIRST TRIMESTER	BIRTHS TO MOTHERS UNDER 18	
OFWOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	2,458	11.4	5,211	25.5	1,575	7.3
WHITE	644	7.3	1,504	17.6	448	5.1
BLACK	1,689	15.1	3,242	31.0	1,070	9.5
HISPANIC	252	9.9	649	26.5	271	10.7

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators PHILADELPHIA CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
11.2	11.6	11.3	11.1	11.4

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
29.2	27.9	26.4	26.1	25.5

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
8.6	8.4	7.9	7.8	7.3



93-95	94-96	95-97	96-98	97-99
13.1	12.7	12.5	12.5	12.3

MATERNAL AND CHILD HEALTH STATUS INDICATORS PITTSBURGH CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

ALL R	ACES	WHITE	BLACK	HISPANIC
ALL CAUSES	64	25	36	3
MOTOR VEHICLE ACCIDENTS	4	3	1	0
RESIDENTIAL FIRE	7	2	5	0
DROWNING or SUFFOCATION	1	1	0	0
OTHER ACCIDENTS	7	2	5	0
ASSAULT (HOMICIDE)	15	3	12	0
INTENTIONAL SELF- HARM (SUICIDE)	3	3	0	1
ALL OTHER CAUSES	27	11	13	2

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	23,545	7,195	15,604	216
PERCENT	32.5	16.6	56.9	26.5

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	1999		1997	7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	50	12.4	135	10.6
WHITE	18	7.9	45	6.1
BLACK	30	19.3	85	18.0
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	36
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE	NO PRENATAL CARE IN FIRST TRIMESTER		HERS UNDER 18
OIWOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	421	10.5	534	13.8	224	5.6
WHITE	168	7.4	190	8.6	47	2.1
BLACK	239	15.4	325	22.2	171	11.0
HISPANIC	1	2.2	1	2.2	2	4.3

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators PITTSBURGH CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
11.2	9.2	10.0	9.8	10.5

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
16.9	15.6	13.7	12.9	13.8

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
6.4	6.2	5.9	5.2	5.6



93-95	94-96	95-97	96-98	97-99
13.4	12.1	10.9	10.0	10.6

MATERNAL AND CHILD HEALTH STATUS INDICATORS READING CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

T				
ALL F	RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	27	18	8	9
MOTOR VEHICLE ACCIDENTS	3	2	0	2
RESIDENTIAL FIRE	7	3	4	2
DROWNING or SUFFOCATION	4	3	1	2
OTHER ACCIDENTS	2	2	0	0
ASSAULT (HOMICIDE)	3	1	2	1
INTENTIONAL SELF- HARM (SUICIDE)	0	0	0	0
ALL OTHER CAUSES	8	7	1	2

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	6,153	2,933	979	3,580
PERCENT	31.8	22.7	39.4	56.4

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	19	99	1997	7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	15	9.6	47	9.8
WHITE	11	8.5	35	8.6
BLACK	4	22.6	10	18.4
HISPANIC	11	16.7	26	12.8

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER			BIRTHS TO MOT	HERS UNDER 18		
OIMOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	141	9.0	643	45.0	149	9.6
WHITE	111	8.6	544	44.7	120	9.3
BLACK	22	12.4	73	47.4	23	13.0
HISPANIC	58	8.8	301	49.4	85	12.9

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).


ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

TRENDS:


Maternal and Child Health Status Indicators READING CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
7.9	8.8	7.5	9.3	9.0

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
34.5	34.3	38.8	42.5	45.0

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
8.2	9.7	9.4	9.1	9.6



93-95	94-96	95-97	96-98	97-99
8.0	8.5	8.4	9.9	9.8

MATERNAL AND CHILD HEALTH STATUS INDICATORS SCRANTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	14	13	1	0
MOTOR VEHICL ACCIDENTS	E 1	1	0	0
RESIDENTIAL F	IRE 0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0
OTHER ACCIDENTS	0	0	0	0
ASSAULT (HOMICIDE)	2	2	0	0
INTENTIONAL S HARM (SUICIDE	o	2	0	0
ALL OTHER CAL	JSES 8	7	1	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	3,793	3,396	300	107
PERCENT	22.5	21.2	70.1	48.0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or ETHNICITY	19 NO.	99 RATE	1997 NO.	7-1999 RATE
ALL RACES WHITE	5 5	6.0 6.6	15 13	6.0 5.6
BLACK	0	0.0	2	14.2
HISPANIC	1	20.8	3	26.5

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	ΓΗ WEIGHT	NO PRENATAL CARE	NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
OI MOTHER	Number	Percent	Number	Percent	Number	Percent	
ALL RACES	77	9.3	174	21.6	37	4.4	
WHITE	59	7.7	145	19.5	29	3.8	
BLACK	12	24.5	21	47.7	7	14.3	
HISPANIC	3	6.3	23	48.9	5	10.4	

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).


ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

TRENDS:


Maternal and Child Health Status Indicators SCRANTON CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
7.8	7.9	7.5	8.6	9.3

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
19.2	17.7	18.4	18.6	21.6

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
5.4	6.1	5.4	4.0	4.4



93-95	94-96	95-97	96-98	97-99
6.6	5.7	4.9	5.8	6.0

MATERNAL AND CHILD HEALTH STATUS INDICATORS WILKES-BARRE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

ALL RA	ACES	WHITE	BLACK	HISPANIC
ALL CAUSES	5	5	0	1
MOTOR VEHICLE ACCIDENTS	0	0	0	0
RESIDENTIAL FIRE	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0
OTHER ACCIDENTS	0	0	0	0
ASSAULT (HOMICIDE)	1	1	0	1
INTENTIONAL SELF- HARM (SUICIDE)	0	0	0	0
ALL OTHER CAUSES	3	3	0	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	1,954	1,639	277	29
PERCENT	20.7	18.8	51.8	38.2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	1999		1997	7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	5	11.1	15	11.1
WHITE	3	7.5	10	8.3
BLACK	2	48.8	5	44.2
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

F	PERTUSSIS	0
1	MUMPS	0
1	MEASLES	0
F	RUBELLA	0
[DIPHTHERIA	0
-	TETANUS	0
F	POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE	IN FIRST TRIMESTER	BIRTHS TO MOT	HERS UNDER 18
ONOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	33	7.3	61	13.8	18	4.0
WHITE	30	7.5	54	13.8	14	3.5
BLACK	2	4.9	7	17.5	4	9.8
HISPANIC	0	0.0	1	14.3	1	14.3

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators WILKES-BARRE CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
7.8	10.0	7.4	8.4	7.3

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
10.6	9.8	10.8	10.5	13.8

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
7.2	5.5	6.5	5.3	4.0



93-95	94-96	95-97	96-98	97-99
13.4	17.2	20.7	17.2	11.1

MATERNAL AND CHILD HEALTH STATUS INDICATORS WILLIAMSPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

,	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	6	5	1	0
MOTOR VEHICLE ACCIDENTS	0	0	0	0
RESIDENTIAL FIR	RE 1	1	0	0
DROWNING or SUFFOCATION	1	1	0	0
OTHER ACCIDENTS	1	0	1	0
ASSAULT (HOMICIDE)	1	1	0	0
INTENTIONAL SE HARM (SUICIDE)	LF- 0	0	0	0
ALL OTHER CAUS	SES 2	2	0	0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	2,425	1,850	542	28
PERCENT	30.8	26.8	66.1	52.8

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	1999		1997	7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	6	14.2	15	11.5
WHITE	4	11.1	10	9.5
BLACK	2	31.7	5	21.3
HISPANIC	0	0.0	0	0.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	1
MUMPS	1
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	LOW BIRTH WEIGHT NO PRENATA		IN FIRST TRIMESTER	BIRTHS TO MOT	HERS UNDER 18
OI WOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	46	10.8	69	17.2	31	7.3
WHITE	34	9.4	49	14.3	23	6.4
BLACK	11	17.5	20	33.9	7	11.1
HISPANIC	0	0.0	1	50.0	1	33.3

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).


ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

TRENDS:


Maternal and Child Health Status Indicators WILLIAMSPORT CITY

Percent Low Birth Weight




ĺ	1995	1996	1997	1998	1999
ĺ	6.3	6.3	9.4	6.9	10.8

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
28.1	22.9	24.2	24.3	17.2

Percent of Births to Mothers Under 18



I	1995	1996	1997	1998	1999
	5.1	8.4	6.7	9.7	7.3



93-95	94-96	95-97	96-98	97-99
12.8	15.0	14.6	11.2	11.5

MATERNAL AND CHILD HEALTH STATUS INDICATORS YORK CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

	ALL RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	11	6	4	2
MOTOR VEHICLI ACCIDENTS	E 4	2	1	1
RESIDENTIAL FI	RE 0	0	0	0
DROWNING or SUFFOCATION	1	0	1	0
OTHER ACCIDENTS	1	1	0	0
ASSAULT (HOMICIDE)	1	0	1	0
INTENTIONAL SI HARM (SUICIDE)	4	1	0	0
ALL OTHER CAL	ISES 3	2	1	1

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	3,395	1,239	1,404	1,017
PERCENT	31.2	19.9	39.8	73.0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

19 NO.	99 RATE	1997 NO.	7-1999 RATE
7 4	9.0 7.0	22 15	9.4 8.9
3	16.5	6	10.1
2	12.2	5	10.1
	NO. 7 4 3	7 9.0 4 7.0 3 16.5	NO. RATE NO. 7 9.0 22 4 7.0 15 3 16.5 6

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	0
MUMPS	0
MEASLES	0
RUBELLA	0
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

RACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE	IN FIRST TRIMESTER	BIRTHS TO MOT	HERS UNDER 18
OI MOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	65	8.4	158	21.9	68	8.7
WHITE	39	6.8	113	21.0	38	6.6
BLACK	24	13.2	40	25.2	27	14.8
HISPANIC	12	7.3	49	31.8	19	11.6

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators YORK CITY

Percent Low Birth Weight




1995	1996	1997	1998	1999
9.5	11.9	10.7	10.1	8.4

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
29.9	25.1	26.2	22.0	21.9

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
13.8	12.8	8.9	11.0	8.7



93-95	94-96	95-97	96-98	97-99
15.4	15.3	12.2	11.7	9.4

MATERNAL AND CHILD HEALTH STATUS INDICATORS PENNSYLVANIA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1997-1999

				,
ALL F	RACES	WHITE	BLACK	HISPANIC
ALL CAUSES	2,267	1,738	464	114
MOTOR VEHICLE ACCIDENTS	559	499	50	17
RESIDENTIAL FIRE	109	64	40	8
DROWNING or SUFFOCATION	128	94	30	5
OTHER ACCIDENTS	175	137	33	4
ASSAULT (HOMICIDE)	211	94	107	27
INTENTIONAL SELF- HARM (SUICIDE)	125	112	10	5
ALL OTHER CAUSES	960	738	194	48

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1989 BY RACE AND ETHNICITY, NUMBER AND PERCENT

	ALL RACES	WHITE	BLACK	HISPANIC
NUMBER	432,227	270,941	124,859	38,374
PERCENT	15.7	11.5	40.6	46.7

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 1999 AND 1997-1999

RACE or	19	1999		7-1999
ETHNICITY	NO.	RATE	NO.	RATE
ALL RACES	1,025	7.1	3,171	7.3
WHITE	657	5.5	2,064	5.7
BLACK	335	16.7	1,002	16.5
HISPANIC	60	8.4	185	9.0

REPORTED CASES OF VACCINE-PREVENTABLE DISEASES AMONG RESIDENTS UNDER 20 YEARS OF AGE, 1999

PERTUSSIS	129
MUMPS	6
MEASLES	0
RUBELLA	3
DIPHTHERIA	0
TETANUS	0
POLIO	0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 1999

	RACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE II	N FIRST TRIMESTER	BIRTHS TO MOT	HERS UNDER 18
OI WOTHER		Number	Percent	Number	Percent	Number	Percent
	ALL RACES	11,467	7.9	20,580	14.8	5,278	3.6
	WHITE	8,170	6.8	14,299	12.4	3,253	2.7
	BLACK	2,883	14.4	5,338	28.4	1,887	9.4
	HISPANIC	653	9.2	1,765	26.1	683	9.6

NOTES: Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.


ICD-9 CODES (1997-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 CODES (1999): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (X85-Y09, Y87.1), Intentional Self-harm (Suicide) (X60-X84, Y87.0). Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900


TRENDS: Maternal and Child Health Status Indicators PENNSYLVANIA

Percent Low Birth Weight




1995	1996	1997	1998	1999
7.4	7.5	7.6	7.6	7.9

Percent No Prenatal Care First Trimester




1995	1996	1997	1998	1999
16.7	15.8	15.3	15.3	14.8

Percent of Births to Mothers Under 18



1995	1996	1997	1998	1999
4.3	4.2	3.9	3.8	3.6



93-95	94-96	95-97	96-98	97-99
8.1	7.9	7.7	7.5	7.3