MATERNAL AND CHILD HEALTH STATUS INDICATORS ALLENTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	33	22	11	0	10
MOTOR VEHICI ACCIDENTS	LE 11	5	6	0	2
RESIDENTIAL F	FIRE 1	1	0	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL S HARM (SUICIDE	^	0	0	0	0
ALL OTHER CA	USES 18	15	3	0	8

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	NO.	002 RATE	1998 NO.	-2002 RATE	
ALL RACES	20	11.1	87	10.2	
WHITE	15	10.2	68	9.6	
BLACK	4	DSU	18	22.7	
ASIAN/PI*	0		0		
HISPANIC	8	DSU	27	8.5	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	7,703	29.9
WHITE	3,291	22.4
BLACK	1,274	45.8
ASIAN/PI*	109	17.9
HISPANIC	4,361	41.4

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE	NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent	
ALL RACES	465	9.0	813	19.1	289	5.6	
WHITE	357	8.5	615	17.5	224	5.3	
BLACK	65	14.6	105	29.2	35	7.9	
ASIAN/PI*	9	DSU	27	22.3	1	DSU	
HISPANIC	183	9.0	396	23.9	176	8.7	

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS ALTOONA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

,	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	15	14	1	0	1
MOTOR VEHICLE ACCIDENTS	1	1	0	0	1
RESIDENTIAL FIF	RE 0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	1	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SE HARM (SUICIDE)	LF- 2	2	0	0	0
ALL OTHER CAUS	SES 10	10	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

ETHNICITY N	2002 NO. RATE		1998-2002 NO. RATE		
ALL RACES WHITE BLACK ASIAN/PI* HISPANIC	3 2 1 0	DSU DSU DSU	19 16 3 0	6.0 5.2 DSU	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,782	24.8
WHITE	2,464	23.4
BLACK	116	45.7
ASIAN/PI*	0	
HISPANIC	23	22.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	141	7.4	184	9.8	89	4.7
WHITE	136	7.4	174	9.6	86	4.7
BLACK	5	DSU	8	DSU	3	DSU
ASIAN/PI*	0		1	DSU	0	
HISPANIC	2	DSU	7	DSU	0	

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS BETHLEHEM CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

ALL	RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	13	12	1	0	6
MOTOR VEHICLE ACCIDENTS	4	4	0	0	1
RESIDENTIAL FIRE	0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	4	4	0	0	3
INTENTIONAL SELF HARM (SUICIDE)	0	0	0	0	0
ALL OTHER CAUSES	S 4	3	1	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	NO.	002 RATE	1998 NO.	-2002 RATE	
ALL RACES	6	DSU	29	7.2	
WHITE	6	DSU	25	6.9	
BLACK	0		4	DSU	
ASIAN/PI*	0		0		
HISPANIC	2	DSU	14	11.2	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,101	21.2
WHITE	1,182	11.8
BLACK	277	36.4
ASIAN/PI*	84	23.2
HISPANIC	2,200	44.5
1		

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

ACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	245	10.3	252	11.5	111	4.7
WHITE	218	10.1	210	10.4	106	4.9
BLACK	18	15.0	28	26.7	3	DSU
ASIAN/PI*	4	DSU	12	22.6	1	DSU
HISPANIC	95	12.6	116	17.3	72	9.6

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS CHESTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	17	2	15	0	1
MOTOR VEHICI ACCIDENTS	LE 4	1	3	0	1
RESIDENTIAL F	FIRE 2	0	2	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	1	0	1	0	0
ASSAULT (HOMICIDE)	3	1	2	0	0
INTENTIONAL S HARM (SUICIDE	^	0	0	0	0
ALL OTHER CA	USES 6	0	6	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	20 NO.	002 RATE	1998 NO.	-2002 RATE
ALL RACES	7	DSU	38	11.9
WHITE	0		2	DSU
BLACK	7	DSU	36	13.5
ASIAN/PI*	0		0	
HISPANIC	0		1	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	3,934	37.0
WHITE	149	19.3
BLACK	3,463	37.8
ASIAN/PI*	17	25.8
HISPANIC	394	55.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIR	LOW BIRTH WEIGHT NO PRENATAL CARE IN FIRS		IN FIRST TRIMESTER	RST TRIMESTER BIRTHS TO MOTHERS UNDE	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	228	12.3	677	38.2	202	10.9
WHITE	18	6.9	68	27.1	17	6.6
BLACK	206	13.4	587	40.0	180	11.7
ASIAN/PI*	0		7	DSU	0	
HISPANIC	5	DSU	34	31.8	7	DSU

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS EASTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	1	1	0	0	0
MOTOR VEHICI ACCIDENTS	_E 0	0	0	0	0
RESIDENTIAL F	TIRE 0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL S HARM (SUICIDE	^	0	0	0	0
ALL OTHER CA	USES 1	1	0	0	0
1					

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	20 NO.	002 RATE	1998 NO.	-2002 RATE
ALL RACES	1	DSU	17	9.4
WHITE	1	DSU	11	7.5
BLACK	0		6	DSU
ASIAN/PI*	0		0	
HISPANIC	0		0	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

NUMBER	PERCENT
1,340	22.3
711	17.7
422	36.6
0	
229	26.9
	1,340 711 422 0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	101	9.5	182	19.1	57	5.3
WHITE	84	9.6	141	17.9	38	4.3
BLACK	13	8.2	31	23.1	17	10.8
ASIAN/PI*	0		3	DSU	0	
HISPANIC	27	13.8	45	26.2	15	7.6

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS ERIE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	40	27	9	2	6
MOTOR VEHICL ACCIDENTS	_E 5	5	0	0	2
RESIDENTIAL F	TRE 1	1	0	0	0
DROWNING or SUFFOCATION	6	1	3	1	0
OTHER ACCIDENTS	3	2	1	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL S HARM (SUICIDE	• •	3	0	0	0
ALL OTHER CA	USES 20	14	4	1	4

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	20 NO.	002 RATE	1998 NO.	-2002 RATE
ALL RACES	25	15.2	100	12.1
WHITE	13	10.6	54	8.5
BLACK	11	29.5	45	25.8
ASIAN/PI*	1	DSU	1	DSU
HISPANIC	3	DSU	6	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

NUMBER	PERCENT
7,066	27.4
3,168	18.3
2,707	47.9
44	32.8
1,027	46.5
	7,066 3,168 2,707 44

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER			LOW BIRTH WEIGHT NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18		
	Number	Percent	Number	Percent	Number	Percent	
ALL RACES	426	8.7	971	20.4	302	6.2	
WHITE	275	7.3	598	16.4	166	4.4	
BLACK	138	13.2	347	34.3	125	12.0	
ASIAN/PI*	6	DSU	10	25.6	1	DSU	
HISPANIC	23	8.5	66	25.7	25	9.2	

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS HARRISBURG CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	22	6	13	1	2
MOTOR VEHICL ACCIDENTS	LE 1	0	1	0	0
RESIDENTIAL F	TIRE 0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	3	1	0	0	0
ASSAULT (HOMICIDE)	6	1	5	0	0
INTENTIONAL S HARM (SUICIDE		0	0	0	0
ALL OTHER CA	USES 12	4	7	1	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	20 NO.	002 RATE	1998 NO.	-2002 RATE	
ALL RACES	11	13.0	42	9.3	
WHITE	5	DSU	13	7.8	
BLACK	6	DSU	28	11.3	
ASIAN/PI*	0		0		
HISPANIC	2	DSU	3	DSU	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

NUMBER	PERCENT
4,741	35.2
691	34.9
2,993	34.2
45	13.8
1,111	48.5
	4,741 691 2,993 45

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

ACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	364	13.9	377	16.1	199	7.6
WHITE	114	12.2	118	13.9	55	5.9
BLACK	214	14.9	226	17.7	126	8.8
ASIAN/PI*	3	DSU	6	DSU	0	
HISPANIC	42	12.0	57	18.4	35	10.0

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS HAZLETON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	5	4	1	0	1
MOTOR VEHICI ACCIDENTS	LE 3	2	1	0	1
RESIDENTIAL F	FIRE 0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL S HARM (SUICIDE	^	0	0	0	0
ALL OTHER CA	USES 2	2	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	20 NO.	002 RATE	1998 NO.	-2002 RATE
ALL RACES	0		8	DSU
WHITE	0		8	DSU
BLACK	0		0	
ASIAN/PI*	0		0	
HISPANIC	0		1	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,038	20.9
WHITE	857	19.4
BLACK	13	100.0
ASIAN/PI*	8	DSU
HISPANIC	193	40.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

ACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	82	9.7	126	15.1	36	4.2
WHITE	78	9.6	119	14.8	30	3.7
BLACK	2	DSU	3	DSU	5	DSU
ASIAN/PI*	0		1	DSU	0	
HISPANIC	6	DSU	30	27.8	6	DSU

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS JOHNSTOWN CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	10	7	2	0	0
MOTOR VEHICL ACCIDENTS	_E 1	1	0	0	0
RESIDENTIAL F	TIRE 0	0	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL S HARM (SUICIDE	^	0	0	0	0
ALL OTHER CA	USES 7	5	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	NO.	002 RATE	1998 NO.	-2002 RATE	
ALL RACES	4	DSU	18	11.2	
WHITE	2	DSU	13	9.5	
BLACK	2	DSU	4	DSU	
ASIAN/PI*	0		0		
HISPANIC	0		0		

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,921	38.2
WHITE	1,406	37.3
BLACK	375	42.7
ASIAN/PI*	7	DSU
HISPANIC	13	20.0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

ACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	101	10.4	156	16.7	47	4.8
WHITE	85	10.3	121	15.2	31	3.8
BLACK	14	10.2	34	26.6	16	11.7
ASIAN/PI*	0		0		0	
HISPANIC	2	DSU	3	DSU	1	DSU

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS LANCASTER CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	28	15	9	3	11
MOTOR VEHICL ACCIDENTS	_E 5	1	4	0	1
RESIDENTIAL F	TIRE 2	2	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	1
OTHER ACCIDENTS	2	2	0	0	1
ASSAULT (HOMICIDE)	4	1	1	2	1
INTENTIONAL S HARM (SUICIDE	2	1	1	0	1
ALL OTHER CA	USES 11	7	3	1	6
1					

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	20 NO.	002 RATE	1998 [.] NO.	-2002 RATE	
ALL RACES	10	9.9	48	9.4	
WHITE	8	DSU	32	7.8	
BLACK	2	DSU	15	18.2	
ASIAN/PI*	0		0		
HISPANIC	7	DSU	22	10.3	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	4,442	29.6
WHITE	1,373	20.5
BLACK	1,103	37.7
ASIAN/PI*	31	9.2
HISPANIC	2,660	38.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	267	8.7	378	13.6	275	9.0
WHITE	219	9.0	277	12.5	207	8.5
BLACK	42	8.6	83	19.0	63	12.9
ASIAN/PI*	3	DSU	11	16.2	0	
HISPANIC	144	10.9	179	15.5	176	13.3

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS LEBANON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	12	12	0	0	2
MOTOR VEHICI ACCIDENTS	LE 3	3	0	0	0
RESIDENTIAL F	FIRE 1	1	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL S HARM (SUICIDE	^	0	0	0	0
ALL OTHER CA	USES 7	7	0	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	20 NO.	002 RATE	1998 NO.	-2002 RATE
ALL RACES	3	DSU	20	10.6
WHITE	2	DSU	18	10.1
BLACK	0		0	
ASIAN/PI*	0		0	
HISPANIC	1	DSU	5	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,525	25.5
WHITE	869	18.9
BLACK	131	86.8
ASIAN/PI*	30	44.8
HISPANIC	709	41.8

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	93	8.1	278	25.4	68	5.9
WHITE	86	8.0	259	25.2	63	5.8
BLACK	5	DSU	14	35.0	3	DSU
ASIAN/PI*	1	DSU	3	DSU	0	
HISPANIC	25	7.5	121	37.9	25	7.5

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS McKEESPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	12	6	6	0	0
MOTOR VEHICL ACCIDENTS	_E 1	0	1	0	0
RESIDENTIAL F	TIRE 0	0	0	0	0
DROWNING or SUFFOCATION	2	0	2	0	0
OTHER ACCIDENTS	2	2	0	0	0
ASSAULT (HOMICIDE)	3	2	1	0	0
INTENTIONAL S HARM (SUICIDE	^	0	0	0	0
ALL OTHER CA	USES 4	2	2	0	0
1					

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	20 NO.	002 RATE	1998 NO.	-2002 RATE
ALL RACES	2	DSU	17	10.6
WHITE	0		5	DSU
BLACK	2	DSU	10	16.6
ASIAN/PI*	0		0	
HISPANIC	0		1	DSU

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

NUMBER	PERCENT
2,187	36.9
827	25.5
1,161	52.3
0	
54	46.6
	2,187 827 1,161 0

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	109	12.1	92	10.5	87	9.6
WHITE	49	9.4	41	8.2	32	6.2
BLACK	59	16.9	48	14.1	49	14.0
ASIAN/PI*	0		1	DSU	0	
HISPANIC	0		1	DSU	4	DSU

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS NEW CASTLE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	7	4	3	0	0
MOTOR VEHICL ACCIDENTS	.E 1	1	0	0	0
RESIDENTIAL F	IRE 0	0	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	1	0	1	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL S HARM (SUICIDE	Λ	0	0	0	0
ALL OTHER CA	USES 4	3	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

20 NO.	002 RATE	1998 NO.	-2002 RATE	
6	DSU	21	10.9	
3	DSU	17	10.6	
3	DSU	4	DSU	
0		0		
0		0		
	NO. 6 3 0	6 DSU 3 DSU 3 DSU 0	NO. RATE NO. 6 DSU 21 3 DSU 17 3 DSU 4 0 0	NO. RATE NO. RATE 6 DSU 21 10.9 3 DSU 17 10.6 3 DSU 4 DSU 0 0

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

NUMBER	PERCENT
2,106	34.2
1,281	27.6
677	56.0
20	54.1
41	53.9
	2,106 1,281 677 20

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIR	TH WEIGHT	NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	129	11.4	139	13.2	56	5.0
WHITE	100	10.7	96	11.0	44	4.7
BLACK	28	17.1	37	25.2	12	7.3
ASIAN/PI*	0		3	DSU	0	
HISPANIC	2	DSU	2	DSU	1	DSU

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS NORRISTOWN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	11	0	11	0	0
MOTOR VEHICL ACCIDENTS	LE 0	0	0	0	0
RESIDENTIAL F	TRE 0	0	0	0	0
DROWNING or SUFFOCATION	2	0	2	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	4	0	4	0	0
INTENTIONAL S HARM (SUICIDE	4	0	1	0	0
ALL OTHER CA	USES 4	0	4	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	20 NO.	002 RATE	1998 NO.	-2002 RATE	
ALL RACES	7	DSU	25	9.7	
WHITE	4	DSU	8	DSU	
BLACK	3	DSU	17	15.6	
ASIAN/PI*	0		0		
HISPANIC	2	DSU	4	DSU	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,806	23.9
WHITE	443	14.6
BLACK	1,122	32.1
ASIAN/PI*	11	7.6
HISPANIC	422	41.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	168	10.5	442	28.8	94	5.8
WHITE	70	8.1	208	24.8	42	4.8
BLACK	90	13.9	215	35.3	49	7.6
ASIAN/PI*	4	DSU	8	DSU	1	DSU
HISPANIC	18	4.9	114	31.5	25	6.7

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS PHILADELPHIA CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	596	201	369	22	74
MOTOR VEHICL ACCIDENTS	_E 66	29	34	3	8
RESIDENTIAL F	TRE 29	5	24	0	3
DROWNING or SUFFOCATION	28	7	19	1	2
OTHER ACCIDENTS	40	19	19	2	1
ASSAULT (HOMICIDE)	120	20	98	0	17
INTENTIONAL S HARM (SUICIDE	22	12	11	0	2
ALL OTHER CA	USES 290	109	164	16	41

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	20 NO.	002 RATE	1998 NO.	-2002 RATE
ALL RACES	227	10.6	1,202	11.1
WHITE	63	7.8	293	6.8
BLACK	147	13.5	839	15.0
ASIAN/PI*	1	DSU	24	4.0
HISPANIC	25	9.3	114	8.9

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

NUMBER	PERCENT
118,467	31.6
20,946	17.0
72,623	37.2
5,296	34.4
23,919	50.4
	118,467 20,946 72,623 5,296

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	7,236	11.2	15,531	26.4	4,466	6.9
WHITE	1,998	8.0	4,372	18.7	1,108	4.4
BLACK	4,703	14.2	9,426	31.6	3,024	9.2
ASIAN/PI*	304	8.0	1,009	29.7	97	2.5
HISPANIC	744	9.4	2,132	29.1	817	10.3

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS PITTSBURGH CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	95	39	54	1	1
MOTOR VEHICL ACCIDENTS	.E 7	5	1	1	0
RESIDENTIAL F	IRE 6	0	6	0	0
DROWNING or SUFFOCATION	4	1	3	0	0
OTHER ACCIDENTS	8	4	4	0	0
ASSAULT (HOMICIDE)	15	5	10	0	0
INTENTIONAL S HARM (SUICIDE	· ·	3	1	0	1
ALL OTHER CAI	USES 51	21	29	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	NO.	002 RATE	1998 NO.	-2002 RATE	
ALL RACES	49	13.3	230	11.6	
WHITE	14	7.0	71	6.4	
BLACK	33	23.4	152	20.1	
ASIAN/PI*	2	DSU	5	DSU	
HISPANIC	0		1	DSU	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

NUMBER	PERCENT
18,136	27.8
4,666	13.7
12,523	46.0
250	22.9
322	35.1
	18,136 4,666 12,523 250

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	1,223	10.6	1,366	12.3	632	5.5
WHITE	485	7.6	502	8.0	144	2.3
BLACK	677	15.3	785	18.7	470	10.6
ASIAN/PI*	30	6.2	38	8.1	1	DSU
HISPANIC	12	6.7	30	16.9	4	DSU

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS READING CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	33	29	3	1	19
MOTOR VEHICL ACCIDENTS	_E 5	4	0	1	2
RESIDENTIAL F	TIRE 5	5	0	0	4
DROWNING or SUFFOCATION	3	2	1	0	2
OTHER ACCIDENTS	2	2	0	0	1
ASSAULT (HOMICIDE)	7	6	1	0	5
INTENTIONAL S HARM (SUICIDE	^	0	0	0	0
ALL OTHER CA	USES 11	10	1	0	5

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	NO.	002 RATE	1998 [.] NO.	-2002 RATE
ALL RACES	17	10.6	86	10.7
WHITE	14	10.6	67	10.0
BLACK	3	DSU	19	19.7
ASIAN/PI*	0		0	
HISPANIC	9	DSU	48	12.3

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	8,768	36.8
WHITE	3,028	28.1
BLACK	1,225	38.5
ASIAN/PI*	121	26.7
HISPANIC	5,978	46.7

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	449	9.2	1,753	41.6	401	8.2
WHITE	338	8.5	1,427	40.7	325	8.1
BLACK	84	14.1	222	45.0	54	9.1
ASIAN/PI*	6	DSU	26	35.1	2	DSU
HISPANIC	217	8.5	1,014	45.8	247	9.7

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS SCRANTON CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	17	17	0	0	1
MOTOR VEHIC ACCIDENTS	CLE 1	1	0	0	0
RESIDENTIAL I	FIRE 0	0	0	0	0
DROWNING or SUFFOCATION		1	0	0	0
OTHER ACCIDENTS	3	3	0	0	1
ASSAULT (HOMICIDE)	2	2	0	0	0
INTENTIONAL HARM (SUICID	·	2	0	0	0
ALL OTHER CA	AUSES 8	8	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	20 NO.	002 RATE	1998 NO.	-2002 RATE	
ALL RACES	7	DSU	28	6.8	
WHITE	5	DSU	21	5.5	
BLACK	2	DSU	6	DSU	
ASIAN/PI*	0		0		
HISPANIC	3	DSU	7	DSU	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,973	19.2
WHITE	2,257	16.4
BLACK	426	57.8
ASIAN/PI*	14	9.1
HISPANIC	174	25.3

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	192	7.8	427	18.5	99	4.0
WHITE	167	7.4	359	17.0	85	3.8
BLACK	20	13.2	57	41.3	13	8.6
ASIAN/PI*	4	DSU	10	27.0	0	
HISPANIC	24	10.4	53	25.1	9	DSU

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS WEST MIFFLIN BORO

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	1	1	0	0	0
MOTOR VEHICI ACCIDENTS	LE 0	0	0	0	0
RESIDENTIAL F	FIRE 1	1	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	0	0	0	0	0
INTENTIONAL S HARM (SUICIDE	^	0	0	0	0
ALL OTHER CA	USES 0	0	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	20 NO.	002 RATE	1998 NO.	-2002 RATE	
ALL RACES	0		12	10.7	
WHITE	0		10	11.1	
BLACK	0		2	DSU	
ASIAN/PI*	0		0		
HISPANIC	0		0		

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	813	16.8
WHITE	364	9.1
BLACK	407	52.9
ASIAN/PI*	15	48.4
HISPANIC	0	

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	62	9.2	36	5.4	15	2.2
WHITE	40	7.6	20	3.8	6	DSU
BLACK	18	14.0	14	10.9	9	DSU
ASIAN/PI*	0		0		0	
HISPANIC	1	DSU	0		0	

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS WILKES-BARRE CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	8	7	0	1	1
MOTOR VEHIC	LE 0	0	0	0	0
RESIDENTIAL F	FIRE 1	1	0	0	0
DROWNING or SUFFOCATION	0	0	0	0	0
OTHER ACCIDENTS	0	0	0	0	0
ASSAULT (HOMICIDE)	2	2	0	0	1
INTENTIONAL S HARM (SUICIDE	^	0	0	0	0
ALL OTHER CA	USES 5	4	0	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	NO.	002 RATE	1998- NO.	-2002 RATE	
ALL RACES	4	DSU	14	6.4	
WHITE	2	DSU	10	5.2	
BLACK	2	DSU	4	DSU	
ASIAN/PI*	0		0		
HISPANIC	1	DSU	1	DSU	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	2,055	24.3
WHITE	1,553	21.4
BLACK	372	45.2
ASIAN/PI*	0	
HISPANIC	17	9.6

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	99	7.8	173	14.5	67	5.2
WHITE	79	7.0	134	12.6	60	5.3
BLACK	15	14.4	32	35.2	5	DSU
ASIAN/PI*	3	DSU	4	DSU	0	
HISPANIC	1	DSU	16	30.2	6	DSU

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS WILLIAMSPORT CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	9	7	2	0	0
MOTOR VEHIC	LE 1	1	0	0	0
RESIDENTIAL F	FIRE 1	1	0	0	0
DROWNING or SUFFOCATION	1	1	0	0	0
OTHER ACCIDENTS	1	0	1	0	0
ASSAULT (HOMICIDE)	2	1	1	0	0
INTENTIONAL S HARM (SUICIDE	1	1	0	0	0
ALL OTHER CA	USES 2	2	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	NO.	002 RATE	1998 NO.	-2002 RATE
ALL RACES	4	DSU	28	13.1
WHITE	4	DSU	20	11.2
BLACK	0		8	DSU
ASIAN/PI*	0		0	
HISPANIC	0		0	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

RACE or ETHNICITY	NUMBER	PERCENT
ALL RACES	1,648	24.8
WHITE	945	19.7
BLACK	517	34.7
ASIAN/PI*	38	74.5
HISPANIC	54	42.5

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	105	8.3	229	18.7	56	4.4
WHITE	82	7.6	161	15.5	33	3.1
BLACK	22	12.2	64	36.8	22	12.2
ASIAN/PI*	0		1	DSU	0	
HISPANIC	2	DSU	7	DSU	2	DSU

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS YORK CITY

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	18	11	5	2	3
MOTOR VEHICLI ACCIDENTS	4	2	0	2	1
RESIDENTIAL FI	RE 0	0	0	0	0
DROWNING or SUFFOCATION	1	0	1	0	0
OTHER ACCIDENTS	2	1	1	0	0
ASSAULT (HOMICIDE)	1	0	1	0	0
INTENTIONAL SI HARM (SUICIDE)	4	1	0	0	0
ALL OTHER CAU	ISES 9	7	2	0	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

		•			
RACE or ETHNICITY	NO.	002 RATE	1998 NO.	-2002 RATE	
ALL RACES	7	DSU	39	9.6	
WHITE	2	DSU	23	8.2	
BLACK	5	DSU	15	14.4	
ASIAN/PI*	0		1	DSU	
HISPANIC	0		6	DSU	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

NUMBER	PERCENT
3,703	32.4
1,042	22.0
1,435	39.1
21	9.9
1,254	41.3
	3,703 1,042 1,435 21

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

RACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	286	11.7	531	22.8	201	8.2
WHITE	165	10.0	326	20.8	103	6.2
BLACK	94	14.6	175	28.7	83	12.8
ASIAN/PI*	5	DSU	5	DSU	0	
HISPANIC	57	9.8	142	26.1	53	9.1

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/

MATERNAL AND CHILD HEALTH STATUS INDICATORS PENNSYLVANIA

DEATHS AMONG RESIDENTS 1 TO 17 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 1998-2002

	ALL RACES	WHITE	BLACK	ASIAN/PI*	HISPANIC
ALL CAUSES	3,519	2,745	682	68	182
MOTOR VEHICL ACCIDENTS	_E 800	709	76	13	32
RESIDENTIAL F	TRE 136	94	42	0	7
DROWNING or SUFFOCATION	208	149	49	6	8
OTHER ACCIDENTS	289	243	36	7	5
ASSAULT (HOMICIDE)	281	126	148	5	32
INTENTIONAL S HARM (SUICIDE	217	195	20	1	5
ALL OTHER CA	USES 1,588	1,229	311	36	93

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2002 AND 1998-2002

RACE or ETHNICITY	NO.	002 RATE	1998 NO.	-2002 RATE	
ALL RACES	1,081	7.6	5,223	7.2	
WHITE	744	6.4	3,498	5.9	
BLACK	299	15.2	1,564	15.6	
ASIAN/PI*	12	2.8	71	3.8	
HISPANIC	78	9.0	339	8.9	

CHILDREN UNDER 18 LIVING BELOW POVERTY LEVEL IN 1999, BY RACE AND ETHNICITY NUMBER AND PERCENT

NUMBER	PERCENT
421,745	14.7
234,932	10.2
129,204	35.8
9,378	17.0
54,030	37.7
	421,745 234,932 129,204 9,378

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2000-2002

ACE or ETHNICITY of MOTHER	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
	Number	Percent	Number	Percent	Number	Percent
ALL RACES	34,268	8.0	61,090	14.9	14,212	3.3
WHITE	24,405	6.9	42,267	12.5	8,357	2.4
BLACK	8,265	13.9	15,190	27.9	5,235	8.8
ASIAN/PI*	899	7.5	2,106	19.0	135	1.1
HISPANIC	2,183	9.0	5,978	27.1	2,035	8.4

 $\label{eq:NOTES:DSU=Data} \mbox{ NOTES:} \quad \mbox{DSU=Data statistically unreliable (due to small numbers)}.$

Infant death rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-9 Codes (1996-1998): Motor Vehicle Accidents (E810-E825), Residential Fire (E890-E899 and place of accident = home), Drowning/Suffocation (E910-E915), Other Accidents (E800-E807, E826-E889, E900-E909, E916-E949), Homicide and Legal Intervention (E960-E978), Intentional Self-harm (Suicide) (E950-E959).

ICD-10 Codes (1999-2002): Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Residential Fire (X00-X09 and place of accident = home), Drowning/Suffocation (W65-W84), Other Accidents (V01, V05-V08, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.7-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1,V89.3-V89.9, V90-W64, W85-W99, X10-X59, Y85-Y86), Assault (Homicide) (U01-U02, X85-Y09, Y87.1), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Hispanics can be of any race. Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces. Any unknown data are excluded.

SOURCE: Bureau of Health Statistics and Research, Pennsylvania Department of Health, 555 Walnut St. - 6th Floor, Harrisburg, PA 17101-1900

Phone: (717) 783-2548 Fax: (717) 772-3258 This report and others are on our web site at www.health.state.pa.us/stats/